



Trade Catalogue

40th ANNIVERSARY
1979 – 2019





1979 Cetinkaya Pano was formed at the field of electrics and electronics. Cetinkaya grew and developed during these passing 42 years in production, design, marketing and export by increasing its market-share day by day.

Cetinkaya attached importance to the quality factor in its products and targeted first of all customer satisfaction. Cetinkaya produces a wide range of products, including metal enclosures, plastic junction boxes, plastic boards, plastic and polyester distribution boards and meter boards.

Besides its own production, CETINKAYA PANO is the distributor of GEWISS and LEGRAND , which are globally well-known brands in the sector.



COMPANY PROFILE

The Company:

Cetinkaya, placed in İstanbul Turkey, was founded in 1979. The main activity area of Cetinkaya is the production of high quality electrical boards for professional and private use.

Cetinkaya has such a framework :

- Latest Technology in self-owned facilities occupying 40.000 m²
- Automation in production line
- Over 350 personnel experienced in their fields
- Over 5 million pieces annual production in facilities
- Import from global giants of electricity sector like Gewiss and Legrand.
- Quality Control based production in all facilities.

OUR VISION IS;

To be an entrepreneurial and innovative company, by renewing our production facilities according to the newest technological developments, to adapt to the changing trends of the sector, to satisfy the customer needs with our various distinctive and attractive designs, to increase the customer satisfaction level by taking the social and ethical values into consideration.

OUR MISSION IS;

To base our corporate structure on hard-working, dynamic, honest people who are in harmony with our corporate core values, to maintain our corporate continuity, to maintain the satisfaction of our stakeholders by establishing an optimal commercial atmosphere, to optimize the production process by making use of new and technological equipments. to satisfy different customer's needs by being different in the market through our intensive product diversification.

CETINKAYA owns one of the most technological automation lines in the field, to be able to supply to customers in time while maintaining high quality in its products.

The Products:

35 years experience leads to a huge portfolio of products. The product range consists of plastic, metal, polyester boards and boxes, as well as manhole boxes and covers.

Product categories are listed below:

- **PLASTIC BOARDS AND BOXES:** Plastic distribution boxes, watertight boards and junction boxes, as well as Marine and Telephone Boards are included in this group. The raw material used is ABS RAL 7035 with high IP degrees to increase the durability of the products.
- **METAL BOARDS :** Metal Boards are wall mounted or for floor installation in different types. They differ in their covers as blank or transparent. Different roof preferences and needs can also be satisfied. Mounted metal boards for floor installation are also supplied with different possibilities of different brands sockets with flexible price alternatives.
- **POLYESTER (GRP) BOARDS:** Polyester Boards are manufactured in polyester reinforced with fiber glass. They are especially resistant against corrosion, can be installed on the wall, on the ground or on other supporting bases. Furthermore, they can be adjusted to meter boards with special inside accessories. Special water meter is also included in this product category.

- **MANHOLE BOXES:** Cetinkaya introduced its newest product serie,namely; the thermoplastic manhole boxes and covers to the market. These boxes are used in electrics, for the passage of drainage water and in the area of telecommunication. The manhole boxes can be produced in various types and dimensions according to diff erent preferences of customers.They may be ordered in dimensions of 200x200x200, 300x300x300, 400x400x400, 550x550x500, 360x260x320; with cover alternatives like gridded or blank; green or grey; and with 4,6 or 10 ways out,which is a special design of this product.

CETINKAYA products are one of the most reliable products in the sector and CETINKAYA increases its market share in Turkey, as well as in Balkans, in Western and Middle Europe, Middle and North Africa and Asia. The reliability of the products are based on the certifi ed quality, innovation, design, production technology, best quality and competitive price advantage.

Certifi ed Quality:

Cetinkaya underlines the importance of quality in its production and supports its attribute with diff erent quality certifi cates.

The latest quality certifi cates are listed below:

- Declaration of Conformity CE for all the products.
- Certifi cate of Conformity to Turkish Standarts
- Certifi cate of Registration for TS EN ISO 9001:2008
- GOST-R Certifi cate

R&D Department:

The Research and Development department of CETINKAYA is composed of highly experienced professionals who are working with high precision in their fi eld. There is also a mould building facility inside the factory facilitating innovative designs in our products.

Automated Production:

CETINKAYA makes considerable investments in automation technologies to develop its production facilities day by day and to increase the customer satisfaction. Time, quality and price are the most important factors which CETINKAYA's production is based on.

Goals and Objectives:

Goals and Objectives of Cetinkaya are always one step further of its competitors. By developing the production facilities and by following the latest Technologies, CETINKAYA keeps up with the world of innovation and increases its market share throughout the world. Today , Cetinkaya exporting to 55 countries, aims to increase its export volume with its reliable company profile



3 CETINKAYA

4-5 COMPANY PROFILE

6-7 INDEX

9 CP BOX PLASTIC

- 10 JUNCTION BOXES - with cable gland
- 11 JUNCTION BOXES - with blank sides
- 12 JUNCTION BOXES - with knock-out
- 13 JUNCTION BOXES - with knock outs
- 14 JUNCTION BOXES - with blank sides
- 15 JUNCTION BOXES - with cable gland
- 16 DISTRIBUTION BOARDS - flush mounting
- 17 DISTRIBUTION BOARDS - flush mounting
- 18 DISTRIBUTION BOARDS - surface mounting
- 19 DISTRIBUTION BOARDS - surface mounting
- 20 DISTRIBUTION BOARDS - surface mounting
- 21 DISTRIBUTION BOARDS - surface mounting
- 22 WATERTIGHT BOARDS - blank door
- 23 WATERTIGHT BOARDS - transparent door
- 24 WATERTIGHT BOARDS - with roof
- 25 WATERTIGHT ASA BOARDS - blank door
- 26 DISTRIBUTION BOARDS - with din rail fixing
- 27 DISTRIBUTION BOARDS - for metering installation
- 28 INDUSTRIAL BOXES - for industrial socket / plug installation
- 29 INDUSTRIAL BOXES - assambled industrial socket
- 30 MANHOLE BOXES
- 31 MANHOLE BOXES
- 32 MANHOLE BOX
- 33 MANHOLE BOX & COVER
- 34 CABLE DUCTS - wiring ducts
- 35 FLEXIBLE SPIRALLED SHEATH
- 36 COMPLEMENTARY ITEM - cable glands
- 37 COMPLEMENTARY ITEM - cable ties
- 38 MARINE BOARDS

39 CP BOX METAL

- 40 METAL CABINETS - D series
- 41 CURVED SAFETY GLASS DOOR CABINETS - floor mounting & surface mounting
- 42 CURVED SAFETY GLASS DOOR CABINETS - floor mounting & surface mounting
- 43 ENCLOSURE FOR COMMUNICATION DEVICES
- 44 METAL ENCLOSURES - wall mounted
- 45 METAL ENCLOSURES - wall mounted
- 46 METAL ENCLOSURES - wall mounted & floor installation
- 47 METAL ENCLOSURES - surface & flush mounting
- 48 VERTICAL TYPE MODULER BOARD - floor standing moduler enclosure
- 49 VERTICAL TYPE MODULER BOARD - floor standing moduler enclosure
- 50 VENTILATION SYSTEMS

51 CP BOX POLYESTER

- 52 POLYESTER BOARDS
- 53 POLYESTER BOARDS
- 54 POLYESTER ENCLOSURES
- 55 POLYESTER CABINETS - pedestals

57 CP CABLING

- 58 CABLE REELS - metal & plastic
- 59 ALUMINIUM MODULES - for socket installation
- 60 SOCKET STRIPS - ABS & aluminium & stainless

61 CP LIGHTING

- 62 WATERPROOF LIGHTING FIXTURE
- 63 WATERPROOF LIGHTING FIXTURE
- 64 WATERPROOF LIGHTING FIXTURE
- 65 WATERPROOF LIGHTING FIXTURE
- 66 WATERPROOF LIGHTING FIXTURE

67 CP STABILIZER

- 68 VOLTAGE STABILIZER
- 69 VOLTAGE STABILIZER
- 70 POOL TRANSFORMER
- 71 VOLTAGE STABILIZER & TRANSFORMER



CP BOX Plastic

product range



JUNCTION BOXES

with cable gland

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Junction Boxes - With press fit cover

Code	Dimension (WxHxD)	Pack
CP 1036	Ø 70x40	60
CP 1037	Ø 85x45	40
CP 1038	80x80x40	40



Junction Boxes - With stainless steel screw

Code	Dimension (WxHxD)	Pack
CP 1039	80x120x50	22
CP 1040	100x100x50	18
CP 1051	150x110x70	9
CP 1055	110x110x70	12



Junction Boxes - With plastic screw

Code	Dimension (WxHxD)	Pack
CP 1052	190x145x80	10
CP 1053	250x200x90	12
CP 1054	310x230x130	6
CP 1056	400x480x120	4



Junction Boxes - With stainless steel screw

Code	Dimension (WxHxD)	Pack
CP 1359	80x120x120	35
CP 1360	100x100x120	36
CP 1361	150x110x140	16



Junction Boxes - With plastic screw

Code	Dimension (WxHxD)	Pack
CP 1362	190x145x140	10
CP 1363	250x200x160	6
CP 1364	310x230x180	6

JUNCTION BOXES

with blank sides

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Screwed Cover
- Operating Temperature: -25°C to +60°C
- Smooth Sides and Plain Blank Cover
- Glow wire Test 650°C



new

Junction Boxes - With stainless steel screw



Code	Dimension (WxHxD)	Pack
CP 1029	80x120x50	22
CP 1030	100x100x50	18
CP 1072	150x150x70	10
CP 1035	110x110x70	12
CP 1041	150x110x70	9
CP 1047	130x230x85	16
CP 1048	130x350x85	14
CP 1049	130x460x85	8



Junction Boxes - With plastic screw



Code	Dimension (WxHxD)	Pack
CP 1042	190x145x80	10
CP 1043	250x200x90	12
CP 1044	310x230x130	6
CP 1045	400x300x130	6
CP 1046	400x480x140	4



Junction Boxes - With stainless steel screw



Code	Dimension (WxHxD)	Pack
CP 1059	80x120x120	35
CP 1060	100x100x120	36
CP 1061	150x110x140	16
CP 1065	230x125x120	15

Junction Boxes - With plastic screw



Code	Dimension (WxHxD)	Pack
CP 1062	190x145x140	10
CP 1063	250x200x160	6
CP 1064	310x230x180	6

JUNCTION BOXES

with knock-out

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Knock-out Entries
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Junction Boxes - With press fit Cover

	Code	Dimension (WxHxD)	Pack
new	CP 1020	90x43x40	456
new	CP 1021	75x75x40	280
new	CP 1022	85x85x40	224

* Made of cover and Base ar PP/PS



Junction Boxes - With press fit Cover

	Code	Dimension (WxHxD)	Pack
	CP 1236	Ø 70x40	60
	CP 1237	Ø 85x45	60
	CP 1238	80x80x40	40



Junction Boxes - With plastic screw

	Code	Dimension (WxHxD)	Pack
	CP 1235	110x110x70	10
	CP 1239	80x120x50 ■	22
	CP 1240	100x100x50 ■	18
	CP 1251	150x110x70 ■	9
new	CP 1232	150x150x70 ■	10
	CP 1252	190x145x80 ■	10
	CP 1253	250x200x90	12
	CP 1254	310x230x130	6



■ Stainless steel screw / IP54



Junction Boxes - With plastic screw

	Code	Dimension (WxHxD)	Pack
	CP 1259	80x120x120 ■	35
	CP 1260	100x100x120 ■	36
	CP 1261	150x110x140 ■	16
	CP 1262	190x145x140	10
	CP 1263	250x200x160	6
	CP 1264	310x230x180	6

■ Stainless steel screw / IP54



JUNCTION BOXES

with knock outs

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- Made of ABS; Cover is Made of Polycarbonate
- Knock-out Entries
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Transparent - With Plastic Screw



new

Code	Dimension (WxHxD)	Pack
CP 1451	150x110x70	9
CP 1472	150x150x70	10
CP 1452	190x145x80	10
CP 1453	250x200x90	12
CP 1454	310x230x130	6

■ Stainless steel screw / IP54



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1471	150x110x140	16
CP 1472	190x145x140	10
CP 1473	250x200x160	6
CP 1474	310x230x180	6

■ Stainless screw / IP54



Mounting Plate

Code	Dimension (WxHxD)	Pack
CP 2042	190x145	10
CP 2043	250x200	10
CP 2044	310x230	10
CP 2045	400x300	10

JUNCTION BOXES

with blank sides

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- Made of ABS; Cover is Made of Polycarbonate
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Transparent - With Plastic Screws

Code	Dimension (WxHxD)		Pack
CP 1132	150x150x70	■	10
CP 1142	190x145x80		10
CP 1143	250x200x90		12
CP 1144	310x230x130		6
CP 1145	400x300x130		6
CP 1146	400x480x140		4

■ Stainless screw / IP54



Transparent - With Plastic Screws

Code	Dimension (WxHxD)		Pack
CP 1161	150x110x140	■	16
CP 1162	190x145x160		10
CP 1163	250x200x160		6
CP 1164	310x230x180		6

■ Stainless screw / IP54



Mounting Plate

Code	Dimension (WxHxD)	Pack
CP 2042	190x145	10
CP 2043	250x200	10
CP 2044	310x230	10
CP 2045	400x300	10
CP 2046	400x480	5



JUNCTION BOXES

with cable gland

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- ABS - PC
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1151	150x110x70	9
new CP 1172	150x150x70	10
CP 1152	190x145x80	10
CP 1153	250x200x90	12
CP 1154	310x230x130	6
CP 1156	400x480x120	4

■ Stainless steel screw / IP54



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1461	150x110x140	16
CP 1462	190x145x160	10
CP 1463	250x200x160	6
CP 1464	310x230x180	6

■ Stainless screw / IP54



Flush Mounting



Code	Dimension (WxHxD)	Pack
CP 1801	85x85x45	96
CP 1802	100x100x45	76
CP 1803	130x130x55	37
CP 1804	160x160x65	20
CP 1805	200x200x70	12
CP 1806	192x152x70	40
CP 1807	294x152x70	30
CP 1808	392x152x70	30

DISTRIBUTION BOARDS

flush mounting



Technical Characteristic

- From 8 to 72 Modules
- Ergonomic opening / closing system
- Precise design with blank or smoked door
- Operating Temperature; -25 to +60C
- Hinged door which opens more than 180°
- Ready to install the terminal blocks for neutral and earth connection



Smoked Transparent Door

Code	Din Modules	Pack
CP 10908	8 Modules	20
CP 10912	12 Modules	12
CP 10918	18 Modules	10
CP 10924-1	24 Modules	10
CP 10924	24 (12x2) Modules	10
CP 10936	36 (12x3) Modules	10
CP 10936-1	36 (18x2) Modules	10
CP 10954	54 (18x3) Modules	4
CP 10972	72 (18x4) Modules	4



Blank Door

Code	Din Modules	Pack
CP 12908	8 Modules	20
CP 12912	12 Modules	12
CP 12918	18 Modules	10
CP 12924-1	24 Modules	10
CP 12924	24 (12x2) Modules	10
CP 12936	36 (12x3) Modules	10
CP 12936-1	36 (18x2) Modules	10
CP 12954	54 (18x3) Modules	4
CP 12972	72 (18x4) Modules	4



Complementary Items

Code	Din Modules	Pack
CP 12011	Terminal Blocks - 12M	1
CP 12012	Terminal Blocks - 18M	1



DISTRIBUTION BOARDS

flush mounting



Technical Characteristic

- From 8 to 72 Modules
- Ergonomic opening / closing system
- Precise design with blank or smoked door
- Operating Temperature; -25 to +60C
- Hinged door which opens more than 180°
- Ready to install the terminal blocks for neutral and earth connection



Toner Black - Smoked Transparent

Code	Din Modules	Pack
CP 10908 B	8 Modules	20
CP 10912 B	12 Modules	12
CP 10918 B	18 Modules	10
CP 10924 B	24 (12x2) Modules	10
CP 10936 B	36 (12x3) Modules	10
CP 10936-1 B	36 (18x2) Modules	10
CP 10954 B	54 (18x3) Modules	4
CP 10972 B	72 (18x4) Modules	4



Toner Black - Blank Door

Code	Din Modules	Pack
CP 12908 B	8 Modules	20
CP 12912 B	12 Modules	12
CP 12918 B	18 Modules	10
CP 12924-1 B	24 Modules	10
CP 12924 B	24 (12x2) Modules	10
CP 12936 B	36 (12x3) Modules	10
CP 12936-1 B	36 (18x2) Modules	10
CP 12954 B	54 (18x3) Modules	4
CP 12972 B	72 (18x4) Modules	4




Complementary Items

Code	Din Modules	Pack
CP 12011	Terminal Blocks - 24M	1
CP 12012	Terminal Blocks - 36M	1

DISTRIBUTION BOARDS

flush mounting



Technical Characteristic

- From 12 to 72 Modules
- Ergonomic opening / closing system
- Precise design with blank and smoked door
- Operating Temperature; -25 to +60C
- Hinged door which opens more than 180
- Ready to install the terminal blocks for neutral and earth connection



Smoked Transparent Door

Code	Din Modules	Pack
CP 10936-M2	36 (12x3) Modules	10
CP 10954-M1	54(18X3) Modules	4
CP 10972-M1	72 (18x4) Modules	4
CP 14972-M1	72 (18X4) Modules Blank & Transparent Door	4

When the weak current section is optional, the 1-row automat section is turned into the weak current section.



Blank Door

Code	Din Modules	Pack
CP 12936-M2	36 (12x3) Modules	10
CP 12954-M1	54(18X3) Modules	4
CP 12972-M1	72 (18x4) Modules	4

When the weak current section is optional, the 1-row automat section is turned into the weak current section.

DISTRIBUTION BOARDS

surface mounting



Technical Characteristic

- From 8 to 72 Modules
- Ergonomic opening / closing system
- Precise design with blank or smoked door
- Hinged door which opens more than 180°
- Operating Temperature; -25 to +60C
- Ready to install the terminal blocks for neutral and earth connection






Smoked Transparent Door

Code	Din Modules	Pack
CP 30908	8 Modules	20
CP 30912	12 Modules	12
new CP 30924-1	24 Modules	10
CP 30924	24 (12x2) Modules	10
CP 30936	36 (12x3) Modules	10
CP 30936-1	36 (18x2) Modules	10
CP 30954	54 (18x3) Modules	4
CP 30972	72 (18x4) Modules	4



Blank Door

Code	Din Modules	Pack
CP 32908	8 Modules	20
CP 32912	12 Modules	12
CP 32924-1	24 Modules	10
CP 32924	24 (12x2) Modules	10
CP 32936	36 (12x3) Modules	10
CP 32936-1	36 (18x2) Modules	10
CP 32954	54 (18x3) Modules	4
CP 32972	72 (18x4) Modules	4



Complementary Items

Code	Din Modules	Pack
CP 12011	Terminal Blocks - 24M	1
CP 12012	Terminal Blocks - 36M	1



DISTRIBUTION BOARDS

surface mounting



Technical Characteristic

- From 8 to 72 Modules
- Ergonomic opening / closing system
- Precise design with blank or smoked door
- Hinged door which opens more than 180°
- Operating Temperature; -25 to +60C
- Ready to install the terminal blocks for neutral and earth connection



Toner Black - Smoked Transparent

Code	Din Modules	Pack
CP 30908 B	8 Modules	20
CP 30912 B	12 Modules	12
CP 30924 B	24 (12x2) Modules	10
CP 30936 B	36 (12x3) Modules	10
CP 30936-1 B	36 (18x2) Modules	10
CP 30954 B	54 (18x3) Modules	4
CP 30972 B	72 (18x4) Modules	4



Toner Black - Blank Door

Code	Din Modules	Pack
CP 32908 B	8 Modules	20
CP 32912 B	12 Modules	12
CP 32924-1 B	24 Modules	10
CP 32924 B	24 (12x2) Modules	10
CP 32936 B	36 (12x3) Modules	10
CP 32936-1 B	36 (18x2) Modules	10
CP 32954 B	54 (18x3) Modules	4
CP 32972 B	72 (18x4) Modules	4

DISTRIBUTION BOARDS

surface mounting



Technical Characteristic

- Ral 91682 soft white
- Impact Resistant
- Degree of Protection IP 40
- Manufactured in polycarbonate raw material
- Including terminal block
- Hinged door which opens more than 90°
- Smoked Transparent Door
- Choice for Blank Door
- Resistant to Chemical and weathering agents



Distribution Boards

Code	Din Modules	Pack
CP 11905	5 Modules	24
CP 11908	8 Modules	24
CP 11912	12 Modules	12
CP 11924	24 Modules	12



Distribution Boards - With Cover Version

Code	Din Modules	Pack
CP 01011	1 Module	140
CP 01012	2 Modules	100
CP 01034	4 Modules	56
CP 01035	8 Modules	28



DISTRIBUTION BOARDS

surface mounting



Technical Characteristic

- From 4 to 42 Modules
- Easy and Fast Installation
- Wide Space for the cabling
- Pre-Drilled entries for an easy installation
- Ready to install the terminal blocks
- 1/4 turn screws
- Blank and Transparent door



CP 3902



CP 3904

Smoked Transparent Door

Code	Din Modules	Pack
CP 3902	2 Modules	30
CP 3904	4 Modules	17
CP 3908	8 Modules	9
CP 3912	12 Modules	7



Smoked Transparent Door

Code	Din Modules	Pack
CP 3926	26(13x2) Modules	5



Smoked Transparent Door

Code	Din Modules	Pack
CP 3942	42(14x3) Modules	4

WATERTIGHT BOARDS

blank door



Technical Characteristic


Watertight Boards in Thermoplastic Material for Protection Devices for Residential, Commercial and Industrial Areas.

- Ral 7035 Grey
- ABS Material
- Halogen Free
- IK 10 - GWT 650°C
- Triangle Lock-Key
- PUR Material for High Quality Sealing
- Included 1mm. Galvanized Mounting Plate
- Included Wall Fixing Bracket
- Operating Temperature , -25 to +60C



Watertight Boards - Blank Door


Code	Dimension (WxHxD)	No. Locks	Pack
CP 5001	210x280x130	1	1
CP 5010	250x300x130	1	1
CP 5002	250x330x130	1	1
CP 5002 D	250x350x150	1	1
CP 5003	300x400x165	2	1
CP 5003 D	300x400x195	2	1
CP 5004	400x500x175	2	1
CP 5004 D	400x500x245	2	1
CP 5005	400x600x200	2	1
new CP 5006 Y	500x700x245	2	1
new CP 5007	350x500x195	2	1
new CP 5021	300x350x165	1	1
new CP 5022	180x240x120	1	1



Mounting Accessory

Watertight Boards - Blank Door

Code	Dimension (WxHxD)	No. Locks	Pack
CP 5006	500x700x245	2	1
CP 5008	500x600x210	2	1
CP 5009	600x800x260	3	1
new CP 5023	750x1000x300	1	1



Pur material

Reversible Door
Direction

Adjustable Mounting
Plate (3 steps)

Accessory

Code	Description	Pack
CP 5000	Lock for Watertight Boards (2 keys)	1
CPMA 50	Mounting Accessory for Pole	1



WATERTIGHT BOARDS

transparent door



Technical Characteristic

Watertight Boards in Thermoplastic Material for Protection Devices for Residential, Commercial and Industrial Areas.

- Ral 7035 Grey
- ABS-PC Material
- Halogen Free
- IK 10 - GWT 650°C
- Triangle Lock-Key
- PUR Material for High Quality Sealing
- Included 1mm. Galvanized Mounting Plate
- Included Wall Fixing Bracket
- Operating Temperature , -25 to +60C



Watertight Boards - Transparent Door

Code	Dimension (WxHxD)	No. Locks	Pack
CP 5011	210x280x130	1	1
CP 5020	250x300x130	1	1
CP 5012	250x330x130	1	1
CP 5012 D	250x350x150	1	1
CP 5013	300x400x165	2	1
CP 5013 D	300x400x195	2	1
CP 5014	400x500x175	2	1
CP 5014 D	400x500x245	2	1
CP 5015	400x600x200	2	1
new CP 5016 Y	500x700x245	2	1
new CP 5017	350x500x195	2	1
new CP 5031	300x350x165	1	1
CP 5032	180x240x120	1	1



Watertight Boards - Transparent Door

Code	Dimension (WxHxD)	No. Locks	Pack
CP 5016	500x700x245	2	1
CP 5018	500x600x220	2	1
CP 5019	600x800x260	3	1



Safety Lock with Handle

Code	Description	Pack
CP 5000	Lock for Watertight Boards (2 keys)	1

WATERTIGHT BOARDS

with roof



Technical Characteristic

Watertight Boards in Thermoplastic Material for Protection Devices for Residential, Commercial and Industrial Areas.

- Ral 7035 Grey
- ABS-PC Material
- Halogen Free
- IK 10 - GWT 650°C
- Triangle Lock-Key
- PUR Material for High Quality Sealing
- Included 1mm. Galvanized Mounting Plate
- Included Wall Fixing Bracket
- Operating Temperature , -25 to +60C



Blank Door - With Roof

Code	Dimension (WxHxD)	No. Locks	Pack
CP 5603	300x400x165	2	1
CP 5604	400x500x175	2	1
CP 5605	400x600x200	2	1
CP 5606	500x700x245	2	1
CP 5607	350x500x195	2	1
CP 5608	500x600x220	2	1
CP 5609	600x800x260	3	1



Transparent Door - With Roof

Code	Dimension (WxHxD)	No. Locks	Pack
CP 5613	300x400x165	2	1
CP 5614	400x500x175	2	1
CP 5615	400x600x200	2	1
CP 5616	500x700x245	2	1
CP 5617	350x500x195	2	1
CP 5618	500x600x220	2	1
CP 5619	600x800x260	3	1



Safety Lock with Handle

Code	Description	Pack
CP 5000	Lock for Watertight Boards (2 keys)	1



WATERTIGHT ASA BOARD

blank door



Technical Characteristic

- Made of ASA (Acrylonitrile Styrene Acrylate)
- It's perfect usage for outdoor applications and for high ultraviolet resistance
- Resistant to UV
- No color change at least in 10 years
- Triple lock system
- IK 10
- RAL 9011 - Beige
- Operating Temperature , -25 to +80C
- PUR Material for High Quality Sealing
- Included 1 mm galvanized mounting plate



Roof (CP 5023R)

Base (CP 5023B)



Watertight ASA Boards - Blank Door

Code	Dimension (WxHxD)	No. Locks	Pack
CPA 5003	300x400x165	2	1
CPA 5004	400x500x175	2	1
CPA 5005	400x600x200	2	1
CPA 5006	500x700x245	2	1
CPA 5009	600x800x260	1	1
CP 5023	750x1000x300	1	1

■ Triple lock system

Complementary Items for CP 5023

Code	Description	Pack
CP 5023R	Roof for CP 5023	1
CP 5023B	Base for CP 5023	1
CP 5023W	Wall fixing bracket set	1



Triple lock system

DISTRIBUTION BOARDS

with din rail fixing



Technical Characteristic

Watertight Boards in Thermoplastic Material for Protection Devices for Residential, Commercial and Industrial Areas.

- Ral 7035 Grey
- ABS-PC Material
- Halogen Free
- IK 10
- GWT 650°C
- Triangle Lock-Key
- PUR Material for High Quality Sealing
- Included Wall Fixing Bracket
- Operating Temperature , -25 to +60C



Distribution Boards - Blank Door

Code	Dimension (WxHxD)	Din Modules	Pack
CP 5101	210x280x130	8M(1x8)	1
CP 5102	250x330x130	18M(2x9)	1
CP 5103	300x400x165	24M(2x12)	1
CP 5104	400x500x175	51M(3x17)	1
CP 5105	400x600x200	68M(4x17)	1
CP 5106	500x700x245	88M(4x22)	1
CP 5107	350x500x195	45M(3x15)	1
CP 5108	500x600x220	66M(3x22)	1
CP 5109	600x800x260	100M(4x25)	1



Distribution Boards - Transparent Door

Code	Dimension (WxHxD)	Din Modules	Pack
CP 5111	210x280x130	8M(1x8)	1
CP 5112	250x330x130	18M(2x9)	1
CP 5113	300x400x165	24M(2x12)	1
CP 5114	400x500x175	51M(3x17)	1
CP 5115	400x600x200	68M(4x17)	1
CP 5116	500x700x245	88M(4x22)	1
CP 5117	350x500x195	45M(3x15)	1
CP 5118	500x600x220	66M(3x22)	1
CP 5119	600x800x260	100M(4x25)	1



Complementary Items Panels With Din Rail Fixing

Code	Description	Pack
CP 4121	8M - For Boards - 210x280mm.	1
CP 4122	18M - For Boards - 250x330mm.	1
CP 4123	24M - For Boards - 300x400mm.	1
CP 4124	51M - For Boards - 400x500mm.	1
CP 4125	68M - For Boards - 400x600mm.	1
CP 4126	88M - For Boards - 500x700mm.	1
CP 4127	45M - For Boards - 350x500mm.	1
CP 4128	66M - For Boards - 500x600mm.	1
CP 4129	100M - For Boards - 600x800mm.	1



DISTRIBUTION BOARDS

for metering installation



For Metering Installation

Code	Dimension (WxHxD)	Din Modules	Pack
CP 5201	250x330x130	1 Monophase Meter , 2 MCB / Blank Door	1
CP 5202	300x400x165	1 Monophase Meter , 15 MCB / Blank Door	1
CP 5203	400x500x175	1 Triphase Meter , 6 MCB / Blank Door	1
CP 5204	400x600x200	1 Triphase Meter , 20 MCB / Blank Door	1
CP 5211	250x330x130	1 Monophase Meter , 2 MCB / Transparent Door	1
CP 5212	300x400x165	1 Monophase Meter , 15 MCB / Transparent Door	1
CP 5213	400x500x175	1 Triphase Meter , 6 MCB / Transparent Door	1
CP 5214	400x600x200	1 Triphase Meter , 20 MCB / Transparent Door	1



Distribution Board For Construction Site

Code	Dimension (WxHxD)	Description	Pack
CP 5501	400x600x200	6 socket-34 MCB / Blank Door	1
CP 5511	400x600x200	6 socket-34 MCB / Transparent Door	1
CP 5502	500x700x245	1 triph. meter, 8 socket-16 MCB / Blank Door	1
CP 5512	500x700x245	1 triph. meter, 8 socket-16 MCB / Transparent Door	1

• Height of Legs: 20 cm



For Monophase Meter

Code	Dimension (WxHxD)	Din Modules	Pack
CP 5300	170x350x100	1 Monophase Meter , 5 MCB / Smoked Door	5
CP 5301	170x350x140	1 Monophase Meter , 5 MCB / Smoked Door	4
CP 5305	170x350x100	1 Monophase Meter , 5 MCB / Blank Door	5
CP 5306	170x350x140	1 Monophase Meter , 5 MCB / Blank Door	4



For Triphase Meter

Code	Dimension (WxHxD)	Din Modules	Pack
CP 5310	240x460x132	1 Triphase Meter , 9 MCB / Smoked Door	4
CP 5315	240x460x132	1 Triphase Meter , 9 MCB / Blank Door	4

INDUSTRIAL BOXES

for industrial socket / plug installation

Technical Characteristic

- RAL 7035 Grey
- ABS - PC Material
- Halogen Free
- IK 10
- Glowwire Test 650 OC
- Operating Temperature , -25 to +60C



Industrial Box - With Angle

Code	Dimension (WxHxD)	Din Modules	Pack
CP 6000	130x240x105	6M	14
CP 6001	230x300x115	11M	6
CP 6008	300x400x130	12M - IP65	4



Industrial Box - Plain

Code	Dimension (WxHxD)	Din Modules	Pack
CP 6004	130x240x100	6M	15
CP 6005	180x360x115	6M	7
CP 6006	230x300x115	11M	6
CP 6011	130x350x105	6M	10
CP 6012	130x460x105	6M	8



Industrial Box - Plain

Code	Dimension (WxHxD)	Din Modules	Pack
CP 6007	330x500x155	16M	4
CP 6010	330x330x155	16M	1



Industrial Box - Plain

Code	Dimension (WxHxD)	Din Modules	Pack
CP 6009	400x500x130	32M	1



INDUSTRIAL BOXES

assambled industrial socket



Industrial Boxes With Socket

Code	Dimension (WxHxD)	Din Modules	Socket
CP 6020	130x240x105	6M	1x3P+T 16A/380V~2x2P 16A /220V
CP 6021	130x240x105	6M	1x3P+N+T 16A/380V~2x2P 16A /220V
CP 6022	130x240x105	6M	1x3P+N+T 32A/380V~2x2P 16A /220V



Industrial Boxes With Socket

Code	Dimension (WxHxD)	Din Modules	Socket
CP 6032	230x300x115	11M	2x3P+N+T 16A/380V~2x2P 16A /220V
CP 6033	230x300x115	11M	2x3P+N+T 32A/380V~2x2P 16A /220V
CP 6034	230x300x115	11M	2x3P+N+T 16A/380V~4x2P 16A /220V
CP 6035	230x300x115	11M	2x3P+N+T 32A/380V~4x2P 16A /220V



Industrial Boxes With Socket

Code	Dimension (WxHxD)	Din Modules	Socket
CP 6040	330x330x155	16M	3x3P+N+T 16A/380V~2x2P 16A /220V
CP 6041	330x330x155	16M	3x3P+N+T 32A/380V~2x2P 16A /220V
CP 6042	330x330x155	16M	3x3P+N+T 16A/380V~4x2P 16A /220V
CP 6043	330x330x155	16M	3x3P+N+T 32A/380V~4x2P 16A /220V



Industrial Boxes With Socket

Code	Dimension (WxHxD)	Din Modules	Socket
CP 6071	330x500x155	16M	3x3P+N+T 16A/380V~4x2P 16A /220V
CP 6072	330x500x155	16M	3x3P+N+T 16A/380V~3x2P+T 16A /220V
CP 6073	330x500x155	16M	3x3P+N+T 16A/380V~4x2P+T 16A /220V
CP 6074	330x500x155	16M	3x3P+N+T 32A/380V~3x2P 16A /220V
CP 6075	330x500x155	16M	3x3P+N+T 32A/380V~3x5P 16A /220V
CP 6076	330x500x155	16M	6x3P+N+T 16A/380V
CP 6077	330x500x155	16M	6x3P+N+T 32A/380V




Industrial Socket

Code	Description	Pack
CP 6901	2x16A/220V Panel Mounted Socket Outlet	40
CP 6902	2x16A/220V Panel Mounted Socket Outlet with Frame	35

MANHOLE BOXES





MANHOLE BOXES




Manhole Boxes - 200x200x200

Code	Description	Pack
CP 202020	Manhole Box with cover 4 ways out	1
CP 202021	Manhole Box without cover 4 ways out	1
CP 202023	Grey blank cover	1
CP 202024	Grey Gridded cover	1
CP 202025	Green blank cover	1
CP 202026	Green Gridded cover	1




Manhole Boxes - 300x300x300

Code	Description	Pack
CP 303030	Manhole Box with cover 4 ways out	1
CP 303031	Manhole Box without cover 4 ways out	1
CP 303034	Grey blank cover	1
CP 303035	Grey Gridded cover	1
CP 303036	Green blank cover	1
CP 303037	Green Gridded cover	1



Manhole Boxes - 300x300x300

Code	Description	Pack
CP 303033	Manhole Box without cover 6 ways out	1




Manhole Boxes - 400x400x400

Code	Description	Pack
CP 404040	Manhole Box with cover 4 ways out	1
CP 404041	Manhole Box without cover 4 ways out	1
CP 404044	Grey blank cover	1
CP 404045	Grey Gridded cover	1
CP 404046	Green blank cover	1
CP 404047	Green Gridded cover	1

MANHOLE BOXES


Manhole Boxes - 400x400x400

Code	Description	Pack
CP 404043	Manhole Box without cover 6 ways out	1




Manhole Boxes - 500x500x500

Code	Description	Pack
CP 505050	Manhole Box with cover 10 ways out	1
CP 505053	Manhole Box without cover 10 ways out	1





Manhole Boxes - 550x550x550

Code	Description	Pack
CP 555550	Manhole Box with cover 4 ways out	1
CP 555551	Manhole Box without cover 4 ways out	1
CP 555554	Grey blank cover	1
CP 555555	Grey Gridded cover	1
CP 555556	Green blank cover	1
CP 555557	Green Gridded cover	1




Manhole Boxes - 550x550x500

Code	Description	Pack
CP 555552	Manhole Box with blank grey cover 10 ways out	1
CP 555553	Manhole Box without cover 10 ways out	1



Manhole Boxes - 360x260x320

Code	Description	Pack
CP 362633	Manhole Box without cover 6 ways out	1
CP 362634	Grey blank cover	1
CP 362635	Grey Gridded cover	1
CP 362636	Green blank cover	1
CP 362637	Green Gridded cover	1



MANHOLE BOXES & COVER



Manhole Boxes

Code	Dimension (WxHxD)	Description
CP 202022	200x200x200	Thermoplastic underground manhole box
CP 303039	300x300x300	Thermoplastic underground manhole box



Manhole Boxes

Code	Dimension (WxHxD)	Description
CP 202028	200x200x30	Manhole Frame
CP 303038	300x300x40	Manhole Frame
CP 404048	400x400x45	Manhole Frame
CP 555558	550x550x65	Manhole Frame



Water Meter Board - Polyester

Code	Description	Pack
CP 672	305 x 640 x 220	1
CP 673	305 x 640 x 145	1

CABLE DUCTS

wiring ducts

Ribs Space 6 mm

Wiring ducts ribs designed as 6 mm width of single quotation will be sufficient for the transition from the thicker to breakage of cables.




The Breaking of Ribs

There are ribs lines that allow the desired ribs to be broken at angle of 60 degrees easily and without using any apparatus. In this way, you will get a comfortable and burr-free image.



The Design of Ribs Slot

Thanks to the round hole design on the ribs, you can remove your signal cables from the channel separately from other cables.




Wall Holes Design

Can be used with the cable tie thanks to additional holes on the sides.



Wall Breaking

The combination of the Ducts 90 degrees corners are smooth and Burr-free integration provides. Thanks to this you will make your Panel look more elegant and rigid



RAL 7030

Conform to the International standards.

CABLE DUCTS

wiring ducts



Wiring Ducts

Code	Dimension (mm)	Colour	Pack (piece)
CWD 2525	25x25	RAL 7030 Grey	60x2 m.
CWD 2540	25x40	RAL 7030 Grey	50x2 m.
CWD 2560	25x60	RAL 7030 Grey	30x2 m.
CWD 2580	25x80	RAL 7030 Grey	24x2 m.
CWD 2510	25x100	RAL 7030 Grey	18x2 m.
CWD 4025	40x25	RAL 7030 Grey	50x2 m.
CWD 4040	40x40	RAL 7030 Grey	26x2 m.
CWD 4060	40x60	RAL 7030 Grey	18x2 m.
CWD 4080	40x80	RAL 7030 Grey	24x2 m.
CWD 4010	40x100	RAL 7030 Grey	20x2 m.
CWD 6040	60x40	RAL 7030 Grey	18x2 m.
CWD 6060	60x60	RAL 7030 Grey	24x2 m.
CWD 6080	60x80	RAL 7030 Grey	18x2 m.
CWD 6010	60x100	RAL 7030 Grey	12x2 m.
CWD 8040	80x40	RAL 7030 Grey	24x2 m.
CWD 8060	80x60	RAL 7030 Grey	16x2 m.
CWD 8080	80x80	RAL 7030 Grey	12x2 m.
CWD 8010	80x100	RAL 7030 Grey	8x2 m.
CWD 1060	100x60	RAL 7030 Grey	12x2 m.
CWD 1080	100x80	RAL 7030 Grey	10x2 m.
CWD 1010	100x100	RAL 7030 Grey	8x2 m.
CWD 1260	120x60	RAL 7030 Grey	8x2 m.
CWD 1280	120x80	RAL 7030 Grey	8x2 m.
CWD 1210	120x100	RAL 7030 Grey	8x2 m.




Wiring Duct Covers

Code	Dimension (mm)	Colour	Pack (piece)
CWC 250	25	RAL 7030 Grey	10x2 m.
CWC 400	40	RAL 7030 Grey	10x2 m.
CWC 600	60	RAL 7030 Grey	10x2 m.
CWC 800	80	RAL 7030 Grey	10x2 m.
CWC 1000	100	RAL 7030 Grey	10x2 m.
CWC 1200	120	RAL 7030 Grey	10x2 m.

ELEGANCE ALUMINUM DUCT SERIES



According to the size and accessories, color options are available in our stocks.



Elegance Aluminum Duct Series

Code	Description	Colour	Raw Material	Unit
P11 01 01	50x100	Grey	Aluminum	Meter
P12 01 01	50x100 Internal Angle	Grey	Aluminum	Piece
P12 02 01	50x100 External Angle	Grey	Aluminum	Piece
P12 03 01	50x100 Flat Angle	Grey	Aluminum	Piece
P12 04 01	50x100 Flat T-Junction	Grey	Aluminum	Piece
P12 05 01	50x100 Additional Corner	Grey	Aluminum	Piece
P12 06 01	50x100 2 Modulare Frame	Grey	Aluminum	Piece
P12 07 01	50x100 4 Modulare Frame	Grey	Aluminum	Piece
P12 08 01	50x100 6 Modulare Frame	Grey	Aluminum	Piece



Internal Angle Piece



External Angle Piece



End Cap



Additional Piece



Flat Angle

Elegance Aluminum Duct Series

Code	Description	Colour	Raw Material	Unit
P11 01 04	50x100	Anthracite	Aluminum	Meter
P12 01 04	50x100 Internal Angle	Anthracite	Aluminum	Piece
P12 02 04	50x100 External Angle	Anthracite	Aluminum	Piece
P12 03 04	50x100 Flat Angle	Anthracite	Aluminum	Piece
P12 04 04	50x100 Flat T-Junction	Anthracite	Aluminum	Piece
P12 05 04	50x100 Additional Corner	Anthracite	Aluminum	Piece
P12 06 04	50x100 2 Modulare Frame	Anthracite	Aluminum	Piece
P12 07 04	50x100 4 Modulare Frame	Anthracite	Aluminum	Piece
P12 08 04	50x100 6 Modulare Frame	Anthracite	Aluminum	Piece

FLEXIBLE SPIRALLED SHEATH

Technical Characteristic

- Flexible spiral
- Made of polyvinyl chloride (P-PVC)
- Reinforced with a spiral made of polyvinyl chloride (U-PVC)
- Choices for different colours
- Suitable for light mechanical loads
- Self extinguishing, flame retardant
- Conform to European IEC standards EN 606170-1



Flexible Spiralled Sheath - Grey

Code	Dimension (Ø)	Pack
CP 30010	Ø 10 mm.	30
CP 30012	Ø 12 mm.	30
CP 30014	Ø 14 mm.	30
CP 30016	Ø 16 mm.	30
CP 30020	Ø 20 mm.	30
CP 30022	Ø 22 mm.	30
CP 30025	Ø 25 mm.	30
CP 30030	Ø 30 mm.	30
CP 30032	Ø 32 mm.	30
CP 30038	Ø 38 mm.	30



Flexible Spiralled Sheath - Black

Code	Dimension (Ø)	Pack
CP 31010	Ø 10 mm.	30
CP 31012	Ø 12 mm.	30
CP 31014	Ø 14 mm.	30
CP 31016	Ø 16 mm.	30
CP 31020	Ø 20 mm.	30
CP 31022	Ø 22 mm.	30
CP 31025	Ø 25 mm.	30
CP 31030	Ø 30 mm.	30
CP 31032	Ø 32 mm.	30
CP 31038	Ø 38 mm.	30

Flexible Spiralled Sheath Glands



Code	Description	Pack
DX 54408	Ø 8 PG7	20
DX 54410	Ø 10 PG7	20
DX 54411	Ø 10 PG9	20
DX 54412	Ø 12 PG11	10
DX 54413	Ø 12 PG13,5	10
DX 54414	Ø 14 PG13,5	10
DX 54416	Ø 16 PG13,5	10
DX 54417	Ø 16 PG16	10
DX 54420	Ø 20 PG21	10
DX 54422	Ø 22 PG21	10
DX 54425	Ø 25 PG29	5
DX 54428	Ø 28 PG29	5
DX 54432	Ø 32 PG36	5
DX 54435	Ø 35 PG36	5

COMPLEMENTARY ITEM

cable glands

PG Cable Glands - Grey

Code	Code (Dark Grey)	Description	Pcs/ Pack	Pcs/ Cartoon
CP 40001	CP 40031	PG7	450	2700
CP 40002	CP 40032	PG9	300	1800
CP 40003	CP 40033	PG11	200	1200
CP 40004	CP 40034	PG13,5	175	1050
CP 40005	CP 40035	PG16	125	750
CP 40006	CP 40036	PG21	75	450
CP 40007	CP 40037	PG29	40	240
CP 40008	CP 40038	PG36	20	120
CP 40009	CP 40039	PG42	15	90
CP 40010	CP 40040	PG48	12	72



PG Cable Glands - Black

Code	Description	Pcs/ Pack	Pcs/ Cartoon
CP 40021	PG7	450	2700
CP 40022	PG9	300	1800
CP 40023	PG11	200	1200
CP 40024	PG13,5	175	1050
CP 40025	PG16	125	750
CP 40026	PG21	75	450
CP 40027	PG29	40	240
CP 40028	PG36	20	120
CP 40029	PG42	15	90
CP 40030	PG48	12	72



Metric Cable Glands - Grey

Code	Code (Dark Grey)	Description	Pcs/ Pack	Pcs/ Cartoon
CP 42001	CP 42029	M-12	450	2700
CP 42002	CP 42030	M-16	200	1800
CP 42003	CP 42031	M-20	175	1200
CP 42004	CP 42032	M-25	75	1050
CP 42005	CP 42033	M-32	40	750
CP 42006	CP 42034	M-40	20	450
CP 42007	CP 42035	M-50	15	240
CP 42008	CP 42036	M-63	12	120



Metric Cable Glands - Black

Code	Description	Pcs/ Pack	Pcs/ Cartoon
CP 42021	M - 12	450	2700
CP 42022	M - 16	200	1200
CP 42023	M - 20	175	750
CP 42024	M - 25	75	450
CP 42025	M - 32	40	240
CP 42026	M - 40	20	120
CP 42027	M - 50	15	90
CP 42028	M - 63	12	72



COMPLEMENTARY ITEM

cable ties

PG Cable Glands - Grey



Code	Dimension (L x W) mm	Opening Strength (Kg)	Pcs/ Pack	Pcs/ Cartoon	Colour
CKB 100-2 B	2,5x100	8	100	50.000	White
CKB 150-2 B	2,5x150	8	100	25.000	White
CKB 200-2 B	2,5x200	8	100	25.000	White
CKB 140-3 B	3,6x140	18	100	25.000	White
CKB 150-3 B	3,6x150	18	100	20.000	White
CKB 200-3 B	3,6x200	18	100	20.000	White
CKB 250-3 B	3,6x250	18	100	10.000	White
CKB 280-3 B	3,6x280	18	100	10.000	White
CKB 300-3 B	3,6x300	18	100	10.000	White
CKB 370-3 B	3,6x370	18	100	10.000	White
CKB 120-4 B	4,6x120	22	100	10.000	White
CKB 200-4 B	4,6x200	22	100	10.000	White
CKB 250-4 B	4,6x250	22	100	10.000	White
CKB 300-4 B	4,6x300	22	100	10.000	White
CKB 370-4 B	4,6x370	22	100	5.000	White
CKB 430-4 B	4,6x430	22	100	5.000	White
CKB 300-7 B	7,6x300	55	100	5.000	White
CKB 370-7 B	7,6x370	55	100	5.000	White
CKB 450-7 B	7,6x450	55	100	2.000	White
CKB 540-7 B	7,6x540	55	100	1.000	White
CKB 610-7 B	7,6x610	55	100	1.000	White
CKB 750-7 B	7,6x750	55	100	1.000	White
CKB 450-8 B	8,8x450	80	100	2.000	White
CKB 750-8 B	8,8x750	80	100	1.000	White
CKB 1220-8 B	8,8x1220	80	100	1.000	White
CKB 920-9 B	9,0x920	110	100	1.000	White

PG Cable Glands - Grey




Code	Dimension (L x W) mm	Opening Strength (Kg)	Pcs/ Pack	Pcs/ Cartoon	Colour
CKB 100-2 S	2,5x100	8	100	50.000	Black
CKB 150-2 S	2,5x150	8	100	25.000	Black
CKB 200-2 S	2,5x200	8	100	25.000	Black
CKB 140-3 S	3,6x140	18	100	25.000	Black
CKB 150-3 S	3,6x150	18	100	20.000	Black
CKB 200-3 S	3,6x200	18	100	20.000	Black
CKB 250-3 S	3,6x250	18	100	10.000	Black
CKB 280-3 S	3,6x280	18	100	10.000	Black
CKB 300-3 S	3,6x300	18	100	10.000	Black
CKB 370-3 S	3,6x370	18	100	10.000	Black
CKB 120-4 S	4,6x120	22	100	10.000	Black
CKB 200-4 S	4,6x200	22	100	10.000	Black
CKB 250-4 S	4,6x250	22	100	10.000	Black
CKB 300-4 S	4,6x300	22	100	10.000	Black
CKB 370-4 S	4,6x370	22	100	5.000	Black
CKB 430-4 S	4,6x430	22	100	5.000	Black
CKB 300-7 S	7,6x300	55	100	5.000	Black
CKB 370-7 S	7,6x370	55	100	5.000	Black
CKB 450-7 S	7,6x450	55	100	2.000	Black
CKB 540-7 S	7,6x540	55	100	1.000	Black
CKB 610-7 S	7,6x610	55	100	1.000	Black
CKB 750-7 S	7,6x750	55	100	1.000	Black
CKB 450-8 S	8,8x450	80	100	2.000	Black
CKB 750-8 S	8,8x750	80	100	1.000	Black
CKB 1220-8 S	8,8x1220	80	100	1.000	Black
CKB 920-9 S	9,0x920	110	100	1.000	Black

ACCESSORIES

?

Insulated Terminals

Code	Delik Çapı (m)	Description	Pack (piece)
CP 4900	4	6-M4	1.000
CP 4901	5	10-M5	800
CP 4901-1	6	10-M6	800
CP 4901-2	8	10-M8	800
CP 4902	6	16-M6	400
CP 4902-1	8	16-M8	400
CP 4902-2	10	16-M10	400
CP 4903	8	25-M8	250
CP 4903-1	10	25-M10	250
CP 4904	8	35-M8	100
CP 4904-1	10	35-M10	100
CP 4905	10	50-M10	100
CP 4905-1	12	50-M12	100
CP 4906	10	70-M10	70
CP 4906-1	12	70-M12	70
CP 4907	12	95-M12	70
CP 4907-1	10	95-M10	70
CP 4908	12	120-M12	35
CP 4908-1	16	120-M16	35
CP 4909	12	150-M12	25
CP 4909-1	10	150-M10	25
CP 4910	16	185-M16	15
CP 4910-1	12	185-M12	15
CP 4911	16	240-M16	15
CP 4911-1	12	240-M12	15




Insulated Terminals EKO

Code	Delik Çapı (m)	Description	Pack (piece)
CP 4902 E	6	16-M6	400
CP 4903 E	8	25-M8	250
CP 4904 E	8	35-M8	100
CP 4905 E	10	50-M10	100
CP 4906 E	10	70-M10	70
CP 4907 E	12	95-M12	70
CP 4908 E	12	120-M12	35
CP 4909 E	12	150-M12	25
CP 4910 E	16	185-M16	15
CP 4911 E	16	240-M16	15



ACCESSORIES

?



Three Phase Insulated Busbars Pin Type

Code	Description	Pcs/ Cartoon
CP 4972	Triphase Busbar 53 cm 1,5 mm	25
CP 4973	Triphase Busbar 106 cm 1,5 mm.	25
CP 4982	Triphase Busbar 53 cm 1 mm.	25
CP 4982-1	Triphase Busbar 106 cm 1 mm.	25
CP 4995	Triphase Busbar Cover	25

Single Phase Insulated Busbars Pin Type

Code	Description	Pcs/ Cartoon
CP 4976	Monophase Busbar 53 cm 1 mm.	2700
CP 4977	Monophase Busbar 106 cm 1 mm.	1200
CP 4978	Monophase Busbar 53 cm 1,5 mm.	750
CP 4979	Monophase Busbar 106 cm 1,5 mm.	450
CP 4996	Monophase Busbar Cover	240

Earthing Busbar

Code	Description	Pcs/ Cartoon
CP 4974	Topraklama Barası 2 mm. 31 Vida	2700
CP 4975	Topraklama Barası 2 mm. 61 Vida	1200
CP 4980	Topraklama Barası 1,5 mm. 31 Vida	750
CP 4981	Topraklama Barası 1,5 mm. 61 Vida	450

W.automat And Din Rails (35x7.5)*

Code	Description	Pcs/ Pack
CP 4983	Galvaniz Kap. Otomat Rayı Delikli 1 mt.	20
CP 4984	Galvaniz Kap. Otomat Rayı Delikli 2 mt.	20
CP 4985	Galvaniz Kap. Otomat Rayı Deliksiz 1 mt.	20
CP 4986	Galvaniz Kap. Otomat Rayı Deliksiz 2 mt.	20

*Prepared to be 2 meters

W.automat And Din Rails (35x15)*

Code	Description	Pcs/ Pack
CP 4987	Galvaniz Kap. Otomat Rayı Delikli 1 mt.	10
CP 4988	Galvaniz Kap. Otomat Rayı Delikli 2 mt.	10
CP 4989	Galvaniz Kap. Otomat Rayı Deliksiz 1 mt.	10
CP 4990	Galvaniz Kap. Otomat Rayı Deliksiz 2 mt.	10

*Prepared to be 2 meters

Din Rail Support

Code	Description	Pcs/ Pack
CP 4991	Din Rail Support	50

Terminal Block Pluggable

Code	Description	Pcs/ Cartoon
10400700010	For Cable 2,5x2 - 2,5 mm ²	5.000
10400700020	For Cable 2,5x3 - 2,5 mm ²	5.000
10400700030	For Cable 2,5x4 - 2,5 mm ²	2.500
10400700040	For Cable 2,5x5 - 2,5 mm ²	2.500



Compact Splicing Connector

Code	Description	Pcs/ Cartoon
10400700050	For Cable 2,5x2 - 2,5 mm ²	10.000
10400700060	For Cable 2,5x3 - 2,5 mm ²	10.000
10400700070	For Cable 2,5x4 - 2,5 mm ²	5.000
10400700080	For Cable 2,5x5 - 2,5 mm ²	5.000
10400700090	For Cable 2 Katlı 2,5x6 - 2,5 mm ²	2.000
10400700100	For Cable 2 Katlı 2,5x4 - 2,5 mm ²	2.000



Cable Tie Marker

Code	Description	Pcs/ Cartoon
CKE 29X8 01	29x8	100
CKE 39X15 01	39x15	100



Din Rail Socket

Code	Description	Pcs/ Cartoon
CP 6801	Din Rail Socket (Earth)	5






MARINE BOARDS

Technical Characteristic

- Turrets - IP 65 protection
- Resistance to impact IK 09
- Test glow wire 650°C
- Auto-extinguishing degree
- HB (UL94) Dimensional stability
- -25°C + 85°C Ball pressure test 70°C

Marine Boards

Code	Dimension (WxHxD)	Din Modules	Pack
CP 9090	430x890x180	24M	1






CP BOX Metal

product range



METAL CABINETS

D series



Product Parts

1	Structure
2.1	Cable entry point
2.2	With brush style entry point
3.1	Flat blank door
3.2	Flat glass door
3.3	Curved glass door
4	Mounting plate
5	Din rail frame
6.1	Din rail set
6.2	Blank cover
7	Vertical modular part
8	Accessory for the depth adjustment
9	Blank plate
10	Cable ducts fixing accessory
11	Wall mounting accessory

Floor Mounting & Surface Mounting Cabinets

CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting




Technical Characteristic

- From 48 to 264 Modules
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Triangle Lock System




CPD - Distribution Cabinets - with din rail accessory + blank cover h: 200 mm

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUMP	600x600x200	48M (24x2 rows)	1
CPD 6007520 SUMP	600x750x200	72M (24x3 rows)	1
CPD 6009020 SUMP	600x900x200	96M (24x4 rows)	1
CPD 6010520 SUMP	600x1050x200	120M (24x5 rows)	1
CPD 6012025 SUMP	600x1200x250	144M (24x6 rows)	1
CPD 6015025 SUMP	600x1500x250	192M (24x8 rows)	1
CPD 6018025 SUMP	600x1800x250	240M (24x10 rows)	1



CPD - Distribution Cabinets - with din rail accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUMS	600x600x200	72M (24x3 rows)	1
CPD 6007520 SUMS	600x750x200	96M (24x4 rows)	1
CPD 6009020 SUMS	600x900x200	120M (24x5 rows)	1
CPD 6010520 SUMS	600x1050x200	144M (24x6 rows)	1
CPD 6012025 SUMS	600x1200x250	168M (24x7 rows)	1
CPD 6015025 SUMS	600x1500x250	216M (24x9 rows)	1
CPD 6018025 SUMS	600x1800x250	264M (24x11 rows)	1



CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting



Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System

CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUM	600x600x200	Mounting Plate	1
CPD 6007520 SUM	600x750x200	Mounting Plate	1
CPD 6009020 SUM	600x900x200	Mounting Plate	1
CPD 6010520 SUM	600x1050x200	Mounting Plate	1
CPD 6012025 SUM	600x1200x250	Mounting Plate	1
CPD 6015025 SUM	600x1500x250	Mounting Plate	1
CPD 6018025 SUM	600x1800x250	Mounting Plate	1



Complementary Items

Code	Din Modules	Pack
CP 12011	Terminal Blocks - 24M	1
CP 12012	Terminal Blocks - 36M	1
CPD606024	24M Din Rail Kit - 150mm.Height	1
CPD606025	24M Din Rail Kit - 200mm.Height	1
CPD606034	Blank Module Cover - 150mm.Height	1
CPD606035	Blank Module Cover - 200mm.Height	1
CPD606034M	Mounting Plate for CP606034	1
CPD606035M	Mounting Plate for CP606035	1
CPD606044	Base Plate for Floor Installation	1
CPD606045	Metal Lock Set For CPD range	1
CPD606046	Cable Entry Plate with Brush-Style	1



CP 12012



CPD606024



CPD606034



CPD606034M



CPD606044



CPD606045



CPD606046

CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting

Technical Characteristic



- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System

new



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUM	400x500x150	Mounting Plate	1
CPD 4006515 SUM	400x650x150	Mounting Plate	1
CPD 4505015 SUM	450x500x150	Mounting Plate	1
CPD 4506515 SUM	450x650x150	Mounting Plate	1

new



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUPP	400x500x150	Mounting Plate	1
CPD 4006515 SUPP	400x650x150	Mounting Plate	1
CPD 4505015 SUPP	450x500x150	Mounting Plate	1
CPD 4506515 SUPP	450x650x150	Mounting Plate	1

new



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUPS	400x500x150	Mounting Plate	1
CPD 4006515 SUPS	400x650x150	Mounting Plate	1
CPD 4505015 SUPS	450x500x150	Mounting Plate	1
CPD 4506515 SUPS	450x650x150	Mounting Plate	1

CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting

Technical Characteristic



- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System

new



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006010 SAM	600x600x100	Mounting Plate	1
CPD 6007510 SAM	600x750x100	Mounting Plate	1
CPD 6009010 SAM	600x900x100	Mounting Plate	1
CPD 6010510 SAM	600x1050x100	Mounting Plate	1

new



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006010 SAPP	600x600x100	Mounting Plate	1
CPD 6007510 SAPP	600x750x100	Mounting Plate	1
CPD 6009010 SAPP	600x900x100	Mounting Plate	1
CPD 6010510 SAPP	600x1050x100	Mounting Plate	1

new



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006010 SAPP	600x600x100	Mounting Plate	1
CPD 6007510 SAPP	600x750x100	Mounting Plate	1
CPD 6009010 SAPP	600x900x100	Mounting Plate	1
CPD 6010510 SAPP	600x1050x100	Mounting Plate	1

CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting

Technical Characteristic



- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005010 SAM	400x500x100	Mounting Plate	1
CPD 4006510 SAM	400x650x100	Mounting Plate	1
CPD 4505010 SAM	450x500x100	Mounting Plate	1
CPD 4506510 SAM	450x650x100	Mounting Plate	1



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005010 SAM	400x500x100	Mounting Plate	1
CPD 4006510 SAM	400x650x100	Mounting Plate	1
CPD 4505010 SAM	450x500x100	Mounting Plate	1
CPD 4506510 SAM	450x650x100	Mounting Plate	1



CPD - Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005010 SAM	400x500x100	Mounting Plate	1
CPD 4006510 SAM	400x650x100	Mounting Plate	1
CPD 4505010 SAM	450x500x100	Mounting Plate	1
CPD 4506510 SAM	450x650x100	Mounting Plate	1

ENCLOSURE FOR COMMUNICATION DEVICES

Technical Characteristic

- Thickness 1 mm
- Cable entry place are invisible
- Telephone connection
- Modems are routers
- Antenna, cable or satellite T.V. connection
- Included mounting plate
- Fitted with PC smoked window
- Polycarbonate window
- RAL 7035



FLUSH MOUNTING - Enclosure with MCB modules & place for network cabling

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CP 8500	400x700x100	24M (12x2)	1
CP 8501	500x850x120	36M (12x3)	1



SURFACE MOUNTING - Enclosure with MCB modules & place for network cabling

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CP 8510	400x700x100	24M (12x2)	1
CP 8511	500x850x120	36M (12x3)	1



SLIM LINE RACK CABINET

Code	Dimension (WxHxD)	Pack
CR 711	497x140x475 3U+2U	1

METAL ENCLOSURES

wall mounted



Technical Characteristic


- Color, RAL 7035 Grey
- Thickness 0,80 mm
- IP 40
- Included Galvanized Mounting Plate
- For Indoor Use
- Bottom Flash (Gland) Plate
- Hidden Hinges
- Included Pur materia

Metal Enclosure

Code	Dimension (WxHxD)	Pack
CP 202515 K	200x250x150	1
CP 203015 K	200x300x150	1
CP 253015 K	250x300x150	1
CP 303015 K	300x300x150	1
CP 303020 K	300x300x200	1
CP 303515 K	300x350x150	1
CP 303520 K	300x350x200	1
CP 304015 K	300x400x150	1
CP 304020 K	300x400x200	1
CP 304025 K	300x400x250	1
CP 354515 K	350x450x150	1
CP 354520 K	350x450x200	1
CP 354525 K	350x450x250	1
CP 405020 K	400x500x200	1
CP 405025 K	400x500x250	1
CP 406020 K	400x600x200	1
CP 406025 K	400x600x250	1
CP 406030 K	400x600x300	1
CP 506020 K	500x600x200	1
CP 506025 K	500x600x250	1
CP 506030 K	500x600x300	1
CP 507020 K	500x700x200	1
CP 507025 K	500x700x250	1
CP 507030 K	500x700x300	1
CP 607020 K	600x700x200	1
CP 607025 K	600x700x250	1
CP 607030 K	600x700x300	1
CP 608020 K	600x800x200	1
CP 608025 K	600x800x250	1
CP 608030 K	600x800x300	1
CP 609020 K	600x900x200	1
CP 609025 K	600x900x250	1
CP 609030 K	600x900x300	1
CP 6010020 K	600x1000x200	1
CP 6010025 K	600x1000x250	1
CP 6010030 K	600x1000x300	1



Kapı poliüretan sıvı dökme contalıdır.




METAL ENCLOSURES

wall mounted



Technical Characteristic

- Color, RAL 7035 Grey
- Thickness 1,20 mm
- IP 54
- Included Galvanized Mounting Plate
- Foamed in Door Gasket
- Top and Bottom Flash (Gland) Plate
- Hidden Hinges



Metal Enclosure

Code	Dimension (WxHxD)	Pack
CP 202515 E	200x250x150	1
CP 203015 E	200x300x150	1
CP 253015 E	250x300x150	1
CP 303015 E	300x300x150	1
CP 303020 E	300x300x200	1
CP 303515 E	300x350x150	1
CP 303520 E	300x350x200	1
CP 304015 E	300x400x150	1
CP 304020 E	300x400x200	1
CP 304025 E	300x400x250	1
CP 354520 E	350x450x200	1
CP 354525 E	350x450x250	1
CP 405020 E	400x500x200	1
CP 405025 E	400x500x250	1
CP 406020 E	400x600x200	1
CP 406025 E	400x600x250	1
CP 506020 E	500x600x200	1
CP 506025 E	500x600x250	1
CP 507020 E	500x700x200	1
CP 507025 E	500x700x250	1
CP 507030 E	500x700x300	1
CP 607020 E	600x700x200	1
CP 607025 E	600x700x250	1
CP 608020 E	600x800x200	1
CP 608025 E	600x800x250	1
CP 608030 E	600x800x300	1
CP 609025 E	600x900x250	1
CP 609030 E	600x900x300	1
new CP 6010020 E	600x1000x200	1
CP 6010025 E	600x1000x250	1
CP 6010030 E	600x1000x300	1
CP 6010040 E	600x1000x400	1
new CP 6012020 E	600x1200x200	1
CP 6012030 E	600x1200x300	1
CP 6014030 E	600x1400x300	1
CP 6014040 E	600x1400x400	1
new CP 7010020 E	700x1000x200	1
CP 7010025 E	700x1000x250	1
CP 7010030 E	700x1000x300	1
CP 7010040 E	700x1000x400	1
new CP 7012020 E	700x1200x200	1
CP 7012030 E	700x1200x300	1
new CP 7012040 E	700x1200x400	1
CP 7014030 E	700x1400x300	1
CP 7014040 E	700x1400x400	1
new CP 8010020 E	800x1000x200	1
CP 8010025 E	800x1000x250	1
CP 8010030 E	800x1000x300	1
CP 8010040 E	800x1000x400	1
new CP 8012025 E	800x1200x250	1
CP 8012030 E	800x1200x300	1
CP 8014030 E	800x1400x300	1
CP 8014040 E	800x1400x400	1

METAL ENCLOSURES

wall mounted & floor installation



Technical Characteristic

- Color, RAL 7035 Grey
- IP65 Protection
- Sheet Steel 1,20 mm
- Foamed in Door Gasket
- Mounting Plate in Galvanized
- Bottom Flansh(Gland) Plate
- Hidden Hinges

Wall Mounted

Code	Dimension (WxHxD)	Pack
CP 130	300 x 400 x 200	1
CP 131	400 x 500 x 200	1
CP 132	400 x 600 x 200	1
CP 133	500 x 700 x 200	1
CP 134	600 x 800 x 200	1
CP 135	600 x 1000 x 250	1



For Floor Installation

Code	Dimension (WxHxD)	Pack
CP 150	400 x 650 x 200	1
CP 151	400 x 850 x 250	1
CP 152	500 x 650 x 250	1
CP 153	500 x 850 x 250	1
CP 154	500 x 1000 x 300	1
CP 155	600 x 800 x 300	1
CP 156	600 x 1050 x 300	1
CP 157	600 x 1250 x 300	1
CP 158	600 x 1600 x 400	1
CP 159	600 x 1900 x 500	1
CP 160	600 x 2100 x 500	1
CP 161	700 x 1050 x 300	1
CP 162	700 x 1250 x 400	1
CP 163	700 x 1500 x 400	1
CP 164	700 x 1800 x 500	1
CP 165	700 x 2000 x 500	1
CP 166	800 x 1050 x 300	1
CP 167	800 x 1250 x 400	1
CP 168	800 x 1600 x 400	1
CP 169	800 x 1900 x 500	1
CP 170	800 x 2100 x 500	1



METAL ENCLOSURES

wall mounted





Technical Characteristic

- Color, RAL 7035 Grey
- Thickness 0,80 mm
- IP 54
- Included Galvanized Mounting Plate
- For Indoor Use
- IK10
- Hidden Hinges
- Bottom Flash (Gland) Plate




Metal Enclosures

Code	Dimension (WxHxD)	Pack
CP 302015 Y	300x200x150	1
CP 302515 Y	300x250x150	1
CP 252015 Y	250x200x150	1
CP 352515 Y	350x250x150	1
CP 352520 Y	350x250x200	1
CP 353015 Y	350x300x150	1
CP 353020 Y	350x300x200	1
CP 403015 Y	400x300x150	1
CP 403020 Y	400x300x200	1
CP 403025 Y	400x300x250	1
CP 453515 Y	450x350x150	1
CP 453520 Y	450x350x200	1
CP 453525 Y	450x350x250	1
CP 504020 Y	500x400x200	1
CP 504025 Y	500x400x250	1
CP 604020 Y	600x400x200	1
CP 604025 Y	600x400x250	1
CP 605020 Y	600x500x200	1
CP 605025 Y	600x500x250	1
CP 605030 Y	600x500x300	1



METAL ENCLOSURES

surface & flush mounting




CPR 801



Surface Mounted

Code	Dimension (WxHxD)	Description	Pack
CPR 800	320x300x150	24M (2x12)	1
CPR 801	320x450x150	36M (3x12)	1
CPR 802	320x600x175	48M (4x12)	1
CPR 803	400x600x175	60M (5x12)	1




CPR 804



Surface Mounted

Code	Dimension (WxHxD)	Description	Pack
CPR 804	500x800x175	100M (5x20)	1
CPR 805	500x950x175	120M (6x20)	1
CPR 806	750x800x200	150M (10x15) Double Doors	1
CPR 807	750x1000x200	180M (12x15) Double Doors	1




CPR 820



Flush Mounted

Code	Dimension (WxHxD)	Description	Pack
CPR 820	320x300x140	24M (2x12)	1
CPR 821	320x450x140	36M (3x12)	1
CPR 822	320x600x140	48M (4x12)	1
CPR 823	400x600x140	60M (5x12)	1



CPR 824



Flush Mounted

Code	Dimension (WxHxD)	Description	Pack
CPR 824	500x800x140	100M (5x20)	1
CPR 825	500x950x165	120M (6x20)	1
CPR 826	750x800x165	150M (10x15) Double Doors	1
CPR 827	750x1000x165	180M (12x15) Double Doors	1

Complementary Items

Code	Dimension (WxHxD)	Description	Pack
CPR 8012 B	145x273x5	12M Blank Cover	1
CPR 8015 B	145x273x9	15M Blank Cover	1
CPR 8012 D	455x150x50	12M DIN Rail Frame	1
CPR 8015 D	455x150x10	15M DIN Rail Frame	1

VERTICAL TYPE MODULER BOARD

floor standing moduler enclosure



Technical Characteristic

- Color, RAL 7035 Grey
- Modular System for Indoor Application
- Frame&Door: 1,50 mm
- Removable Side and Back Panels
- Depth Adjustable Mounting Plate
- Foamed in Door Gasket
- Base Plate for Floor Installation

Moduler Enclosure

Code	Dimension (WxHxD)	Door
CPM 5019040	500 x 1900 x 400	Single
CPM 5019050	500 x 1900 x 500	Single
CPM 5019060	500 x 1900 x 600	Single
CPM 6019040	600 x 1900 x 400	Single
CPM 6019050	600 x 1900 x 500	Single
CPM 6019060	600 x 1900 x 600	Single
CPM 7019040	700 x 1900 x 400	Single
CPM 7019050	700 x 1900 x 500	Single
CPM 7019060	700 x 1900 x 600	Single
CPM 8019040	800 x 1900 x 400	Single
CPM 8019050	800 x 1900 x 500	Single
CPM 8019060	800 x 1900 x 600	Single
CPM 9019040	900 x 1900 x 400	Single
CPM 9019050	900 x 1900 x 500	Single
CPM 9019060	900 x 1900 x 600	Single
CPM 5021040	500 x 2100 x 400	Single
CPM 5021050	500 x 2100 x 500	Single
CPM 5021060	500 x 2100 x 600	Single
CPM 6021040	600 x 2100 x 400	Single
CPM 6021050	600 x 2100 x 500	Single
CPM 6021060	600 x 2100 x 600	Single
CPM 7021040	700 x 2100 x 400	Single
CPM 7021050	700 x 2100 x 500	Single
CPM 7021060	700 x 2100 x 600	Single
CPM 8021040	800 x 2100 x 400	Single
CPM 8021050	800 x 2100 x 500	Single
CPM 8021060	800 x 2100 x 600	Single
CPM 9021040	900 x 2100 x 400	Single
CPM 9021050	900 x 2100 x 500	Single
CPM 9021060	900 x 2100 x 600	Single



Glass Door Optional

VERTICAL TYPE MODULER BOARD

floor standing moduler enclosure




Technical Characteristic

- Color, RAL 7035 Grey
- Modular System for Indoor Application
- Frame&Door: 1,50 mm
- Removable Side and Back Panels
- Depth Adjustable Mounting Plate
- Foamed in Door Gasket
- Base Plate for Floor Installation



Moduler Enclosure

Code	Dimension (WxHxD)	Door
CPM 10019070	1000 x 1900 x 700	Double
CPM 10019080	1000 x 1900 x 800	Double
CPM 12019070	1200 x 1900 x 700	Double
CPM 12019080	1200 x 1900 x 800	Double
CPM 10021070	1000 x 2100 x 700	Double
CPM 10021080	1000 x 2100 x 800	Double
CPM 12021070	1200 x 2100 x 700	Double
CPM 12021080	1200 x 2100 x 800	Double
CPM 10023070	1000 x 2300 x 700	Double
CPM 10023080	1000 x 2300 x 800	Double
CPM 12023070	1200 x 2300 x 700	Double
CPM 12023080	1200 x 2300 x 800	Double




Kumanda Masaları Kontrol Sistemleri

?





Scissor Cover
Hinge



Adjustable
Mounting Plate




Absorber
Hinge



Brushed Bottem
Enterence



Moduler
Base System



Brushed Base
Module

Kumanda Masaları Kontrol Sistemleri

Technical Characteristic



- ?



Control Desk Enclosure Monoblock System

Code	Dimension (WxHxD)	Door
KMMN0404	400x1075x400	?
KMMN0604	600x1075x400	?
KMMN0804	800x1075x400	?
KMMN1005	1000x1075x500	?
KMMN1205	1200x1075x500	?



Control Desk Enclosure Piano System

Code	Dimension (WxHxD)	Door
KMPY0604	600x1325x400	?
KMPY0804	800x1325x400	?
KMPY1005	1000x1325x500	?
KMPY1205	1200x1325x500	?

Kumanda Masaları Kontrol Sistemleri

?

Technical Characteristic



• ?



Control Desk Enclosure PC System

Code	Dimension (WxHxD)	Door
KMPC0604	600x1325x400	?
KMPC0804	800x1325x400	?



Control Desk Enclosure Modular System

Code	Dimension (WxHxD)	Door
KMMD0604	600x1075x400	?
KMMD0804	800x1075x400	?
KMMD1005	1000x1075x500	?
KMMD1205	1200x1075x500	?



Dikili Tip Harici Panolar

Technical Characteristic




• ?

new



?

Code	Dimension (WxHxD)	Door
CP 158	60x160x40	1
CP 159	60x190x50	1
CP 160	60x210x50	1
CP 163	70x160x40	1
CP 164	70x190x50	1
CP 165	70x210x50	1
CP 168	80x160x40	1
CP 169	80x190x50	1
CP 170	80x210x50	1



Metal Junction Boxes

Technical Characteristic




• ?




Blank Sides

Code	Dimension (WxHxD)	Door
CP 1515 T	15x15x12	1
CP 2020 T	20x20x12	1
CP 2520 T	25x20x12	1
CP 3020 T	30x20x12	1
CP 3025 T	30x25x12	1
CP 3030 T	30x30x12	1
CP 4020 T	40x20x12	1
CP 4030 T	40x30x12	1
CP 4040 T	40x40x12	1



Flush Mounting

Code	Dimension (WxHxD)	Door
CP 1515 T	15x15x12	1
CP 2020 T	20x20x12	1
CP 2520 T	25x20x12	1
CP 3020 T	30x20x12	1
CP 3025 T	30x25x12	1
CP 3030 T	30x30x12	1
CP 4020 T	40x20x12	1
CP 4030 T	40x30x12	1
CP 4040 T	40x40x12	1



Alt Flanş Kapaklı Model

KARAK



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 080 001	80x80x25	36 m3/h	1
V04 080 003	80x80x25	36 m3/h	1
V04 080 002	80x80x38	43 m3/h	1



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 092 002	92x92x25	57 m3/h	1
V04 092 001	92x92x38	72 m3/h	1
V04 092 003	92x92x38	72 m3/h	1



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 120 002	120x120x25	121 m3/h	1
V04 120 004	120x120x38	163 m3/h	1
V04 120 009*	120x120x38	179 m3/h	1
V04 120 005**	120x120x38	163 m3/h	1
V04 120 001	120x120x38	163 m3/h	1
V04 120 006	120x120x38	163 m3/h	1

* 7 Wings ** Terminal Connection



Pro Compact AC Fans (Metal Wing)

Code	Dimension (WxHxD)	Description	Pack
V04 120 003	120x120x38	192 m3/h	1
V04 120 008 *	120x120x38	192 m3/h	1
V04 120 007	120x120x38	192 m3/h	1

* Terminal Connection



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 135 001	135x135x38	212 m3/h	1

Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 150 001	150x150x50	212 m3/h	1



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 170 001 *	170x150x55	353 m3/h	1
V04 170 002 *	170x150x55	353 m3/h	1



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 172 002	172x150x51	361 m3/h	1
V04 172 001	172X150X51	361 m3/h	



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 180 001	180x180x65	629 m3/h	1



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 200 001	200x200x60	650 m3/h	1



Pro Compact AC Fans

Code	Dimension (WxHxD)	Description	Pack
V04 220 001	220xØ60	650 m3/h	1



Pro Compact AC Fans (Metal Wing)

Code	Dimension (WxHxD)	Description	Pack
V04 225 001	225x225x80	1.020 m3/h	1
V04 225 002	225x225x80	1.020 m3/h	1



Pro Compact AC Fans (Metal Wing)

Code	Dimension (WxHxD)	Description	Pack
V04 280 001	280x280x80	1.917 m3/h	1
V04 280 002	280x280x80	1.917 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 040 001	40x40x10	18 m3/h	1
V05 040 002	40x40x10	18 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 050 001	50x50x10	23 m3/h	1
V05 050 002	50x50x10	23 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 060 001	60x60x25	37 m3/h	1
V05 060 002	60x60x25	37 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 080 002	80x80x25	69 m3/h	1
V05 080 001	80x80x25	69 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 092 001	92x92x25	103 m3/h	1
V05 092 002	92x92x25	103 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 120 001	120x120x25	148 m3/h	1
V05 120 002	120x120x25	148 m3/h	1
V05 120 005	120x120x38	166 m3/h	1
V05 120 003	120x120x38	166 m3/h	1
V05 120 004	120x120x38	166 m3/h	1



Pro Compact DC Fans

Code	Dimension (WxHxD)	Description	Pack
V05 172 001	172x150x51	365 m3/h	1
V05 172 002	172x150x51	365 m3/h	1



FM Series Easy Install Grilles

Code	Description	Pack
V02 110 003	110x110 GRAY GRILLE	1
V02 110 004	110x110 BLACK GRILLE	1



FM Series Easy Install Grilles

Code	Description	Pack
V02 160 003	160x160 GRAY GRILLE	1
V02 160 004	160x160 BLACK GRILLE	1



FM Series Easy Install Grilles

Code	Description	Pack
V02 210 003	210x210 GRAY GRILLE	1
V02 210 004	210x210 BLACK GRILLE	1




FM Series Easy Install Grilles

Code	Description	Pack
V02 260 003	260x260 GRAY GRILLE	1
V02 260 004	260x260 BLACK GRILLE	1




FM Series Easy Install Grilles

Code	Description	Pack
V02 325 003	325x325 GRAY GRILLE	1
V02 325 004	325x325 BLACK GRILLE	1




FME Series Easy Install Grilles

Code	Description	Pack
V02 110 001	110x110 GRAY GRILLE	1
V02 110 002	110x110 BLACK GRILLE	1




FME Series Easy Install Grilles

Code	Description	Pack
V02 160 001	160x160 GRAY GRILLE	1
V02 160 002	160x160 BLACK GRILLE	1




FME Series Easy Install Grilles

Code	Description	Pack
V02 210 001	210x210 GRAY GRILLE	1
V02 210 002	210x210 BLACK GRILLE	1



FME Series Easy Install Grilles

Code	Description	Pack
V02 260 001	260x260 GRAY GRILLE	1
V02 260 002	260x260 BLACK GRILLE	1



FME Series Easy Install Grilles

Code	Description	Pack
V02 325 001	325x325 GRAY GRILLE	1
V02 325 002	325x325 BLACK GRILLE	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 110 001	110x110	80x80x38	34	43	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 160 001	160x160	120x120x38	130	163	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 210 001	210x210	120x120x38	130	163	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 001	260x260	120x120x38	130	163	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 002	260x260	170x150x55	285	350	1
V01 260 003	260x260	172x150x51	288	361	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 004	260x260	225x225x80	755	944	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 325 001	325x325	220x60	520	650	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 325 002	325x325	280x280x80	1533	1917	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 110 002	110x110	80x80x25	29	36	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 160 002	160x160	120x120x38	130	163	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 005	260x260	172x150x51	288	361	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 006	260x260	170x150x55	282	353	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 010	260x260	225x225x80	800	1.020	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 110 003	110x110	80x80x25	55	69	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 160 003	160x160	120x120x38	132	166	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 007	260x260	120x120x38	132	166	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 008	260x260	172x150x51	288	361	1



Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 260 009	260x260	225x225x80	800	1.020	1




Fan Filters

Code	Grill	Fan	Filtered m3/h	Unfiltered m3/h	Pack
V01 325 004	325x325	280x280x80	900	1.250	1




Roof Fans (Screw Connection)

Code	Dimension (WxHxD)	Description	Pack
V03 160 001	172x150x51	350 m3/h	1
V03 162 001	170x150x55	350 m3/h	1
V03 162 002	172x150x51	350 m3/h	1
V03 175 001	Ø175 Radial	470 m3/h	1
V03 190 001	Ø190 Radial	600 m3/h	1
V03 220 001	Ø220 Radial	1000 m3/h	1



Roof Fans (Quick Connection)

Code	Dimension (WxHxD)	Description	Pack
V03 160 002	172x150x51	350 m3/h	1
V03 162 003	170x150x55	350 m3/h	1
V03 162 004	172x150x51	350 m3/h	1
V03 175 002	Ø175 Radial	470 m3/h	1
V03 190 002	Ø190 Radial	600 m3/h	1
V03 220 002	Ø220 Radial	1000 m3/h	1



Roof Fans (Quick Connection)

Code	Dimension (WxHxD)	Description	Pack
V03 133 001	Ø133 Radial	230 m3/h	1
V03 120 001	120x120x38	180 m3/h	1



Fan Thermostats

Code	Description	Description	Pack
V10 01M 001	Fan Thermostat	INO	1



Heater Thermostats

Code	Description	Description	Pack
V10 02K 001	Heater Thermostat	INC	1



Dual Thermostats

Code	Description	Description	Pack
V10 05M 001	Fan+Heater Thermostat	INO + INC	1



Hygostat

Code	Description	Description	Pack
V10 03H 001	Hygrometer	ICO	1



Room Thermostats

Code	Description	Pack
V10 04R 001	Room Thermostat	1



Panel Heaters - MPH Series

Code	Description	Pack
V11 015 001	15 W Panel Heater	1
V11 025 001	25 W Panel Heater	1



Panel Heaters - PH Series

Code	Description	Pack
V11 030 001	30 W Panel Heater	1
V11 045 001	45 W Panel Heater	1
V11 060 001	60 W Panel Heater	1
V11 075 001	75 W Panel Heater	1
V11 100 001	100 W Panel Heater	1
V11 150 001	150 W Panel Heater	1



Panel Heaters with fan - PFH Series

Code	Description	Pack
V12 250 001	250 W Panel Heater	1
V12 400 001	400 W Panel Heater	1



ECO Compact Axial Fans

Code	Dimension	Pack
BRZ 01	120x120x25	1
BRZ 02	120x120x38	1
BRZ 03	120x120x38	1
BRZ 04	120x120x25	1
BRZ 05	120x120x25	1
BRZ 06	120x120x38	1
BRZ 07	120x120x38	1
BRZ 08	120x120x38	1
BRZ 09	120x120x38	1
BRZ 10	90x90x25	1
BRZ 11	90x90x38	1
BRZ 12	90x90x25	1
BRZ 13	90x90x25	1
BRZ 14	80x80x38	1
BRZ 15	80x80x25	1
BRZ 16	80x80x25	1
BRZ 17	80x80x25	1
BRZ 18	60x60x20	1
BRZ 19	50x50x10	1
BRZ 20	40x40x10	1





ECO Compact Axial Fans

Code	Dimension	Pack
BRZ 21	172x150x51	1
BRZ 22	172x150x51	1
BRZ 23	172x150x51	1



ECO Compact Axial Fans

Code	Dimension	Pack
BRZ 24	Ø220x60	1



Axial Absorptive Fans

Code	Description	Capacity	Pack
V07 250 001	65W	1530 m3/h	1
V07 300 001	115W	1900 m3/h	1
V07 350 001	190W	3550 m3/h	1
V07 400 001	260W	4450 m3/h	1
V07 450 001	360W	5800 m3/h	1
V07 500 001	420W	6950 m3/h	1
V07 550 001	550W	8500 m3/h	1

Axial Absorptive Fans

Code	Description	Capacity	Pack
V08 250 001	65W	1530 m3/h	1
V08 300 001	115W	1900 m3/h	1
V08 350 001	190W	3550 m3/h	1
V08 400 001	260W	4450 m3/h	1
V08 450 001	360W	5800 m3/h	1
V08 500 001	420W	6950 m3/h	1
V08 550 001	550W	8500 m3/h	1




Turbo Fans - TRF Series

Code	Description	Capacity	Pack
V09 180 001	18W	150 m3/h	1
V09 240 001	26W	170 m3/h	1
V09 300 001	32W	230 m3/h	1




Radial Fans

Code	Description	Pack
V06 133 001	Ø133 Backward Wide Winged	1
V06 175 001	Ø175 Backward Wide Winged	1
V06 190 001	Ø190 Backward Wide Winged	1
V06 220 001	Ø220 Backward Wide Winged	1



Metal Fan Protection Wires - VT Series

Code	Dimensions	Pack
V13 080 001	80x80 mm	100
V13 090 001	90x90 mm	100
V13 120 001	120x120 mm	100
V13 170 001	170x170 mm	100
V13 225 001	225x225 mm	100
V13 280 001	280x280 mm	100



Filters - VFM Series

Code	Dimensions	Pack
V14 110 001	110x110 mm	10
V14 150 001	150x150 mm	10
V14 210 001	210x210 mm	10
V14 250 001	250x250 mm	10
V14 325 001	325x325 mm	10



Project Board

Code	Description
V15 A4 001	A4 Project Board
V15 A5 001	A5 Project Board

CP BOX Polyester

product range



POLYESTER BOARDS



Technical Characteristic

- Color, RAL 7035 Grey
- Impact Resistant
- Degree of Protection IP 54
- With press-fit cover
- Manufactured in polyester reinforced with fiberglass
- Including 1,00 mm. Mounting plate
- Hinged door which open more than 90°
- Resistant against corrosive ambient
- It is possible to install on the wall, ground or over bases supporting

Blank Door

Code	Dimension (WxHxD)	Pack
CP 501	300 x 200 x 150	1
CP 503	250 x 300 x 155	1
CP 504	300 x 400 x 180	1
CP 505	400 x 500 x 190	1
CP 506	400 x 600 x 200	1
CP 507	500 x 800 x 255	1
CP 508	500 x 800 x 285	1
CP 510	700 x 1100 x 350	1
CP 511	700 x 1000 x 300	1



CP 511



Boards are included with
galvanized mounting plate

Plexiglass Door

Code	Dimension (WxHxD)	Pack
CP 522	300 x 400 x 180	1
CP 523	400 x 500 x 190	1
CP 524	400 x 600 x 200	1
CP 525	500 x 800 x 255	1
CP 525 D	500 x 800 x 285	1



Nh Polyester Boards

Code	Dimension (WxHxD)	Pack
CP 515	230X420X120	1
CP 514	230X420X120	1
CP 513	220X420X120	1
CP 516	220X300X120	1
CP 517	300X420X150	1
CP 518	370X580X180	1
CP 519	370X580X180	1
CP 560	220X300X120	1
CP 561	300X420X150	1
CP 562	370x580x180	1
CP 563	370x500x180	1



POLYESTER BOARDS



Polyester Distribution Boards

Code	Dimension (WxHxD)	Din Modules	Pack
CP 530	300 x 400 x 180	10M	1
CP 531	400 x 500 x 190	30M (2x15)	1
CP 532	400 x 600 x 200	45M (3x15)	1
CP 533	500 x 800 x 255	60M (4x15)	1
CP 533D	500 x 800 x 285	60M (4x15)	1



Polyester Triphase Meter Boards

Code	Dimension (WxHxD)	Din Modules	Pack
CP 535	280 x 550 x 200	1Trph. Met. 8M	1
CP 535 E**	280 x 550 x 200	1Trph. Met. 8M	1

** For electronic meter



Polyester Monophase Meter Boards

Code	Dimension (WxHxD)	Din Modules	Pack
CP 537	190 x 370 x 180	1Mnph. Met. 2M	1
CP 537 E**	190 x 370 x 180	1Mnph. Met. 2M	1

** For electronic meter

POLYESTER CABINETS

pedestals



Technical Characteristic

- SMC Material, Glass Fiber Reinforced Polyester
- Empty Cabinets
- Ral 7035 Grey
- IK 10
- IP 44
- Corrasion Resistant
- Easy Connection With Pedestal



Polyester Cabinets

Code	Dimension (WxHxD)	Description	Pack
CP 2642	260 x 420 x 250	Distribution Cabinets	1
CP 2658	260 x 580 x 250	Distribution Cabinets	1
CP 4058	400 x 580 x 250	Distribution Cabinets	1
CP 4084	400 x 840 x 250	Distribution Cabinets	1
CP 5358	530 x 580 x 250	Distribution Cabinets	1
CP 5384	530 x 840 x 250	Distribution Cabinets	1
CP 8084	800 x 840 x 320	Distribution Cabinets	1
CP 10684	1060 x 840 x 320	Distribution Cabinets	1



Pedestal

Code	Dimension (WxHxD)	Description	Pack
CPP 26	260 x 855 x 250	Pedestal for 26 cm Cabinets	1
CPP 40	400 x 855 x 250	Pedestal for 40 cm Cabinets	1
CPP 53	530 x 855 x 250	Pedestal for 53 cm Cabinets	1
CPP 80	800 x 855 x 320	Pedestal for 80 cm Cabinets	1
CPP 106	1060 x 855 x 320	Pedestal for 106 cm Cabinets	1

Cable Base


Code	Dimension (WxHxD)	Description	Pack
CPN 26	260 x 250 x 250	Cable Base for 26 cm	1
CPN 40	400 x 250 x 250	Cable Base for 40 cm	1
CPN 53	530 x 250 x 250	Cable Base for 53 cm	1
CPN 80	800 x 250 x 320	Cable Base for 80 cm	1
CPN 106	1060 x 250 x 320	Cable Base for 106 cm	1
CPDN 26	260 x 250 x 250	Cable Base with Bottom for 26 cm	1
CPDN 40	400 x 250 x 250	Cable Base with Bottom for 40 cm	1
CPDN 53	530 x 250 x 250	Cable Base with Bottom for 53 cm	1
CPDN 80	800 x 250 x 320	Cable Base with Bottom for 80 cm	1
CPDN 106	1060 x 250 x 320	Cable Base with Bottom for 106 cm	1





CP Cabling

product range



CABLE REELS

metal & plastic

Metal Cable Carrier

Code	Product	Cable	Pack
CP 001	3 Monophase Socket	Empty	Empty
CP 005	3 Monophase Socket	3 x 1,5	25 mt.
CP 006	3 Monophase Socket	3 x 1,5	33 mt.
CP 007	3 Monophase Socket	3 x 1,5	50 mt.
CP 008	3 Monophase Socket	3 x 2,5	25 mt.
CP 009	3 Monophase Socket	3 x 2,5	33 mt.
CP 010	3 Monophase Socket	3 x 2,5	50 mt.
CP 026	2Mnph. 1Triph. Socket	4 x 4	50 mt.
CP 027	2Mnph. 1Triph. Socket	4 x 4	75 mt.
CP 028	2Mnph. 2Triph. 2Socket	Wheels	Empty
CP 033	2Mnph. 6Triph. Socket	Empty	Empty
CP 034	2Mnph. 6Triph. Socket	Complete	50 mt.



CP 034



CP 028

Plastic Cable Carrier

Code	Product	Cable	Pack
CP 062	4 Monophase Socket	3 x 1,5	1,5 mt.
CP 063	4 Monophase Socket	3 x 1,5	2 mt.
CP 064	4 Monophase Socket	3 x 1,5	3 mt.
CP 065	4 Monophase Socket	3 x 1,5	4 mt.
CP 066	4 Monophase Socket	3 x 1	7 mt.
CP 067	4 Monophase Socket	3 x 1	10 mt.
CP 068	4 Monophase Socket	3 x 1,5	7 mt.
CP 074	4 Monophase Socket	3 x 1,5	20 mt.
CP 075	4 Monophase Socket	3 x 1,5	25 mt.
CP 076	4 Monophase Socket	3 x 1,5	33 mt.
CP 077	4 Monophase Socket	3 x 1,5	50 mt.
CP 078	4 Monophase Socket	3 x 2,5	20 mt.
CP 079	4 Monophase Socket	3 x 2,5	25 mt.
CP 080	4 Monophase Socket	3 x 2,5	33 mt.
CP 081	4 Monophase Socket	3 x 2,5	50 mt.
CP 090	4Mnph. Socket Small	Without Cable	Empty
CP 091	4Mnph. Socket Big	Without Cable	Empty



ALUMINIUM MODULES

for socket installation

Aluminium Modules

Code	Module	Color	Raw Material	Pack
P05 04 01	4	Grey	ABS+Alum.	1
P05 06 01	6	Grey	ABS+Alum.	1
P05 08 01	8	Grey	ABS+Alum.	1
P05 10 01	10	Grey	ABS+Alum.	1
P05 12 01	12	Grey	ABS+Alum.	1
P05 14 01	14	Grey	ABS+Alum.	1
P05 16 01	16	Grey	ABS+Alum.	1
new P10 04 01	5	Grey	ABS+Alum.	1
new P10 06 01	6	Grey	ABS+Alum.	1
new P10 08 01	8	Grey	ABS+Alum.	1
new P10 10 01	10	Grey	ABS+Alum.	1
new P10 12 01	12	Grey	ABS+Alum.	1
new P10 14 01	14	Grey	ABS+Alum.	1
new P10 16 01	16	Grey	ABS+Alum.	1



Priz Kasası Seti

Code	Module	Color	Raw Material	Pack
P02 05 01	5	Grey	ABS+Alum.	1
P02 05 02	5	Black	ABS+Alum.	1
P02 05 03	5	White	ABS+Alum.	1
P02 08 01	8	Grey	ABS+Alum.	1
P02 08 02	8	Black	ABS+Alum.	1
P02 08 03	8	White	ABS+Alum.	1
P02 12 01	12	Grey	ABS+Alum.	1
P02 12 02	12	Black	ABS+Alum.	1
P02 12 03	12	White	ABS+Alum.	1
P02 16 01	16	Grey	ABS+Alum.	1
P02 16 02	16	Black	ABS+Alum.	1
P02 16 03	16	White	ABS+Alum.	1
P02 20 01	20	Grey	ABS+Alum.	1
P02 20 02	20	Black	ABS+Alum.	1
P02 20 03	20	White	ABS+Alum.	1



?

?



Aluminium Table Top Socket Box

Code	Module	Color	Raw Material	Pack
P01 05 01	5	Grey	ABS+Alum.	1
P01 05 02	5	Black	ABS+Alum.	1
P01 05 03	5	White	ABS+Alum.	1
P01 05 04	8	Anthracite	ABS+Alum.	1
P01 08 01	8	Grey	ABS+Alum.	1
P01 08 02	8	Black	ABS+Alum.	1
P01 08 03	8	White	ABS+Alum.	1
P01 08 04	8	Anthracite	ABS+Alum.	1
P01 12 01	12	Grey	ABS+Alum.	1
P01 12 02	12	Black	ABS+Alum.	1
P01 12 03	12	White	ABS+Alum.	1
P01 12 04	12	Anthracite	ABS+Alum.	1
P01 16 01	16	Grey	ABS+Alum.	1
P01 16 02	16	Black	ABS+Alum.	1
P01 16 03	16	White	ABS+Alum.	1
P01 16 04	16	Anthracite	ABS+Alum.	1
P01 20 01	20	Grey	ABS+Alum.	1
P01 20 02	20	Black	ABS+Alum.	1
P01 20 03	20	White	ABS+Alum.	1
P01 20 04	20	Anthracite	ABS+Alum.	1



Cable Outlet Cover

Code	Description	Color	Raw Materail	Pack
P09 20 01	20 cm	Grey	ABS+Alum.	1,5 mt.
P09 25 01	25 cm	Grey	ABS+Alum.	2 mt.
P09 30 01	30 cm	Grey	ABS+Alum.	3 mt.
P09 35 01	35 cm	Grey	ABS+Alum.	4 mt.
P09 40 01	40 cm	Grey	ABS+Alum.	7 mt.

?

?



Cylinder Aluminium Socket Strips

Code	Module	Color	Raw Materail	Pack
P03 06 05	6	Inox	ABS+Alum+Stainless	1
P03 06 02	6	Black	ABS+Alum+Stainless	1
P03 06 06	6	Bronze	ABS+Alum+Stainless	1
P03 06 07	6	Gold	ABS+Alum+Stainless	1
P03 08 05	8	Inox	ABS+Alum+Stainless	1
P03 08 02	8	Black	ABS+Alum+Stainless	1
P03 08 06	8	Bronze	ABS+Alum+Stainless	1
P03 08 07	8	Gold	ABS+Alum+Stainless	1
P03 10 05	10	Inox	ABS+Alum+Stainless	1
P03 10 02	10	Black	ABS+Alum+Stainless	1
P03 10 06	10	Bronze	ABS+Alum+Stainless	1
P03 10 07	10	Gold	ABS+Alum+Stainless	1



Cylinder Aluminium Socket Strips

Code	Module	Color	Raw Materail	Pack
P06 02 03	2	White	ABS+Alum	1
P06 02 02	2	Black	ABS+Alum	1
P06 02 08	2	Red	ABS+Alum	1
new P07 01 01	01	White	ABS	1
new P07 02 01	02	White	ABS	1
new P08 01 01	01	White	PC	1
new P08 02 01	02	White	PC	1

new



Data Socket

Code	Product	Pack
P13 01 00	White CAT6 UTP	1
P13 02 00	White CAT6 FTP	1
P13 03 00	White CAT6A SFTP	1
P13 04 00	White CAT5 UTP	1


SOCKET STRIPS

ABS & Aluminium & Stainless

CP Lighting

product range

*Designed by For Surface Mounting Application in
Industrial and Commercial Environments*



Latch



Ceiling Carrier



Lampholder



Electronic Ballast



Reflector & Cable



WATERPROOF LIGHTING FIXTURE



Technical Characteristic

- Designed by For Surface Mounting Application in Industrial and Commercial Environments
- ABS Body and Polycarbonate Cover With Plastic Clips
- Bright and Economical
- High - Impact Strength IK08
- Flame-Retardant UL95 HB
- Conform to European IEC Standards EN606170-1
- Corrosion-Free
- Easy to Use and Install
- CE Mark
- Weather-Proof IP65 TUV/PSB Certified



With Plastic Clips

For T8 Fluorescent Lighting (With OSRAM/PHILIPS Electronic Balast)

Code	Dimension	Voltage	Lamp Holder	Ballast	Pack
CA 58001	1x18	220V-240V AC	G13	Electronic	15
CA 58002	2x18	220V-240V AC	G13	Electronic	10
CA 58003	1x36	220V-240V AC	G13	Electronic	8
CA 58004	2x36	220V-240V AC	G13	Electronic	6
CA 58005	1x58	220V-240V AC	G13	Electronic	9
CA 58006	2x58	220V-240V AC	G13	Electronic	6



With Plastic Clips

For T8 Emergency Kit (With OSRAM Balast)

Code	Dimension	Voltage	Lamp Holder	Ballast	Emergency Option	Pack
CA 58201	1x18	220V-240V AC	G13	Electronic	90 minute	15
CA 58202	1x18	220V-240V AC	G13	Electronic	180 minute	15
CA 58203	2x18	220V-240V AC	G13	Electronic	90 minute	10
CA 58204	2x18	220V-240V AC	G13	Electronic	180 minute	10
CA 58205	1x36	220V-240V AC	G13	Electronic	90 minute	8
CA 58206	1x36	220V-240V AC	G13	Electronic	180 minute	8
CA 58207	2x36	220V-240V AC	G13	Electronic	90 minute	6
CA 58208	2x36	220V-240V AC	G13	Electronic	180 minute	6
CA 58209	1x58	220V-240V AC	G13	Electronic	90 minute	9
CA 58210	1x58	220V-240V AC	G13	Electronic	180 minute	9
CA 58211	2x58	220V-240V AC	G13	Electronic	90 minute	6
CA 58212	2x58	220V-240V AC	G13	Electronic	180 minute	6

* Included emergency kit



OSRAM
PHILIPS

WATERPROOF LIGHTING FIXTURE



Technical Characteristic

- Designed by For Surface Mounting Application in Industrial and Commercial Environments
- ABS Body and Polycarbonate Cover With Plastic Clips
- Bright and Economical
- High - Impact Strength IK08
- Flame-Retardant UL95 HB
- Conform to European IEC Standards EN606170-1
- Corrosion-Free
- Easy to Use and Install
- CE Mark
- Weather-Proof IP65 TUV/PSB Certified



With Plastic Clips For T8 Fluorescent Lighting (With Eco Ballast)

Code	Dimension	Voltage	Lamp Holder	Ballast	Pack
CA 55017	1x18	220V-240V AC	G13	Electronic	15
CA 55018	2x18	220V-240V AC	G13	Electronic	10
CA 55019	1x36	220V-240V AC	G13	Electronic	8
CA 55020	2x36	220V-240V AC	G13	Electronic	6
CA 55021	1x58	220V-240V AC	G13	Electronic	9
CA 55022	2x58	220V-240V AC	G13	Electronic	6



With Plastic Clips For T8 Emergency Kit (With Eco Ballast)

Code	Dimension	Voltage	Lamp Holder	Ballast	Emergency Option	Pack
CA 55317	1x18	220V-240V AC	G13	Electronic	90 minute	15
CA 55417	1x18	220V-240V AC	G13	Electronic	180 minute	15
CA 55318	2x18	220V-240V AC	G13	Electronic	90 minute	10
CA 55418	2x18	220V-240V AC	G13	Electronic	180 minute	10
CA 55319	1x36	220V-240V AC	G13	Electronic	90 minute	8
CA 55419	1x36	220V-240V AC	G13	Electronic	180 minute	8
CA 55320	2x36	220V-240V AC	G13	Electronic	90 minute	6
CA 55420	2x36	220V-240V AC	G13	Electronic	180 minute	6
CA 55321	1x58	220V-240V AC	G13	Electronic	90 minute	9
CA 55421	1x58	220V-240V AC	G13	Electronic	180 minute	9
CA 55322	2x58	220V-240V AC	G13	Electronic	90 minute	6
CA 55422	2x58	220V-240V AC	G13	Electronic	180 minute	6

* Included emergency kit

WATERPROOF LIGHTING FIXTURE



Technical Characteristic

- Designed by For Surface Mounting Application in Industrial and Commercial Environments
- ABS Body and Polycarbonate Cover With Plastic Clips
- Bright and Economical
- High - Impact Strength IK08
- Flame-Retardant UL95 HB
- Conform to European IEC Standards EN606170-1
- Corrosion-Free
- Easy to Use and Install
- CE Mark
- Weather-Proof IP65 TUV/PSB Certified



With Plastic Clips For Led Tube

Code	Dimension	Voltage	Lamp Holder	Ballast	Emergency Option	Pack
CA 58021	1x660 mm.	220V-240V AC	G13	No	No	15
CA 58022	2x660 mm.	220V-240V AC	G13	No	Yes	10
CA 58023	1x1268 mm.	220V-240V AC	G13	No	Yes	8
CA 58024	2x1268 mm.	220V-240V AC	G13	No	Yes	6
CA 58025	1x1562 mm.	220V-240V AC	G13	No	Yes	9
CA 58026	2x1562 mm.	220V-240V AC	G13	No	Yes	6



With Plastic Clips Led Strips - Soft Cover

Code	Dimension	Voltage	Watt	Lumen	Pack
CA 59001	1x660 mm.	220V-240V	8.70 W	3000 K	15
CA 59002	1x660 mm.	220V-240V	8.70 W	4000 K	15
CA 59003	1x660 mm.	220V-240V	8.70 W	6500 K	15
CA 59004	1x1268 mm.	220V-240V	17.50 W	3000 K	8
CA 59005	1x1268 mm.	220V-240V	17.50 W	4000 K	8
CA 59006	1x1268 mm.	220V-240V	17.50 W	6500 K	8
CA 59007	1x1562 mm.	220V-240V	26.30 W	3000 K	9
CA 59008	1x1562 mm.	220V-240V	26.30 W	4000 K	9
CA 59009	1x1562 mm.	220V-240V	26.30 W	6500 K	9



With Plastic Clips Led Strips - Soft Cover

Code	Dimension	Voltage	Watt	Lumen	Pack
CA 59010	2x660 mm.	220V-240V	15.35 W	3000 K	10
CA 59011	2x660 mm.	220V-240V	15.35 W	4000 K	10
CA 59012	2x660 mm.	220V-240V	15.35 W	6500 K	10
CA 59013	2x1268 mm.	220V-240V	30.70 W	3000 K	6
CA 59014	2x1268 mm.	220V-240V	30.70 W	4000 K	6
CA 59015	2x1268 mm.	220V-240V	30.70 W	6500 K	6
CA 59016	2x1562 mm.	220V-240V	46.00 W	3000 K	6
CA 59017	2x1562 mm.	220V-240V	46.00 W	4000 K	6
CA 59018	2x1562 mm.	220V-240V	46.00 W	6500 K	6

WATERPROOF LIGHTING FIXTURE



Technical Characteristic

- Designed by For Surface Mounting Application in Industrial and Commercial Environments
- ABS Body and Polycarbonate Cover With Stainless Steel Clips
- Bright and Economical
- High - Impact Strength IK08
- Flame-Retardant UL95 HB
- Conform to European IEC Standards EN606170-1
- Corrosion-Free
- Easy to Use and Install
- CE Mark
- Weather-Proof IP65 TUV/PSB Certified



With Stainless Steel Clips For T8 Fluorescent Lighting (With OSRAM/PHILIPS Electronic Balast)

Code	Dimension	Voltage	Lamp Holder	Ballast	Emergency Option	Pack
CA 58001M	1x18	220V-240V AC	G13	Yes	No	15
CA 58002M	2x18	220V-240V AC	G13	Yes	Yes	10
CA 58003M	1x36	220V-240V AC	G13	Yes	Yes	8
CA 58004M	2x36	220V-240V AC	G13	Yes	Yes	6
CA 58005M	1x58	220V-240V AC	G13	Yes	Yes	9
CA 58006M	2x58	220V-240V AC	G13	Yes	Yes	6



With Stainless Steel Clips For T8 Fluorescent Lighting (With Eco Balast)

Code	Dimension	Voltage	Lamp Holder	Ballast	Emergency Option	Pack
CA 55017M	1x18	220V-240V AC	G13	Yes	No	15
CA 55018M	2x18	220V-240V AC	G13	Yes	Yes	10
CA 55019M	1x36	220V-240V AC	G13	Yes	Yes	8
CA 55020M	2x36	220V-240V AC	G13	Yes	Yes	6
CA 55021M	1x58	220V-240V AC	G13	Yes	Yes	9
CA 55022M	2x58	220V-240V AC	G13	Yes	Yes	6

WATERPROOF LIGHTING FIXTURE

Technical Characteristic



- Designed by For Surface Mounting Application in Industrial and Commercial Environments
- ABS Body and Polycarbonate Cover With Stainless Steel Clips
- Bright and Economical
- High - Impact Strength IK08
- Flame-Retardant UL95 HB
- Conform to European IEC Standards EN606170-1
- Corrosion-Free
- Easy to Use and Install
- CE Mark
- Weather-Proof IP65 TUV/PSB Certified



With Stainless Steel Clips For Led Tube

Code	Dimension	Voltage	Lamp Holder	Ballast	Emergency Option	Pack
CA 58021M	1x660 mm.	220V-240V AC	G13	No	No	15
CA 58022M	2x660 mm.	220V-240V AC	G13	No	Yes	10
CA 58023M	1x1268 mm.	220V-240V AC	G13	No	Yes	8
CA 58024M	2x1268 mm.	220V-240V AC	G13	No	Yes	6
CA 58025M	1x1562 mm.	220V-240V AC	G13	No	Yes	9
CA 58026M	2x1562 mm.	220V-240V AC	G13	No	Yes	6



With Stainless Steel Clips Led Strips - Soft Cover

Code	Dimension	Voltage	Watt	Lumen	Pack
CA 59001M	1x660 mm.	220V-240V	8.70 W	3000 K	15
CA 59002M	1x660 mm.	220V-240V	8.70 W	4000 K	15
CA 59003M	1x660 mm.	220V-240V	8.70 W	6500 K	15
CA 59004M	1x1268 mm.	220V-240V	17.50 W	3000 K	8
CA 59005M	1x1268 mm.	220V-240V	17.50 W	4000 K	8
CA 59006M	1x1268 mm.	220V-240V	17.50 W	6500 K	8
CA 59007M	1x1562 mm.	220V-240V	26.30 W	3000 K	9
CA 59008M	1x1562 mm.	220V-240V	26.30 W	4000 K	9
CA 59009M	1x1562 mm.	220V-240V	26.30 W	6500 K	9



With Stainless Steel Clips Led Strips - Soft Cover

Code	Dimension	Voltage	Watt	Lumen	Pack
CA 59010M	2x660 mm.	220V-240V	15.35 W	3000 K	15
CA 59011M	2x660 mm.	220V-240V	15.35 W	4000 K	15
CA 59012M	2x660 mm.	220V-240V	15.35 W	6500 K	15
CA 59013M	2x1268 mm.	220V-240V	30.70 W	3000 K	8
CA 59014M	2x1268 mm.	220V-240V	30.70 W	4000 K	8
CA 59015M	2x1268 mm.	220V-240V	30.70 W	6500 K	8
CA 59016M	2x1562 mm.	220V-240V	46.00 W	3000 K	9
CA 59017M	2x1562 mm.	220V-240V	46.00 W	4000 K	9
CA 59018M	2x1562 mm.	220V-240V	46.00 W	6500 K	9

CP Stabilizer

product range



VOLTAGE STABILIZER

Technical Characteristic

- Input Voltage : 175/265V
- Output Voltage : 220V

Single-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 A1Y 00	1	Aluminium Wired
S11 A1Y 01	2	Aluminium Wired
S11 A1Y 02	3.5	Aluminium Wired
S11 A1Y 03	5	Aluminium Wired
S11 A1Y 04	7.5	Aluminium Wired
S11 A1Y 05	10	Aluminium Wired
S11 A1Y 06	15	Aluminium Wired
S11 A1Y 07	20	Aluminium Wired
S11 A1Y 08	25	Aluminium Wired
S11 A1Y 09	30	Aluminium Wired
S11 A1Y 10	40	Aluminium Wired
S11 A1Y 11	50	Aluminium Wired



Technical Characteristic

- Input Voltage : 150/250V
- Output Voltage : 220V

Single-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 A1N 00	1	Aluminium Wired
S11 A1N 01	2	Aluminium Wired
S11 A1N 02	3.5	Aluminium Wired
S11 A1N 03	5	Aluminium Wired
S11 A1N 04	7.5	Aluminium Wired
S11 A1N 05	10	Aluminium Wired
S11 A1N 06	15	Aluminium Wired
S11 A1N 07	20	Aluminium Wired
S11 A1N 08	25	Aluminium Wired
S11 A1N 09	30	Aluminium Wired
S11 A1N 10	40	Aluminium Wired
S11 A1N 11	50	Aluminium Wired

Technical Characteristic

- Input Voltage : 300/460V
- Output Voltage : 380V

Three-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 A3Y 01	6	Aluminium Wired
S11 A3Y 02	10.5	Aluminium Wired
S11 A3Y 03	15	Aluminium Wired
S11 A3Y 04	22.5	Aluminium Wired
S11 A3Y 05	30	Aluminium Wired
S11 A3Y 06	45	Aluminium Wired
S11 A3Y 07	60	Aluminium Wired
S11 A3Y 08	75	Aluminium Wired
S11 A3Y 09	100	Aluminium Wired
S11 A3Y 10	120	Aluminium Wired
S11 A3Y 11	150	Aluminium Wired
S11 A3Y 12	200	Aluminium Wired
S11 A3Y 13	250	Aluminium Wired
S11 A3Y 14	300	Aluminium Wired
S11 A3Y 15	400	Aluminium Wired
S11 A3Y 16	500	Aluminium Wired
S11 A3Y 17	600	Aluminium Wired
S11 A3Y 18	800	Aluminium Wired
S11 A3Y 19	1000	Aluminium Wired
S11 A3Y 20	1200	Aluminium Wired
S11 A3Y 21	1600	Aluminium Wired
S11 A3Y 22	2000	Aluminium Wired
S11 A3Y 23	2500	Aluminium Wired
S11 A3Y 24	3250	Aluminium Wired



Technical Characteristic

- Input Voltage : 260/450V
- Output Voltage : 380V

Three-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 A3N 26	6	Aluminium Wired
S11 A3N 27	10.5	Aluminium Wired
S11 A3N 28	15	Aluminium Wired
S11 A3N 29	22.5	Aluminium Wired
S11 A3N 30	30	Aluminium Wired
S11 A3N 31	45	Aluminium Wired
S11 A3N 32	60	Aluminium Wired
S11 A3N 33	75	Aluminium Wired
S11 A3N 34	100	Aluminium Wired
S11 A3N 35	120	Aluminium Wired
S11 A3N 36	150	Aluminium Wired
S11 A3N 37	200	Aluminium Wired
S11 A3N 38	250	Aluminium Wired
S11 A3N 39	300	Aluminium Wired
S11 A3N 40	400	Aluminium Wired
S11 A3N 41	500	Aluminium Wired
S11 A3N 42	600	Aluminium Wired
S11 A3N 43	800	Aluminium Wired
S11 A3N 44	1000	Aluminium Wired
S11 A3N 45	1200	Aluminium Wired
S11 A3N 46	1600	Aluminium Wired
S11 A3N 47	2000	Aluminium Wired
S11 A3N 48	2500	Aluminium Wired
S11 A3N 49	3250	Aluminium Wired

VOLTAGE STABILIZER

Technical Characteristic

- Input Voltage : 175/265V
- Output Voltage : 220V

Single-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 C1Y 00	1	Copper Wired
S11 C1Y 01	2	Copper Wired
S11 C1Y 02	3.5	Copper Wired
S11 C1Y 03	5	Copper Wired
S11 C1Y 04	7.5	Copper Wired
S11 C1Y 05	10	Copper Wired
S11 C1Y 06	15	Copper Wired
S11 C1Y 07	20	Copper Wired
S11 C1Y 08	25	Copper Wired
S11 C1Y 09	30	Copper Wired
S11 C1Y 10	40	Copper Wired
S11 C1Y 11	50	Copper Wired



Technical Characteristic

- Input Voltage : 150/250V
- Output Voltage : 220V

Single-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 C1N 00	1	Copper Wired
S11 C1N 01	2	Copper Wired
S11 C1N 02	3.5	Copper Wired
S11 C1N 03	5	Copper Wired
S11 C1N 04	7.5	Copper Wired
S11 C1N 05	10	Copper Wired
S11 C1N 06	15	Copper Wired
S11 C1N 07	20	Copper Wired
S11 C1N 08	25	Copper Wired
S11 C1N 09	30	Copper Wired
S11 C1N 10	40	Copper Wired
S11 C1N 11	50	Copper Wired

Technical Characteristic

- Input Voltage : 300/460V
- Output Voltage : 380V

Three-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 C3Y 01	6	Copper Wired
S11 C3Y 02	10.5	Copper Wired
S11 C3Y 03	15	Copper Wired
S11 C3Y 04	22.5	Copper Wired
S11 C3Y 05	30	Copper Wired
S11 C3Y 06	45	Copper Wired
S11 C3Y 07	60	Copper Wired
S11 C3Y 08	75	Copper Wired
S11 C3Y 09	100	Copper Wired
S11 C3Y 10	120	Copper Wired
S11 C3Y 11	150	Copper Wired
S11 C3Y 12	200	Copper Wired
S11 C3Y 13	250	Copper Wired
S11 C3Y 14	300	Copper Wired
S11 C3Y 15	400	Copper Wired
S11 C3Y 16	500	Copper Wired
S11 C3Y 17	600	Copper Wired
S11 C3Y 18	800	Copper Wired
S11 C3Y 19	1000	Copper Wired
S11 C3Y 20	1200	Copper Wired
S11 C3Y 21	1600	Copper Wired
S11 C3Y 22	2000	Copper Wired
S11 C3Y 23	2500	Copper Wired
S11 C3Y 24	3250	Copper Wired



Technical Characteristic

- Input Voltage : 260/450V
- Output Voltage : 380V

Three-Phase Micro Processor Electronic

Code	Power (K.V.A.)	Characteristic of Product
S11 C3N 26	6	Copper Wired
S11 C3N 27	10.5	Copper Wired
S11 C3N 28	15	Copper Wired
S11 C3N 29	22.5	Copper Wired
S11 C3N 30	30	Copper Wired
S11 C3N 31	45	Copper Wired
S11 C3N 32	60	Copper Wired
S11 C3N 33	75	Copper Wired
S11 C3N 34	100	Copper Wired
S11 C3N 35	120	Copper Wired
S11 C3N 36	150	Copper Wired
S11 C3N 37	200	Copper Wired
S11 C3N 38	250	Copper Wired
S11 C3N 39	300	Copper Wired
S11 C3N 40	400	Copper Wired
S11 C3N 41	500	Copper Wired
S11 C3N 42	600	Copper Wired
S11 C3N 43	800	Copper Wired
S11 C3N 44	1000	Copper Wired
S11 C3N 45	1200	Copper Wired
S11 C3N 46	1600	Copper Wired
S11 C3N 47	2000	Copper Wired
S11 C3N 48	2500	Copper Wired
S11 C3N 49	3250	Copper Wired

POOL TRANSFORMER

Pool Transformer

Code	Characteristic of Product
S23 C00 00	220/12V 50VA Copper Wired - Polyester Body
S23 C00 01	220/12V 100VA Copper Wired - Polyester Body
S23 C00 02	220/12V 150VA Copper Wired - Polyester Body
S23 C00 03	220/12V 300VA Copper Wired - Polyester Body
S23 C00 04	220/12V 400VA Copper Wired - Polyester Body
S23 C00 05	220/12V 600VA Copper Wired - Polyester Body



Pool Transformer

Code	Characteristic of Product
S23 A00 00	220/12V 300VA Aluminium Wired - Polyester Body
S23 A00 01	220/12V 400VA Aluminium Wired - Polyester Body
S23 A00 02	220/12V 600VA Aluminium Wired - Polyester Body



VOLTAGE STABILIZER & TRANSFORMER



Stabilizer - With Metal Body

Code	Power [VA.]	Characteristic of Product
S14 1M0 00	500 VA	Voltage 130/270/220 Aluminium Wired
S14 1M0 01	1000 VA	Voltage 130/270/220 Aluminium Wired
S14 1M0 02	1500 VA	Voltage 130/270/220 Aluminium Wired
S14 1M0 03	1500K VA	Voltage 130/270/220 with condensator AL. Wired



Stabilizer - With Plastic Body

Code	Power [VA.]	Characteristic of Product
S14 1P0 00	500 VA	Voltage 130/270/220 Aluminium Wired
S14 1P0 01	1000 VA	Voltage 130/270/220 Aluminium Wired



Transformer 220/12 - 220/24

Code	Power [VA.]
S21 C12 00	30 VA
S21 C12 01	50 VA
S21 C12 02	100 VA
S21 C12 03	150 VA
S21 C12 04	200 VA
S21 C12 05	250 VA
S21 C12 06	300 VA
S21 C12 07	400 VA
S21 C12 08	500 VA
S21 C12 09	600 VA
S21 C12 10	750 VA
S21 C12 11	1000 VA
S21 C12 12	1500 VA
S21 C12 13	2000 VA
S21 C12 14	2500 VA
S21 C12 15	3000 VA
S21 C12 16	4000 VA
S21 C12 17	5000 VA
S21 C12 18	6000 VA
S21 C12 19	7000 VA
S21 C12 20	8000 VA
S21 C12 21	10000 VA



Transformer - New Model 220/12 - 220/24


Code	Power [VA.]
S21 C12K 00	30 VA
S21 C12K 01	50 VA
S21 C12K 02	75 VA
S21 C12K 03	100 VA
S21 C12K 04	150 VA
S21 C12K 05	200 VA
S21 C12K 06	250 VA








Over 80 countries around the world...







Cetinkaya
Pano

Cetinkaya Pano A.S.

Export Dep. : Sair Ziya paşa Caddesi No. 57/1
34420 Karakoy - İstanbul / TURKEY

Phone : 00 90 212 255 04 69

Fax : 00 90 212 255 04 79

e-mail : exportsales@cetinkayapano.com

www.cetinkayapano.com