

LIGHTING & ELECTRICAL

PRODUCT CATALOGUE

Braytron

www.braytron.com

2026



Indoor

Outdoor

Lighting



Solar Lighting



Linear Lights



Decorative



Bulbs & Tubes





BRAYTRON GLOBAL Head Office



BRAYTRON GLOBAL Head Office

Welcome to Braytron – Illuminating Excellence in Lighting and Electrical Solutions!

For 19 years, Braytron has been at the forefront of the lighting and electrical industry, dedicating itself to providing top-notch products that illuminate spaces and power connections with unmatched precision and reliability. Our journey began with a commitment to quality, and today, we stand proud as a global leader in the field.

With a rich legacy spanning nearly two decades, Braytron has been exporting its superior lighting and electrical products to more than 50 countries, with a primary focus on the European market. Our extensive catalog boasts over 2000 different products, each meticulously designed and crafted to meet the diverse needs of our discerning customers.

At Braytron, quality is not just a promise; it's a standard that defines us. Our products adhere to the rigorous standards set by Europe, ensuring that every item bearing the Braytron name is synonymous with excellence. We take pride in our unwavering commitment to delivering high-quality solutions that illuminate spaces and power connections seamlessly.

As we look ahead, Braytron remains dedicated to innovation, sustainability, and customer satisfaction. Our journey is illuminated by the trust and loyalty of our customers, and we continue to strive for excellence in every product we create.

Discover the brilliance of Braytron – where quality, innovation, and reliability converge to light up your world.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica BB, 36300
Novi Pazar, Srbija
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:

In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:
For more specific details please visit website: www.braytron.com




BRAYTRON ROMANIA





BRAYTRON EUROPE





BRAYTRON BALKAN














TECHNICAL LIGHTING



NEW



LNR L **BD60-00281**



20 w
3IN1
1900 lm
48V DC



≥95
IP20
Aluminium-PC
Black



NEW



LNR300 **BD60-00380** **BD60-00381** **BD60-00391**



10 w 10 w 10 w
3IN1 3IN1 3IN1 - TUYA
950 lm 950 lm 950 lm
48V DC 48V DC 48V DC



≥95 ≥95 ≥95
IP20 IP20 IP20
Aluminium-PC Aluminium-PC Aluminium-PC
White Black Black



NEW



LNR600 **BD60-00680** **BD60-00681** **BD60-00691**




18 w 18 w 18 w
3IN1 3IN1 3IN1 - TUYA
1850 lm 1850 lm 1850 lm
48V DC 48V DC 48V DC



≥95 ≥95 ≥95
IP20 IP20 IP20

Aluminium-PC Aluminium-PC Aluminium-PC
White Black Black



LNR900 **BD60-00981**




30 w
3IN1
3200 lm
48V DC



≥95
IP20

Aluminium-PC
Black



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



LNS110	BD60-01180	BD60-01181
	6 w	6 w
	3IN1	3IN1
	440 lm	440 lm
	48V DC	48V DC
	≥90	≥90
	IP20	IP20
	Aluminium-PC White	Aluminium-PC Black




LNS220	BD60-01280	BD60-01281	BD60-01291
	12 w	12 w	12 w
	3IN1	3IN1	3IN1 - TUYA
	1020 lm	1020 lm	1020 lm
	48V DC	48V DC	48V DC
	≥90	≥90	≥90
	IP20	IP20	IP20
	Aluminium-PC White	Aluminium-PC Black	Aluminium-PC Black




NEW



LNS330	BD60-01380	BD60-01381	BD60-01391
	18 w	18 w	18 w
	3IN1	3IN1	3IN1 - TUYA
	1580 lm	1580 lm	1580 lm
	48V DC	48V DC	48V DC
	≥90	≥90	≥90
	IP20	IP20	IP20
	Aluminium-PC White	Aluminium-PC Black	Aluminium-PC Black



LNS440	BD60-01481
	24 w
	3IN1
	2040 lm
	48V DC
	≥90
	IP20
	Aluminium-PC Black



3CCT - Color Temperature Changeable

3000K	4000K	6000K

3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



WSL110



BD60-03181	BD60-03191
6 w	6 w
3IN1	3IN1 - TUYA
440 lm	440 lm
48V DC	48V DC
≥90	≥90
IP20	IP20
Aluminium-PC Black	Aluminium-PC Black




NEW



WSL250



BD60-03280	BD60-03281	BD60-03291
12 w	12 w	12 w
3IN1	3IN1	3IN1 - TUYA
1020 lm	1020 lm	1020 lm
48V DC	48V DC	48V DC
≥90	≥90	≥90
IP20	IP20	IP20
Aluminium-PC White	Aluminium-PC Black	Aluminium-PC Black




NEW



SPEAKER **BD60-00011**

10 w
Bluetooth
Hi-Fi Sound
Dial Switch
Black



NEW



WSL220



BD60-03581
15 w
3IN1
1500 lm
48V DC
≥95
IP20
Aluminium Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



TRC035


BD61-00181



3 CCT



6 w
3IN1
440 lm
48V DC
≥90
IP20
Aluminium-PC
Black



NEW



TRC045

BD61-00280

BD61-00281

BD61-00291



3 CCT




10 w
3IN1
810 lm
48V DC
≥90
IP20
Aluminium-PC
White

10 w
3IN1
810 lm
48V DC
≥90
IP20
Aluminium-PC
Black

10 w
3IN1 - TUYA
810 lm
48V DC
≥90
IP20
Aluminium-PC
Black



tuya



NEW



TRC060

BD61-00380

BD61-00381

BD61-00391



3 CCT




18 w
3IN1
1580 lm
48V DC
≥90
IP20
Aluminium-PC
White

18 w
3IN1
1580 lm
48V DC
≥90
IP20
Aluminium-PC
Black

18 w
3IN1 - TUYA
1580 lm
48V DC
≥90
IP20
Aluminium-PC
Black



tuya



NEW



TRC045

BD61-00481




3 CCT



30 w
3IN1
2400 lm
48V DC
≥90
IP20
Aluminium-PC
Black



tuya



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




PDT030	BD62-00281	BD62-00291
	7 w	7 w
3CCT	3IN1	3IN1 - TUYA
	520 lm	520 lm
	48V DC	48V DC
	≥90	≥90
	IP20	IP20
	Aluminium-PC Black	Aluminium-PC Black



NEW



PDT150	BD62-00381
	7 w
3CCT	3IN1
	520 lm
	48V DC
	≥90
	IP20
	Aluminium-PC Black



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BY41-00111
TR01-1M
Black
48VDC
IP20
Aluminium

BY41-00121
TR01-2M
Black
48VDC
IP20
Aluminium

BY41-00131
TR01-3M
Black
48VDC
IP20
Aluminium




BY41-90011
Straight Connector ST01
Black
48VDC
IP20
PC




BY41-00211
SR01-1M
Black
48VDC
IP20
Aluminium

BY41-00221
SR01-2M
Black
48VDC
IP20
Aluminium

BY41-00231
SR01-3M
Black
48VDC
IP20
Aluminium




BY41-90021
Corner Connector CR01
Black
48VDC
IP20
PC




BY41-00411
RC01-1M
Black
48VDC
IP20
Aluminium

BY41-00421
RC01-2M
Black
48VDC
IP20
Aluminium

BY41-00431
RC01-3M
Black
48VDC
IP20
Aluminium




BY41-90031
Power Socket SC01
Black
48VDC
IP20
PC




BY41-90081
Steel Connector
For Surface
Silver
IP20
Metal




BY41-10101
Trimless Corner TR01
Black
IP20
Aluminium




BY41-10111
Trimless Corner TR01
Black
IP20
Aluminium




BY41-10121
Trimless Corner TR01
Black
IP20
Aluminium




BY41-10201
Surface Corner SR01
Black
IP20
Aluminium



BY41-10211
Surface Corner SR01
Black
IP20
Aluminium



BY41-10401
Recessed Corner RC01
Black
IP20
Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY41-00110
TR01-1M
White
48VDC
IP20
Aluminium

BY41-00120
TR01-2M
White
48VDC
IP20
Aluminium

BY41-00130
TR01-3M
White
48VDC
IP20
Aluminium




BY41-90010
Straight Connector ST01
White
48VDC
IP20
PC




BY41-00210
SR01-1M
White
48VDC
IP20
Aluminium

BY41-00220
SR01-2M
White
48VDC
IP20
Aluminium

BY41-00230
SR01-3M
White
48VDC
IP20
Aluminium




BY41-90020
Corner Connector CR01
White
48VDC
IP20
PC




BY41-00410
RC01-1M
White
48VDC
IP20
Aluminium

BY41-00420
RC01-2M
White
48VDC
IP20
Aluminium


BY41-00430
RC01-3M
White
48VDC
IP20
Aluminium




BY41-90030
Power Socket SC01
White
48VDC
IP20
PC




BY41-10100
Trimless Corner TR01
White
IP20
Aluminium





BY41-10200
Surface Corner SR01
White
IP20
Aluminium




BY41-10400
Recessed Corner RC01
White
IP20
Aluminium




BY41-90041
Pendant PD01
Black
IP20
Metal



BY41-90061
Rail Spring RC01
Silver
IP20
Iron





BY41-90091
Steel Connector - SR01
For Surface
Silver
IP20
Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY42-00111	BY42-00121	BY42-00131
TR01-1M	TR01-2M	TR01-3M
Black	Black	Black
48VDC	48VDC	48VDC
IP20	IP20	IP20
Aluminium	Aluminium	Aluminium




BY42-00211	BY42-00221	BY42-00231
TR02-1M	TR02-2M	TR02-3M
Black	Black	Black
48VDC	48VDC	48VDC
IP20	IP20	IP20
Aluminium	Aluminium	Aluminium



BY42-00311	BY42-00321	BY42-00331
SR01-1M	SR01-2M	SR01-3M
Black	Black	Black
48VDC	48VDC	48VDC
IP20	IP20	IP20
Aluminium	Aluminium	Aluminium




BY42-00411	BY42-00421	BY42-00431
RC01-1M	RC01-2M	RC01-3M
Black	Black	Black
48VDC	48VDC	48VDC
IP20	IP20	IP20
Aluminium	Aluminium	Aluminium



BY42-60101

Mag. Rail Corner TR01
Black
IP20


Aluminium



BY42-60111

Mag. Rail Corner TR01
Black
IP20


Aluminium



BY42-60201

Mag. Rail Corner TR02
Black
IP20


Aluminium



BY42-60211

Mag. Rail Corner TR02
Black
IP20


Aluminium



BY42-60301

Mag. Rail Corner SR01
Black
IP20


Aluminium



BY42-60311

Mag. Rail Corner SR01
Black
IP20


Aluminium



BY42-60401

Mag. Rail Corner RC01
Black
IP20


Aluminium



BY42-60411

Mag. Rail Corner RC02
Black
IP20


Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY42-90011
Straight Connector ST01
Black
48VDC
IP20
PC




BY42-90021
Corner Connector CR01
Black
48VDC
IP20
PC




BY42-90031
Socket Connector SC01
Black
48VDC
IP20
PC




BY42-90041
Pendant Part SR01
Black
IP20
Metal



BY42-90061
Rail Spring RC01
Silver
IP20
Metal




BY42-90081
Locker Part SR01
Silver
IP20
Metal



Driver

BY03-21001
2A
100W
48VDC
220-240V
IP20
PC

BY03-22001
4A
200W
48VDC
220-240V
IP20
PC



Driver

BY03-32000
4A
200W
48VDC
220-240V
IP20
PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



LNR L **BD60-20281**



20 w
3IN1
1900 lm
48V DC
≥95
IP20



Aluminium-PC
Black



NEW



LNR300 **BD60-20381** **BD60-20391**



10 w 10 w
3IN1 3IN1 - TUYA
950 lm 950 lm
48V DC 48V DC
≥95 ≥95
IP20 IP20



Aluminium-PC Aluminium-PC
Black Black



NEW




LNR600 **BD60-20681** **BD60-20691**



18 w 18 w
3IN1 3IN1 - TUYA
1850 lm 1850 lm
48V DC 48V DC
≥95 ≥95
IP20 IP20



Aluminium-PC Aluminium-PC
Black Black




LNR900 **BD60-20981**



30 w
3IN1
3200 lm
48V DC
≥95
IP20



Aluminium-PC
Black



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



LNS110 BD60-21181



3 CCT

6 w
3 IN1
440 lm
48V DC
≥90
IP20



Aluminium-PC
Black



LNS220 BD60-21281 BD60-21291



3 CCT


12 w
3 IN1
1020 lm
48V DC
≥90
IP20



Aluminium-PC
Black



NEW



LNS330 BD60-21381 BD60-21391




3 CCT


18 w
3 IN1
1580 lm
48V DC
≥90
IP20



Aluminium-PC
Black



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



WSL110 **BD60-23181** **BD60-23191**



6 w	6 w
3IN1	3IN1 - TUYA
440 lm	440 lm
48V DC	48V DC
≥90	≥90
IP20	IP20
Aluminium-PC	Aluminium-PC
Black	Black




NEW



WSL250 **BD60-23281** **BD60-23291**



12 w	12 w
3IN1	3IN1 - TUYA
1020 lm	1020 lm
48V DC	48V DC
≥90	≥90
IP20	IP20
Aluminium-PC	Aluminium-PC
Black	Black




NEW



SPEAKER **BD60-20011**

10 w
Bluetooth
Hi-Fi Sound
Dial Switch
Black




NEW



PDT030 **BD62-20281** **BD62-20291**



7 w	7 w
3IN1	3IN1 - TUYA
520 lm	520 lm
48V DC	48V DC
≥90	≥90
IP20	IP20
Aluminium-PC	Aluminium-PC
Black	Black



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



TRC035 BD61-20181




6 w
3IN1
440 lm
48V DC



≥90
IP20



Aluminium-PC
Black



TRC045 BD61-20281 BD61-20291




10 w 10 w
3IN1 3IN1 - TUYA
810 lm 810 lm
48V DC 48V DC



≥90 ≥90
IP20 IP20



Aluminium-PC Aluminium-PC
Black Black



NEW



NEW



TRC060 BD61-20381 BD61-20391




18 w 18 w
3IN1 3IN1 - TUYA
1580 lm 1580 lm
48V DC 48V DC



≥90 ≥90
IP20 IP20



Aluminium-PC Aluminium-PC
Black Black



TRC075 BD61-20481




30 w
3IN1
2800 lm
48V DC



≥90
IP20



Aluminium-PC
Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




TRC060



BD61-20681

15 w
3IN1
1580 lm
48V DC
≥90
IP20
Aluminium-PC
Black



NEW




TRC060



BD61-20781

15 w
3IN1
1580 lm
48V DC
≥95
IP20
Aluminium-PC
Black




BY41-02011

TR02-1M
Black
48VDC
IP20
Aluminium

BY41-02021

TR02-2M
Black
48VDC
IP20
Aluminium



BY41-02031

TR02-3M
Black
48VDC
IP20
Aluminium




BY41-02111

SR02-1M
Black
48VDC
IP20
Aluminium

BY41-02121

SR02-2M
Black
48VDC
IP20
Aluminium



BY41-02131

SR02-3M
Black
48VDC
IP20
Aluminium



BY41-02211

SR03-1M
Black
48VDC
IP20
Aluminium

BY41-02221

SR03-2M
Black
48VDC
IP20
Aluminium



BY41-02231

SR03-3M
Black
48VDC
IP20
Aluminium



BY41-02311

RC02-1M
Black
48VDC
IP20
Aluminium

BY41-02321

RC02-2M
Black
48VDC
IP20
Aluminium



BY41-02331

RC02-3M
Black
48VDC
IP20
Aluminium

3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BY41-20511 for CCT
Trimless Corner TRC02
Black
48VDC
IP20
Aluminium



BY41-20611 for CCT
Surface Corner SRC03
Black
48VDC
IP20
Aluminium



BY41-20711 for CCT
Recessed Corner RCC02
Black
48VDC
IP20
Aluminium



BY41-81011
Straight Corner SR02
Black
48VDC
IP20 ALUMINIUM



BY41-81021
L Connector SR02
Black
48VDC
IP20 ALUMINIUM



BY41-81031
L Connector SR02
Black
48VDC
IP20 ALUMINIUM




BY41-81041
T Connector SR02
Black
48VDC
IP20 ALUMINIUM



BY41-81051
Cross Connector SR02
Black
48VDC
IP20 ALUMINIUM



BY41-81061
Straight Connector SC01
Black
48VDC
IP20 ALUMINIUM



BY41-81071
Corner Connector SC01
Black
48VDC
IP20 ALUMINIUM



BY41-81081
Power Cord SC01
Black
48VDC
IP20 ALUMINIUM



BY41-81101
Pendant SD01
Black
48VDC
IP20 Metal



BY41-81111
Magnetic Locker
Silver
IP20
Metal



BY41-90401
BY41-81121 for CCT
Mag.Rail Spring CRC04
Silver
IP20
Metal



BY03-32101
2A
100W
48VDC
220-240V
IP20
Aluminium



BY03-32201
4.1A
200W
48VDC
220-240V
IP20
Aluminium

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




TUYA Remote Control for magnetic lights

MS20 BD60-99910



IP20
TUYA
PC
Black



NEW




TUYA Wall Switch for magnetic lights

MS20 BD60-99920



IP20
TUYA
PC
Black



NEW



TUYA Bluetooth Wifi Gateway Hub for magnetic lights

MS20 BD60-99929




IP20
TUYA
PC
White




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY39-00121
SR1707-2M
Black
IP20
Aluminium




BY39-00123
SR1707-2M
Silver
IP20
Aluminium




BY39-00621
RC1707-2M
Black
IP20
Aluminium




BY39-00623
RC1707-2M
Silver
IP20
Aluminium




BY39-01123
CR1818-2M
Silver
IP20
Aluminium



BY39-01423
TR15-2M
Silver
IP20
Aluminium




BY39-01523
TR20-2M
Silver
IP20
Aluminium




BY39-99901
Diffuser 2M
Black
IP20 PC
Suitable Models:
BY39-00121
BY39-00123
BY39-00621
BY39-00623
BY39-01123
BY39-01423




BY39-00223
Diffuser 3M
Silver
IP20
PC




BY39-00221
Diffuser 2M
Black
IP20
PC



BY39-00723
Diffuser 2M
Silver
IP20
PC



BY39-00721
Diffuser 2M
Black
IP20
PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

SHOPLINE **BD40-01080** **BD40-01081**



3 CCT



30 w	30 w
3IN1	3IN1
3420 lm	3420 lm
220-240V	220-240V
>80	>80
IP20	IP20
Aluminium	Aluminium
White	Black
2 Wires	2 Wires



NEW

SHOPLINE **BD40-01180** **BD40-01181**



3 CCT



30 w	30 w
3IN1	3IN1
3420 lm	3420 lm
220-240V	220-240V
>80	>80
IP20	IP20
Aluminium	Aluminium
White	Black
4 Wires	4 Wires



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




SHOPLINE BD40-00280 BD40-00281



3 CCT

30 w	30 w
3IN1	3IN1
3420 lm	3420 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
Aluminium-PC	Aluminium-PC
White	Black
2 Wires	2 Wires




SHOPLINE BD40-00480 BD40-00481



3 CCT

15 w	15 w
3IN1	3IN1
1680 lm	1680 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
Aluminium-PC	Aluminium-PC
White	Black
2 Wires	2 Wires




SHOPLINE BD40-00580 BD40-00581



3 CCT

15 w	15 w
3IN1	3IN1
1680 lm	1680 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
Aluminium-PC	Aluminium-PC
White	Black
4 Wires	4 Wires




3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SHOPLINE	BD40-00680	BD40-00681
	30 w	30 w
	3IN1	3IN1
	3420 lm	3420 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium-PC	Aluminium-PC
	White	Black
	2 Wires	2 Wires



SHOPLINE	BD40-00780	BD40-00781
	30 w	30 w
	3IN1	3IN1
	3420 lm	3420 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium-PC	Aluminium-PC
	White	Black
	4 Wires	4 Wires



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BETA

BH04-10600
 Max.1x10W
 White
 220-240V
 2 Wires
 IP20
 Aluminium

BH04-60600
 Max.1x10W
 White
 220-240V
 4 Wires
 IP20
 Aluminium

Bulb not included.
 Suitable For
 GU10 BULB
 50mm





BETA

BH04-10601
 Max.1x10W
 Black
 220-240V
 2 Wires
 IP20
 Aluminium

BH04-60601
 Max.1x10W
 Black
 220-240V
 4 Wires
 IP20
 Aluminium

Bulb not included.
 Suitable For
 GU10 BULB
 50mm




BETA

BH04-10606
 Max.1x10W
 Golden
 220-240V
 2 Wires
 IP20
 Aluminium

BH04-60606
 Max.1x10W
 Golden
 220-240V
 4 Wires
 IP20
 Aluminium


Bulb not included.
 Suitable For
 GU10 BULB
 50mm




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00110	2-Wires	White	1 Mt	Copper	Aluminium	20
BY40-00120	2-Wires	White	2 Mt	Copper	Aluminium	20
BY40-00130	2-Wires	White	3 Mt	Copper	Aluminium	20




MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00111	2-Wires	Black	1 Mt	Copper	Aluminium	20
BY40-00121	2-Wires	Black	2 Mt	Copper	Aluminium	20
BY40-00131	2-Wires	Black	3 Mt	Copper	Aluminium	20



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00210	4-Wires	White	1 Mt	Copper	Aluminium	10
BY40-00220	4-Wires	White	2 Mt	Copper	Aluminium	10



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00211	4-Wires	Black	1 Mt	Copper	Aluminium	10
BY40-00221	4-Wires	Black	2 Mt	Copper	Aluminium	10
BY40-00251	4-Wires	Black	3 Mt	Copper	Aluminium	10



BY40-00230	2-Wires	White	Cooper + PC	250 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00231	2-Wires	Black	Cooper + PC	250 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00330	4-Wires	White	Cooper + PC	100 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00331	4-Wires	Black	Cooper + PC	100 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00240	2-Wires	White	Cooper + PC	250 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00241	2-Wires	Black	Cooper + PC	250 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00340	4-Wires	White	Cooper + PC	200 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00341	4-Wires	Black	Cooper + PC	200 PCS/CTN
------------	---------	-------	-------------	-------------



BY40-00350	4-Wires	White	Cooper + PC	250 PCS/CTN
------------	---------	-------	-------------	-------------




BY40-00351	4-Wires	Black	Cooper + PC	250 PCS/CTN
------------	---------	-------	-------------	-------------



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LINEX	BD37-00180	BD37-00181
 3CCT	10 w 3IN1 1150 lm 220-240V >90 IP20 Aluminium White	10 w 3IN1 1150 lm 220-240V >90 IP20 Aluminium Black



3CCT - Color Temperature Changeable


 3000K	 4000K	 6500K
--	---	---




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LINEX	BD37-00280	BD37-00281
	20 w	20 w
	3IN1	3IN1
	2200 lm	2200 lm
	220-240V	220-240V
	>90	>90
	IP20	IP20
	Aluminium White	Aluminium Black



LINEX	BD37-00380	BD37-00381
	30 w	30 w
	3IN1	3IN1
	2650 lm	2650 lm
	220-240V	220-240V
	>90	>90
	IP20	IP20
	Aluminium White	Aluminium Black



3CCT - Color Temperature Changeable

3000K

4000K

6500K



3CCT SWITCH




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LINEX	BD63-00280	BD63-00281
	9 w	9 w
	3IN1	3IN1
	765 lm	765 lm
	220-240V	220-240V
	≥90	≥90
	IP20	IP20
	Aluminium	Aluminium
	White	Black



LINEX	BD63-00380	BD63-00381
	18 w	18 w
	3IN1	3IN1
	1530 lm	1530 lm
	220-240V	220-240V
	≥90	≥90
	IP20	IP20
	Aluminium	Aluminium
	White	Black



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Premium

NEW



25,000 HOURS 5 YEARS WARRANTY


PREMIUM BA13-00880



5CCT



8.5W
5 CCT
880 lm
A60 E27
220-240V
CRI>80
IP20
Thermoplastic



Premium

NEW



25,000 HOURS 5 YEARS WARRANTY

PREMIUM BA13-01080



5CCT



10.5W
5 CCT
1160 lm
A60 E27
220-240V
CRI>80
IP20
Thermoplastic



Premium

NEW



25,000 HOURS 5 YEARS WARRANTY


PREMIUM BA13-01380



5CCT



13.5W
5 CCT
1520 lm
A65 E27
220-240V
CRI>80
IP20
Thermoplastic




Patent

5 YEARS WARRANTY

HIGH LUMEN OUTPUT

5 in 1
2700K
3000K
4000K
5000K
6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



SPOTLED	BD01-00780	BD01-00781
 3CCT	7 w 3IN1 750 lm 220-240V ≥80 IP54 PC White	7 w 3IN1 750 lm 220-240V ≥80 IP54 PC Black

IP54




MINISPOT BH06-00289



3 w
3IN1
260 lm
220-240V
≥80
IP54
PA+PC
3 Color

IP54



3 COLORS INSIDE



3CCT - Color Temperature Changeable

3000K

4000K

6500K

3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



NEW



DOWNLIGHT BD01-10180 BD01-10181



3 CCT





9 w
3IN1
820 lm
220-240V
≥80
IP54
PA
White

9 w
3IN1
820 lm
220-240V
≥80
IP54
PA
Black



IP54



NEW



DOWNLIGHT BD01-10280




3 CCT



14 w
3IN1
1200 lm
220-240V
≥80
IP54
PA
White



IP54



3 CCT - Color Temperature Changeable

3 CCT SWITCH



3000K

4000K


6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SPOTLED	BD01-30080	BD01-30081
	5 w	5 w
	3IN1	3IN1
	450 lm	450 lm
	220-240V	220-240V
	≥90	≥90
	IP20	IP20
	PA+PC	PA+PC
	White-White	White-Black



*Black ring included



SPOTLED	BD01-30280	BD01-30281
	12 w	12 w
	3IN1	3IN1
	1100 lm	1100 lm
	220-240V	220-240V
	≥90	≥90
	IP20	IP20
	PA+PC	PA+PC
	White-White	White-Black



*Black ring included



3CCT - Color Temperature Changeable

3000K	4000K	6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



SPOTLED	BD01-20180	BD01-20181
 3CCT	6.5 w 3IN1 630 lm 220-240V	6.5 w 3IN1 630 lm 220-240V
 LED	≥90 IP20 PA+PC	≥90 IP20 PA+PC
 F	White-White	White-Black




*Black ring included

NEW



SPOTLED	BD01-60180	BD01-60181
 3CCT	6.5 w 3IN1 630 lm 220-240V	6.5 w 3IN1 630 lm 220-240V
 LED	≥90 IP20 PA+PC	≥90 IP20 PA+PC
 F	White-White	White-Black



*Black ring included

3CCT - Color Temperature Changeable





3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SPOTLED	BD02-00380	BD02-00381
	3 w	3 w
	3IN1	3IN1
	240 lm	240 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	PC	PC
	White	Black



NEW



SPOTLED	BD02-00580	BD02-00581
	5 w	5 w
	3IN1	3IN1
	450 lm	450 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	PC	PC
	White	Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




SPOTLED BD02-00680 BD02-00681



3 CCT



7 w	7 w
3IN1	3IN1
750 lm	750 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
PC	PC
White	Black



SPOTLED BD02-00780 BD02-00781 BD02-00783 BD02-60780 BD02-60781



3 CCT




7 w	7 w	7 w	7 w	7 w	7 w
3IN1	3IN1	3IN1	3IN1	3IN1-Dimmable	3IN1-Dimmable
750 lm	750 lm				
220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
≥80	≥80	≥80	≥80	≥80	≥80
IP20	IP20	IP20	IP20	IP20	IP20
PC	PC	PC	PC	PC	PC
White	Black	Silver	White	White	Black



Dimmable



Dimmable



3CCT - Color Temperature Changeable




3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SPOTLED	BD02-01080	BD02-01081
 3CCT	10 w	10 w
	3IN1	3IN1
	950 lm	950 lm
	220-240V	220-240V
 LED	≥80	≥80
	IP20	IP20
 FAG	PC	PC
	White	Black



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SPOTLED BD02-10680 BD02-10681




3 CCT



7 w	7 w
3IN1	3IN1
750 lm	750 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
PC	PC
White	Black



SPOTLED	BD02-10780	BD02-70780	BD02-10781	BD02-70781	BD02-10783
	7 w	7 w	7 w	7 w	7 w
	3IN1	3IN1 - Dimmable	3IN1	3IN1-Dimmable	3IN1
	750 lm	750 lm	750 lm	750 lm	750 lm
	220-240V	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80	≥80
	IP20	IP20	IP20	IP20	IP20
	PC	PC	PC	PC	PC
	White	White	Black	Black	Silver



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




SPOTLED	BD06-00280	BD06-00281	BD06-00282
	10 w	10 w	10 w
	3IN1	3IN1	3IN1
	750 lm	750 lm	750 lm
	220-240V	220-240V	220-240V
	≥90	≥90	≥90
	IP20	IP20	IP20
	PA+PC	PA+PC	PA+PC
	White-White	White-Black	Black-Black



NEW



SPOTLED	BD06-00480	BD06-00481	BD06-00482
	15 w	15 w	15 w
	3IN1	3IN1	3IN1
	1250 lm	1250 lm	1250 lm
	220-240V	220-240V	220-240V
	≥90	≥90	≥90
	IP20	IP20	IP20
	PA+PC	PA+PC	PA+PC
	White-White	White-Black	Black-Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



NEW



GATA	BH04-00040	BH04-00041
	10 w	10 w
	3IN1	3IN1
	900 lm	900 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal+PC White+Black	Metal+PC Black+Black



GATA	BH04-00050	BH04-00051
	10 w	10 w
	3IN1	3IN1
	900 lm	900 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal+PC White+Black	Metal+PC Black+Black



NEW



GATA	BH04-00060	BH04-00061
	20 w	20 w
	3IN1	3IN1
	1800 lm	1800 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal+PC White+Black	Metal+PC Black+Black



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




3 YEAR WARRANTY
110 lm/W

PANELLED	BP15-36680	30W - 3000K - 3300lm
		30W - 4000K - 3500lm
		30W - 6500K - 3300lm
	40 w	40W - 3000K - 4100lm
	3IN1	40W - 4000K - 4400lm
	4400 lm	40W - 6500K - 4100lm
	220-240V	40W - 3000K - 4100lm
	≥80	40W - 4000K - 4400lm
	IP20	40W - 6500K - 4100lm
	Aluminium	45W - 3000K - 4500lm
	White	45W - 4000K - 5000lm
		45W - 6500K - 4500lm





PANELLED	BP15-56680	30W - 3000K - 3400lm
		30W - 4000K - 3600lm
		30W - 6500K - 3400lm
	48 w	40W - 3000K - 4200lm
	3IN1	40W - 4000K - 4400lm
	5000 lm	40W - 6500K - 4200lm
	220-240V	40W - 3000K - 4200lm
	≥80	40W - 4000K - 4400lm
	IP20	40W - 6500K - 4200lm
	Aluminium	48W - 3000K - 4600lm
	White	48W - 4000K - 5000lm
		48W - 6500K - 4600lm



5 YEAR WARRANTY
120 lm/W

PANELLED	BP16-46280	28W - 3000K - 3350lm
		28W - 4000K - 3550lm
		28W - 6500K - 3450lm
	40 w	36W - 3000K - 4000lm
	3IN1	36W - 4000K - 4320lm
	4800 lm	36W - 6500K - 4200lm
	220-240V	40W - 3000K - 4400lm
	≥80	40W - 4000K - 4800lm
	IP20	40W - 6500K - 4600lm
	Aluminium	40W - 3000K - 4400lm
	White	40W - 4000K - 4800lm
		40W - 6500K - 4600lm



3 YEAR WARRANTY
110 lm/W

PANELLED	BP16-33180	30W - 3000K - 3300lm
		30W - 4000K - 3500lm
		30W - 6500K - 3300lm
	45 w	40W - 3000K - 4100lm
	3IN1	40W - 4000K - 4400lm
	5000 lm	40W - 6500K - 4100lm
	220-240V	45W - 3000K - 4500lm
	≥80	45W - 4000K - 5000lm
	IP20	45W - 6500K - 4500lm
	Aluminium	45W - 3000K - 4100lm
	White	45W - 4000K - 4500lm
		45W - 6500K - 4500lm



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



3 YEARS WARRANTY
120 lm/W

IP40

PANELLED BP27-26680



3 CCT




LED



Energy label

40 w
3IN1
4800 lm
220-240V
≥80
IP40
Metal
White



5 YEARS WARRANTY
130 lm/W

IP40

PANELLED BP27-36280



3 CCT



LED




Energy label

28W - 3000K - 3200lm
28W - 4000K - 3640lm
28W - 6500K - 3360lm
5200 lm
220-240V
36W - 3000K - 4100lm
36W - 4000K - 4680lm
36W - 6500K - 4320lm
40W - 3000K - 4600lm
40W - 4000K - 5200lm
40W - 6500K - 4600lm



POWER ADJUSTABLE



3 YEARS WARRANTY
130 lm/W

IP40

PANELLED BP27-36680



3 CCT



LED




Energy label

40 w
3IN1
5200 lm
220-240V
≥80
IP40
Metal
White



POWER ADJUSTABLE



3 YEARS WARRANTY
130 lm/W

IP40

PANELLED BP27-46680



3 CCT



LED




Energy label

28W - 3000K - 3200lm
28W - 4000K - 3640lm
28W - 6500K - 3360lm
5200 lm
220-240V
36W - 3000K - 4100lm
36W - 4000K - 4680lm
36W - 6500K - 4320lm
40W - 3000K - 4600lm
40W - 4000K - 5200lm
40W - 6500K - 4600lm



POWER ADJUSTABLE




3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




5 YEARS WARRANTY
120 lm/W


UGR<19

IP40

PANELLED BP27-66680		28W - 3000K - 3200lm
3 CCT	40 w	28W - 4000K - 3500lm
	3IN1	28W - 6500K - 3360lm
LED	4800 lm	36W - 3000K - 3960lm
	220-240V	36W - 4000K - 4320lm
E A+G	≥80	36W - 6500K - 4080lm
	IP20	40W - 3000K - 4400lm
Metal	40W - 4000K - 4800lm	
	White	40W - 6500K - 4500lm



BACKLITE	BP28-56600	BP28-56610	BP28-56630
	50 w	50 w	50 w
	3000K	4000K	6500K
	5200 lm	5200 lm	5200 lm
	220-240V	220-240V	220-240V
LED	≥80	≥80	≥80
E A+G	IP40	IP40	IP40
	Metal	Metal	Metal
	White	White	White



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




PANELLED BP21-06610 BP21-06630

50 w	50 w
4000K	6500K
5300 lm	5300 lm
220-240V	220-240V
>80	>80
IP20	IP20
Metal	Metal
White	White




PANELLED BP22-06610 BP22-06630

40 w	40 w
4000K	6500K
4000 lm	4000 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
Metal	Metal
White	White



PANELLED BP21-03110 BP21-03130

50 w	50 w
4000K	6500K
5300 lm	5300 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
Metal	Metal
White	White




3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



130
lm/W

BACKLITE

BP25-56680



3 CCT




50 w	30W - 3000K - 3400lm
3IN1	30W - 4000K - 3900lm
5700 lm	30W - 6500K - 3700lm
220-240V	40W - 3000K - 4300lm
≥80	40W - 4000K - 5080lm
IP40	40W - 6500K - 4600lm
Metal	50W - 3000K - 4900lm
White	50W - 4000K - 5700lm
	50W - 6500K - 5200lm

IP40



POWER ADJUSTABLE



130
lm/W

BACKLITE

BP25-53180



3 CCT



50 w	30W - 3000K - 3400lm
3IN1	30W - 4000K - 3900lm
5700 lm	30W - 6500K - 3700lm
220-240V	40W - 3000K - 4300lm
≥80	40W - 4000K - 5080lm
IP40	40W - 6500K - 4600lm
Metal	50W - 3000K - 4900lm
White	50W - 4000K - 5700lm
	50W - 6500K - 5200lm

IP40



POWER ADJUSTABLE



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BP16-99030

65X120
Surface Frame
White
Metal
Pcs/Ctn 20




BP16-99040

60X60
Surface Frame
White
Metal
Pcs/Ctn 20



BP16-99080

62X62
Surface Frame
White
Metal
Pcs/Ctn 20




BP16-99060
Adjustable
Suspention Wire
Metal-Steel
Pcs/Ctn 100



BP16-99050
Recessed Apparatus
Metal
Pcs/Ctn 125





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Features:

- Tunnable CCT from 2700K to 6500K
- Dimmable
- Power Adjustable
- Remote Control
- RGB Color Modes
- Red Green Blue Yellow Modes

JADE	BP07-20390	BP07-20391	BP07-20490	BP07-20491
	25 w	25 w	35 w	35 w
	5IN1 + RGB	5IN1 + RGB	5IN1 + RGB	5IN1 + RGB
	2640 lm	2640 lm	3960 lm	3960 lm
	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80
	IP40	IP40	IP40	IP40
	ABS	ABS	ABS	ABS
	White	Black	White	Black



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



JADE	BP07-20280	BP07-20281	BP07-20287
	20 w	20 w	20 w
5CCT	5IN1	5IN1	5IN1
	1980 lm	1980 lm	1980 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40




NEW



JADE	BP07-20380	BP07-20381	BP07-20387
	25 w	25 w	25 w
5CCT	5IN1	5IN1	5IN1
	2640 lm	2640 lm	2640 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



JADE	BP07-20480	BP07-20481	BP07-20487
	35 w	35 w	35 w
	5IN1	5IN1	5IN1
5CCT	3960 lm	3960 lm	3960 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40





NEW



JADE	BP07-20580	BP07-20581	BP07-20587
	45 w	45 w	45 w
	5IN1	5IN1	5IN1
5CCT	5280 lm	5280 lm	5280 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BP07-00280	BP07-00281	BP07-00287
	20 w	20 w	20 w
	3IN1	3IN1	3IN1
	1980 lm	1980 lm	1980 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40



JADE	BP07-00380	BP07-00381	BP07-00387
	26 w	26 w	26 w
	3IN1	3IN1	3IN1
	2640 lm	2640 lm	2640 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BP07-00480	BP07-00481	BP07-00487
 3CCT	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	3960 lm	3960 lm	3960 lm
	220-240V	220-240V	220-240V
 LED	≥80	≥80	≥80
	IP40	IP40	IP40
 E A G	ABS	ABS	ABS
	White	Black	Wooden



IP40



JADE	BP07-00580	BP07-00581	BP07-00587
 3CCT	45 w	45 w	45 w
	3IN1	3IN1	3IN1
	5280 lm	5280 lm	5280 lm
	220-240V	220-240V	220-240V
 LED	≥80	≥80	≥80
	IP40	IP40	IP40
 E A G	ABS	ABS	ABS
	White	Black	Wooden



IP40



3CCT - Color Temperature Changeable

 3000K	 4000K	 6500K
--	---	---



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BP07-10280	BP07-10281	BP07-10287
	20 w	20 w	20 w
	3IN1	3IN1	3IN1
	1980 lm	1980 lm	1980 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40



JADE	BP07-10380	BP07-10381	BP07-10387
	26 w	26 w	26 w
	3IN1	3IN1	3IN1
	2640 lm	2640 lm	2640 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden



IP40



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BP07-10480	BP07-10481	BP07-10487
	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	3960 lm	3960 lm	3960 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP40	IP40	IP40
	ABS	ABS	ABS
	White	Black	Wooden


IP40



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





SMD	BP03-72080	BP03-72081
 3 CCT	20 w 3 IN1 2000 lm 220-240V	20 w 3 IN1 2000 lm 220-240V
	≥80 IP40	≥80 IP40
	PC White	PC Black

IP40



SMD	BP04-72080	BP04-72081
 3 CCT	20 w 3 IN1 2000 lm 220-240V	20 w 3 IN1 2000 lm 220-240V
	≥80 IP40	≥80 IP40
	PC White	PC Black

IP40



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



3 YEAR WARRANTY 120 lm/W

IP40

VENUS	BP03-01280	BP03-01281
	12 w	12 w
	3IN1	3IN1
	1440 lm	1440 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black




NEW




3 YEAR WARRANTY 120 lm/W

IP40

VENUS	BP03-01880	BP03-01881
	18 w	18 w
	3IN1	3IN1
	2160 lm	2160 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black





NEW



3 YEAR WARRANTY 120 lm/W

IP40

VENUS	BP03-02480	BP03-02481
	24 w	24 w
	5IN1	5IN1
	2880 lm	2880 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



3 YEAR WARRANTY
120 lm/W

VENUS	BP04-01280	BP04-01281
12 w	12 w	12 w
3IN1	3IN1	3IN1
1440 lm	1440 lm	1440 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP40	IP40	IP40
PC	PC	PC
White	White	Black

IP40




NEW



3 YEAR WARRANTY
120 lm/W

VENUS	BP04-01880	BP04-01881
18 w	18 w	18 w
3IN1	3IN1	3IN1
2160 lm	2160 lm	2160 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP40	IP40	IP40
PC	PC	PC
White	White	Black

IP40




NEW



3 YEAR WARRANTY
120 lm/W

VENUS	BP04-02480	BP04-02481
24 w	24 w	24 w
5IN1	5IN1	5IN1
2880 lm	2880 lm	2880 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP40	IP40	IP40
PC	PC	PC
White	White	Black

IP40



5CCT - Color Temperature Changeable



5CCT SWITCH

2700K 3000K 4000K 5000K 6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



SMD	BP01-60380	BP01-60381
	3 w	3 w
	3IN1	3IN1
	220 lm	220 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black

IP40




NEW



SMD	BP01-60680
	6 w
	3IN1
	470 lm
	220-240V
	≥80
	IP40
	PC
	White

IP40




NEW



SMD	BP01-60980
	9 w
	3IN1
	790 lm
	220-240V
	≥80
	IP40
	PC
	White

IP40



3CCT - Color Temperature Changeable

3000K

4000K

6500K

3CCT SWITCH

3000K 4000K 6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD BP01-61280



3 CCT


12 w
3IN1
1120 lm
220-240V



≥80
IP40



PC
White



SMD BP01-61580



3 CCT


15 w
3IN1
1440 lm
220-240V



≥80
IP40



PC
White



SMD BP01-61880



3 CCT


18 w
3IN1
1760 lm
220-240V



≥80
IP40



PC
White



SMD BP01-62480



3 CCT

24 w
3IN1
2400 lm
220-240V



≥80
IP40



PC
White



3 CCT - Color Temperature Changeable



3 CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD	BP01-90480	BP01-90481
	4 w	4 w
	3IN1	3IN1
	280 lm	280 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black



Dimmable

IP40




SMD	BP01-90680	BP01-90681
	6 w	6 w
	3IN1	3IN1
	470 lm	470 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black



Dimmable

IP40




SMD	BP01-91280	BP01-91281
	12 w	12 w
	3IN1	3IN1
	1120 lm	1120 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black



Dimmable

IP40




SMD	BP01-91880	BP01-91881
	18 w	18 w
	3IN1	3IN1
	1800 lm	1800 lm
	220-240V	220-240V
	≥80	≥80
	IP40	IP40
	PC	PC
	White	Black



Dimmable


IP40



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD	BP02-60380	BP02-60381	BP02-90480	BP02-90481
	3 w	3 w	4 w	4 w
	3IN1	3IN1	3IN1	3IN1
	220 lm	220 lm	280 lm	280 lm
	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80
	IP40	IP40	IP40	IP40
	PC	PC	PC	PC
	White	Black	White	Black




IP40



SMD	BP02-60680
	6 w
	3IN1
	470 lm
	220-240V
	≥80
	IP40
	PC
	White

IP40




SMD	BP02-61280
	12 w
	3IN1
	1120 lm
	220-240V
	≥80
	IP40
	PC
	White

IP40



SMD	BP02-61880
	18 w
	3IN1
	1760 lm
	220-240V
	≥80
	IP40
	PC
	White

IP40



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD BP03-61280

12 w **IP40**

3IN1

1120 lm

220-240V

≥80

IP40

PC

White

3 CCT

LED

Ø172

33



SMD BP03-61880

18 w **IP40**

3IN1

1760 lm

220-240V

≥80

IP40

PC

White

3 CCT

LED

Ø231

33



SMD BP03-62480

24 w **IP40**

3IN1

2400 lm

220-240V

≥80

IP40

PC

White

3 CCT

LED

Ø300

33



3CCT - Color Temperature Changeable

3000K 4000K 6500K

3CCT SWITCH

3000K 4000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD BP04-61280



3 CCT

12 w

3IN1

1120 lm

220-240V



≥80


IP40



PC

White

IP40



SMD BP04-61880



3 CCT

18 w

3IN1

1760 lm

220-240V



≥80


IP40



PC

White

IP40



SMD BP04-62480



3 CCT

24 w

3IN1

2400 lm

220-240V



≥80


IP40



PC

White

IP40



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD BP05-01080

-  10 w
-  3IN1
- 1100 lm
- 220-240V
-  ≥80
- IP20
-  Metal
- White




SMD BP05-01680

-  16 w
-  3IN1
- 1650 lm
- 220-240V
-  ≥80
- IP20
-  Metal
- White




SMD BP05-02480

-  24 w
-  3IN1
- 2500 lm
- 220-240V
-  ≥80
- IP20
-  Metal
- White



SMD BP05-03680

-  36 w
-  3IN1
- 3500 lm
- 220-240V
-  ≥80
- IP20
-  Metal
- White



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD BP05-21080



3 CCT



10 w
3IN1
1100 lm
220-240V



≥80
IP20



Metal
White



SMD BP05-21680



3 CCT


16 w
3IN1
1650 lm
220-240V



≥80
IP20



Metal
White



SMD BP05-22480



3 CCT


24 w
3IN1
2500 lm
220-240V



≥80
IP20



Metal
White



SMD BP05-23680



3 CCT


36 w
3IN1
3500 lm
220-240V



≥80
IP20



Metal
White



3 CCT - Color Temperature Changeable



3 CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD BP06-02480

-  24 w
-  3IN1
-  2500 lm
-  220-240V
-  ≥80
-  IP20
-  Metal
-  White




SMD BP06-03680

-  36 w
-  3IN1
-  3500 lm
-  220-240V
-  ≥80
-  IP20
-  Metal
-  White




SMD BP06-32480

-  24 w
-  3IN1
-  2500 lm
-  220-240V
-  ≥80
-  IP20
-  Metal
-  White



SMD BP06-33680

-  36 w
-  3IN1
-  3500 lm
-  220-240V
-  ≥80
-  IP20
-  Metal
-  White




3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD	BP01-30300	BP01-30310	BP01-30330
	3 w	3 w	3 w
	3000K	4000K	6500K
	220 lm	220 lm	220 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




SMD	BP01-30600	BP01-30610	BP01-30630
	6 w	6 w	6 w
	3000K	4000K	6500K
	470 lm	470 lm	470 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP01-31200	BP01-31210	BP01-31230
	12 w	12 w	12 w
	3000K	4000K	6500K
	1120 lm	1120 lm	1120 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




SMD	BP01-31500	BP01-31510	BP01-31530
	15 w	15 w	15 w
	3000K	4000K	6500K
	1440 lm	1440 lm	1440 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD	BP01-31800	BP01-31810	BP01-31830
	18 w	18 w	18 w
	3000K	4000K	6500K
	1760 lm	1760 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP01-32400	BP01-32410	BP01-32430
	24 w	24 w	24 w
	3000K	4000K	6500K
	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD BP01-30380 BP01-30381 BP01-30680 BP01-30681

	3 w	3 w	6 w	6 w
	3IN1	3IN1	3IN1	3IN1
	220 lm	220 lm	470 lm	470 lm
	220-240V	220-240V	220-240V	220-240V
	>80	>80	>80	>80
	IP20	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium White	Aluminium Black




SMD BP01-31280 BP01-31281

	12 w	12 w
	3IN1	3IN1
	1120 lm	1120 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	Aluminium White	Aluminium Black




SMD BP01-31880 BP01-31881

	18 w	18 w
	3IN1	3IN1
	1760 lm	1760 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	Aluminium White	Aluminium Black



SMD BP01-32480 BP01-32481


	24 w	24 w
	3IN1	3IN1
	2400 lm	2400 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	Aluminium White	Aluminium Black




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




SMD	BP01-40300	BP01-40310	BP01-40330
	3 w	3 w	3 w
	3000K	4000K	6500K
	220 lm	220 lm	220 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




SMD	BP01-40600	BP01-40610	BP01-40630
	6 w	6 w	6 w
	3000K	4000K	6500K
	470 lm	470 lm	470 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP01-40900	BP01-40930
	9 w	9 w
	3000K	6500K
	790 lm	790 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium White	Aluminium White




SMD	BP01-41200	BP01-41210	BP01-41230
	12 w	12 w	12 w
	3000K	4000K	6500K
	1120 lm	1120 lm	1120 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD	BP01-41500	BP01-41510	BP01-41530
	15 w	15 w	15 w
	3000K	4000K	6500K
	1440 lm	1440 lm	1440 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP01-41800	BP01-41810	BP01-41830
	18 w	18 w	18 w
	3000K	4000K	6500K
	1760 lm	1760 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White





SMD	BP01-42400	BP01-42410	BP01-42430
	24 w	24 w	24 w
	3000K	4000K	6500K
	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD	BP02-30600	BP02-30610	BP02-30630	BP02-30680
	6 w	6 w	6 w	6 w
	3000K	4000K	6500K	3IN1
	470 lm	470 lm	470 lm	470 lm
	220-240V	220-240V	220-240V	220-240V
	>80	>80	>80	>80
	IP20	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White	Aluminium White



SMD	BP02-31200	BP02-31210	BP02-31230	BP02-31280	BP02-31281
	12 w				
	3000K	4000K	6500K	3IN1	3IN1
	1120 lm				
	220-240V	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80	≥80
	IP20	IP20	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White	Aluminium White	Aluminium Black



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD BP02-31800 BP02-31810 BP02-31830 BP02-31880 BP02-31881

	18 w				
	3000K	4000K	6500K	3IN1	3IN1
	1760 lm				
	220-240V	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80	≥80
	IP20	IP20	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White	Aluminium White	Aluminium Black



SMD BP02-32400 BP02-32410 BP02-32430 BP02-32480

	24 w	24 w	24 w	24 w
	3000K	4000K	6500K	3IN1
	2400 lm	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V	220-240V
	>80	>80	>80	>80
	IP20	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White	Aluminium White



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



SMD BP02-40600 BP02-40610 BP02-40630

6 w	6 w	6 w
3000K	4000K	6500K
470 lm	470 lm	470 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP20	IP20	IP20



Aluminium White Aluminium White Aluminium White





SMD BP02-41200 BP02-41210 BP02-41230

12 w	12 w	12 w
3000K	4000K	6500K
1120 lm	1120 lm	1120 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP20	IP20	IP20



Aluminium White Aluminium White Aluminium White



SMD BP02-41800 BP02-41810 BP02-41830

18 w	18 w	18 w
3000K	4000K	6500K
1760 lm	1760 lm	1760 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP20	IP20	IP20



Aluminium White Aluminium White Aluminium White




SMD BP02-42400 BP02-42410 BP02-42430

24 w	24 w	24 w
3000K	4000K	6500K
2400 lm	2400 lm	2400 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP20	IP20	IP20




Aluminium White Aluminium White Aluminium White




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD	BP03-30600	BP03-30610	BP03-30630
	6 w	6 w	6 w
	3000K	4000K	6500K
	470 lm	470 lm	470 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




SMD	BP03-31200	BP03-31210	BP03-31230
	12 w	12 w	12 w
	3000K	4000K	6500K
	1120 lm	1120 lm	1120 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White





SMD	BP03-31800	BP03-31810	BP03-31830
	18 w	18 w	18 w
	3000K	4000K	6500K
	1760 lm	1760 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP03-32400	BP03-32410	BP03-32430
	24 w	24 w	24 w
	3000K	4000K	6500K
	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD	BP03-31880	BP03-31881
	18 w	18 w
	3IN1	3IN1
	1760 lm	1760 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium White	Aluminium Black



SMD	BP03-32480	BP03-32481
	24 w	24 w
	3IN1	3IN1
	2400 lm	2400 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium White	Aluminium Black




SMD	BP04-31880	BP04-31881
	18 w	18 w
	3IN1	3IN1
	1760 lm	1760 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium White	Aluminium Black



SMD	BP04-32480	BP04-32481
	24 w	24 w
	3IN1	3IN1
	2400 lm	2400 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium White	Aluminium Black




3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD BP03-40610 BP03-40630

	6w	6w
	4000K	6500K
	470 lm	470 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium	Aluminium
	White	White




SMD BP03-41200 BP03-41210 BP03-41230

	12w	12w	12w
	3000K	4000K	6500K
	1120 lm	1120 lm	1120 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium
	White	White	White




SMD BP03-41800 BP03-41810 BP03-41830

	18w	18w	18w
	3000K	4000K	6500K
	1760 lm	1760 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium
	White	White	White



SMD BP03-42400 BP03-42410 BP03-42430

	24w	24w	24w
	3000K	4000K	6500K
	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium
	White	White	White



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD	BP04-30600	BP04-30610	BP04-30630
	6 w	6 w	6 w
	3000K	4000K	6500K
	470 lm	470 lm	470 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White

SMD	BP04-31200	BP04-31210	BP04-31230
	12 w	12 w	12 w
	3000K	4000K	6500K
	1120 lm	1120 lm	1120 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP04-31800	BP04-31810	BP04-31830
	18 w	18 w	18 w
	3000K	4000K	6500K
	1760 lm	1760 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White


SMD	BP04-32400	BP04-32410	BP04-32430
	24 w	24 w	24 w
	3000K	4000K	6500K
	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SMD	BP04-41200	BP04-41210	BP04-41230
	12w	12w	12w
	3000K	4000K	6500K
	1120 lm	1120 lm	1120 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP04-41800	BP04-41810	BP04-41830
	18w	18w	18w
	3000K	4000K	6500K
	1760 lm	1760 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



SMD	BP04-42400	BP04-42410	BP04-42430
	24w	24w	24w
	3000K	4000K	6500K
	2400 lm	2400 lm	2400 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium White	Aluminium White



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BACKLIT BP10-00680



3 CCT

6 w
3 IN1
450 lm
220-240V



LED

≥80
IP20



G A B G

PP+PP
White



NEW



BACKLIT BP10-01280



3 CCT

12 w
3 IN1
1080 lm
220-240V



LED

≥80
IP20



F A B G

PP+PP
White



NEW



BACKLIT BP10-01880



3 CCT

18 w
3 IN1
1680 lm
220-240V




LED

≥80
IP20



F A B G

PP+PP
White



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BACKLIT BP10-31280



3 CCT

12 w
3IN1
1080 lm
220-240V



≥80
IP20



PP+PP
White



NEW



BACKLIT BP10-31810 BP10-31830 BP10-31880



3 CCT

18 w	18 w	18 w
4000K	6500K	3IN1
1850 lm	1850 lm	1680 lm
220-240V	220-240V	220-240V




≥80	≥80	≥80
IP20	IP20	IP20
PP+PP	PP+PP	PP+PP
White	White	White



PP+PP
White



NEW



BACKLIT BP10-32410 BP10-32430 BP10-32480



3 CCT

24 w	24 w	24 w
4000K	6500K	3IN1
2500 lm	2500 lm	2280 lm
220-240V	220-240V	220-240V



≥80	≥80	≥80
IP20	IP20	IP20
PP+PP	PP+PP	PP+PP
White	White	White



PP+PP
White



3 CCT - Color Temperature Changeable



3 CCT SWITCH



-20°C
+40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BACKLIT BP10-41280



12 w
3IN1
1080 lm
220-240V



≥80
IP20



PP+PP
White



NEW



BACKLIT BP10-41810 BP10-41830 BP10-41880



18 w	18 w	18 w
4000K	6500K	3IN1
1850 lm	1850 lm	1680 lm
220-240V	220-240V	220-240V



≥80	≥80	≥80
IP20	IP20	IP20



PP+PP	PP+PP	PP+PP
White	White	White



NEW



BACKLIT BP10-42410 BP10-42430 BP10-42480



24 w	24 w	24 w
4000K	6500K	3IN1
2500 lm	2500 lm	2280 lm
220-240V	220-240V	220-240V



≥80	≥80	≥80
IP20	IP20	IP20



PP+PP	PP+PP	PP+PP
White	White	White



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




NEW



PREMIUM BA23-00580 BA23-00780




5 w	7 w
3IN1 110°	3IN1 110°
430 lm	700 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
PA+PC	PA+PC
White	White



PREMIUM BA23-10580 BA23-10780



5 w	7 w
3IN1 45°	3IN1 45°
380 lm	700 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
PA+PC	PA+PC
White	White



NEW




NEW



PREMIUM BA23-21080 BA23-31080



10 w	10 w
3IN1	3IN1
800 lm	900 lm
220-240V	220-240V
≥80	≥80
IP20	IP20
PA+PC	PA+PC
White	White



3CCT - Color Temperature Changeable




3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BETA	BH04-00400	BH04-00401	BH04-00406
Bulb not included. Suitable For GU10 BULB	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x GU10	1 x GU10	1 x GU10
	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BETA

Bulb not included.




BH04-00100

Max 1x35 w
1 x GU10
220-240V
IP20
Aluminium
White-Black

BH04-00101

Max 1x35 w
1 x GU10
220-240V
IP20
Aluminium
Black-Golden



BETA

Bulb not included.




BH04-00110

Max 1x35 w
1 x GU10
220-240V
IP20
Aluminium
White-Black

BH04-00111



Max 1x35 w
1 x GU10
220-240V
IP20
Aluminium
Black-Golden




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



GAMA	BH04-00200	BH04-00201
Bulb not included.	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB 50mm	1 x GU10	1 x GU10
	220-240V	220-240V
	IP20	IP20
	Aluminium White	Aluminium Black





GAMA	BH04-00210	BH04-00211
Bulb not included.	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB 50mm	1 x GU10	1 x GU10
	220-240V	220-240V
	IP20	IP20
	Aluminium White	Aluminium Black




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



GAMA	BH04-00300	BH04-00301	BH04-00306
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB 50mm	1 x GU10	1 x GU10	1 x GU10
	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden





GAMA	BH04-00310	BH04-00311	BH04-00316
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB 50mm	1 x GU10	1 x GU10	1 x GU10
	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



GAMA	BH04-30300	BH04-30301
Bulb not included.	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB 50mm	1 x GU10	1 x GU10
	220-240V	220-240V
	IP20	IP20
	Aluminium White	Aluminium Black



GAMA	BH04-30310	BH04-30311
Bulb not included.	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB 50mm	1 x GU10	1 x GU10
	220-240V	220-240V
	IP20	IP20
	Aluminium White	Aluminium Black




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



GAMA	BH04-00500	BH04-00501	BH04-00506
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB	1 x GU10	1 x GU10	1 x GU10
50mm	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




GAMA	BH04-00560	BH04-00561
Bulb not included.	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB	1 x GU10	1 x GU10
50mm	220-240V	220-240V
	IP20	IP20
	Aluminium White	Aluminium Black




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BETA	BH04-00900	BH04-00901	BH04-00906
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB	1 x GU10	1 x GU10	1 x GU10
50mm	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




BETA	BH04-00800	BH04-00801	BH04-00806
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB	1 x GU10	1 x GU10	1 x GU10
50mm	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BETA	BH04-00810	BH04-00811	BH04-00816
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
Suitable For GU10 BULB	1 x GU10	1 x GU10	1 x GU10
50mm	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




BETA	BH04-00880	BH04-00881	BH04-00886
Bulb not included.	Max 3x35 w	Max 3x35 w	Max 3x35 w
Suitable For GU10 BULB	3 x GU10	3 x GU10	3 x GU10
50mm	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BETA BH04-00820
 Bulb not included. Max 2x35 w
 2 x GU10
 220-240VAC
 IP20
 Aluminium
 White




BETA BH04-00830
 Bulb not included. Max 3x35 w
 3 x GU10
 220-240VAC
 IP20
 Aluminium
 White




BETA BH04-00821
 Bulb not included. Max 2x35 w
 2 x GU10
 220-240VAC
 IP20
 Aluminium
 Black




BETA BH04-00831
 Bulb not included. Max 3x35 w
 3 x GU10
 220-240VAC
 IP20
 Aluminium
 Black




BETA BH04-00826
 Bulb not included. Max 2x35 w
 2 x GU10
 220-240VAC
 IP20
 Aluminium
 Golden



BETA BH04-00836
 Bulb not included. Max 3x35 w
 3 x GU10
 220-240VAC
 IP20
 Aluminium
 Golden



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BETA BH04-00840

Bulb not included. Max 4x35 w



Suitable For
GU10 BULB
50mm

4 x GU10
220-240VAC
IP20
Aluminium
White




BETA BH04-00860

Bulb not included. Max 6x35 w



Suitable For
GU10 BULB
50mm

6 x GU10
220-240VAC
IP20
Aluminium
White




BETA BH04-00841

Bulb not included. Max 4x35 w



Suitable For
GU10 BULB
50mm

4 x GU10
220-240VAC
IP20
Aluminium
Black




BETA BH04-00861

Bulb not included. Max 6x35 w



Suitable For
GU10 BULB
50mm

6 x GU10
220-240VAC
IP20
Aluminium
Black




BETA BH04-00846

Bulb not included. Max 4x35 w



Suitable For
GU10 BULB
50mm

4 x GU10
220-240VAC
IP20
Aluminium
Golden




BETA BH04-00866

Bulb not included. Max 6x35 w



Suitable For
GU10 BULB
50mm

6 x GU10
220-240VAC
IP20
Aluminium
Golden




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




ALFA	BH03-06020	BH03-06021
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
	220-240V	220-240V
	IP20	IP20
Suitable For MR16 BULB	Aluminium White-Golden	Aluminium Black-Golden

50mm



ALFA	BH03-06030	BH03-06031	BH03-06032
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16
	220-240V	220-240V	220-240V
	IP20	IP20	IP20
Suitable For MR16 BULB	Aluminium White-Golden	Aluminium Black-Golden	Aluminium White-White

50mm




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




SPOTTI **BH03-00200**
 Bulb not included. Max 1x35 w
 1 x GU10
 220-240V
 IP20
 Plaster
 White



NEW



SPOTTI **BH03-00260**
 Bulb not included. Max 1x35 w
 1 x GU10
 220-240V
 IP20
 Plaster
 White




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW

SPOTTI **BH03-00210**
 Bulb not included. Max 1x35 w
 Suitable For 1 x GU10
 GU10 BULB 220-240V
 50mm IP20
 Plaster
 White




NEW

SPOTTI **BH03-00240**
 Bulb not included. Max 1x35 w
 Suitable For 1 x GU10
 GU10 BULB 220-240V
 50mm IP20
 Plaster
 White




NEW

SPOTTI **BH03-00270**
 Bulb not included. Max 1x35 w
 Suitable For 1 x GU10
 GU10 BULB 220-240V
 50mm IP20
 Plaster
 White



Include extra white frame


GATA **BH03-00810** **BH03-00820**
 Bulb not included. Max 1x35 w Max 1x35 w
 Suitable For 1 x MR16 1 x MR16
 MR16 BULB 220-240V 220-240V
 50mm IP20 IP20
 Aluminium Aluminium
 White-Black White-Black





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



ALFA	BH03-06040	BH03-06041
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
Suitable For MR16 BULB	220-240V	220-240V
	IP20	IP20
	Aluminium	Aluminium
	White-White	Black-Black




ALFA	BH03-06042	BH03-06043
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
Suitable For MR16 BULB	220-240V	220-240V
	IP20	IP20
	Aluminium	Aluminium
	Black-White	White-Black




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




ALFA	BH03-06050	BH03-06051	
Bulb not included.	Max 1x35 w	Max 1x35 w	
	1 x MR16	1 x MR16	
	220-240V	220-240V	
	IP20	IP20	
	Aluminium	Aluminium	
	White-White	Black-Black	




Suitable For MR16 BULB



ALFA	BH03-06052	BH03-06053	
Bulb not included.	Max 1x35 w	Max 1x35 w	
	1 x MR16	1 x MR16	
	220-240V	220-240V	
	IP20	IP20	
	Aluminium	Aluminium	
	Black-White	White-Black	




Suitable For MR16 BULB





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BETA	BH03-05110	BH03-05111	BH03-05112	BH03-05116
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16	1 x MR16
	220-240VAC	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium	Aluminium
	White-Black	Black-Black	White-White	Black-Golden



Suitable For MR16 BULB



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




<p>GATA</p> <p>Bulb not included.</p>  <p>Suitable For MR16 BULB</p>	<p>BH03-00750</p> <p>Max 1x35 w 1 x MR16 220-240V IP20 Metal White-Black</p>	<p>BH03-00751</p> <p>Max 1x35 w 1 x MR16 220-240V IP20 Metal Black-Black</p>
--	---	---



<p>GATA</p> <p>Bulb not included.</p>  <p>Suitable For MR16 BULB</p>	<p>BH03-00760</p> <p>Max 2x35 w 2 x MR16 220-240V IP20 Metal White-Black</p>	<p>BH03-00761</p> <p>Max 2x35 w 2 x MR16 220-240V IP20 Metal Black-Black</p>
--	---	---




<p>GATA</p> <p>Bulb not included.</p>  <p>Suitable For MR16 BULB</p>	<p>BH03-00770</p> <p>Max 3x35 w 3 x MR16 220-240V IP20 Metal White-Black</p>	<p>BH03-00771</p> <p>Max 3x35 w 3 x MR16 220-240V IP20 Metal Black-Black</p>
--	---	---




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BETA	BH03-05010	BH03-05011	BH03-05012
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16
	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20
	Metal	Metal	Metal
	White+Black	Black-Black	White-White



BETA	BH03-05020	BH03-05021	BH03-05022
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16
	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20
	Metal	Metal	Metal
	White+Black	Black-Black	White-White



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BETA

Bulb not included.




Suitable For
MR16 BULB

BH03-05030

Max 2x35 w
2 x MR16
220-240VAC
IP20
Metal
White+Black

BH03-05031

Max 2x35 w
2 x MR16
220-240VAC
IP20
Metal
Black-Black



BETA

Bulb not included.




Suitable For
MR16 BULB

BH03-05040


Max 3x35 w
3 x MR16
220-240VAC
IP20
Metal
White+Black

BH03-05041


Max 3x35 w
3 x MR16
220-240VAC
IP20
Metal
Black-Black




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MITTO	BH03-02010	BH03-02011	BH03-02014
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16
	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium
	White	Black	Nickel



MITTO	BH03-02020	BH03-02021	BH03-02024
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16
	220-240V	220-240V	220-240V
	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium
	White	Black	Nickel



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



TETRA

Bulb not included.




Suitable For MR16 BULB

BH03-04120

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
White

BH03-04121

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
Black



TETRA

Bulb not included.




Suitable For MR16 BULB

BH03-04130

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
White

BH03-04131

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
Black





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



TETRA	BH03-04080	BH03-04081
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
	220-240VAC	220-240VAC
	IP20	IP20
	Aluminium	Aluminium
	White	Black




Suitable For
MR16 BULB



TETRA	BH03-04100	BH03-04101
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
	220-240VAC	220-240VAC
	IP20	IP20
	Aluminium	Aluminium
	White	Black



Suitable For
MR16 BULB



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



TETRA

Bulb not included.




Suitable For MR16 BULB

BH03-04050

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
White

BH03-04051

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
Black



TETRA

Bulb not included.




Suitable For MR16 BULB

BH03-04040

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
White

BH03-04041

Max 1x35 w
1 x MR16
220-240VAC
IP20
Aluminium
Black





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SPOTTI	BH03-00161	BH03-00163
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
	220-240VAC	220-240VAC
	IP20	IP20
	Aluminium	Aluminium
	Black-Silver	Brushed-Silver




Suitable For
MR16 BULB



SPOTTI	BH03-00111	BH03-00113
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
	220-240VAC	220-240VAC
	IP20	IP20
	Aluminium	Aluminium
	Black-Silver	Brushed-Silver




Suitable For
MR16 BULB




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SPOTTI **BH03-00121**
 Bulb not included. Max 2x35 w
 2 x MR16
 220-240VAC
 IP20
 Metal
 Black-Silver



SPOTTI **BH03-00123**
 Bulb not included. Max 2x35 w
 2 x MR16
 220-240VAC
 IP20
 Metal
 Brushed-Silver




MITTO **BH03-02060** **BH03-02061** **BH03-02063** **BH03-02064** **BH03-02066**
 Bulb not included. Max 1x35 w
 1 x MR16
 220-240VAC
 IP20
 Metal
 White

Max 1x35 w
 1 x MR16
 220-240VAC
 IP20
 Metal
 Black

Max 1x35 w
 1 x MR16
 220-240VAC
 IP20
 Metal
 Chrome

Max 1x35 w
 1 x MR16
 220-240VAC
 IP20
 Metal
 Nickel

Max 1x35 w
 1 x MR16
 220-240VAC
 IP20
 Metal
 Golden




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MITTO	BH03-02070	BH03-02071	BH03-02074
Bulb not included.	Max 1x35 w	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16	1 x MR16
	220-240VAC	220-240VAC	220-240VAC
	IP20	IP20	IP20
	Aluminium	Aluminium	Aluminium
	White	Black	Nickel




Suitable For MR16 BULB



MITTO	BH03-02040	BH03-02044
Bulb not included.	Max 1x35 w	Max 1x35 w
	1 x MR16	1 x MR16
	220-240VAC	220-240VAC
	IP20	IP20
	Aluminium	Aluminium
	White	Nickel



Suitable For MR16 BULB



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP54

IP54

TETRA
Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-02100	BH03-02101
Max 1x35 w	Max 1x35 w
1 x MR16	1 x MR16
220-240V	220-240V
IP54	IP54
Aluminium	Aluminium
White	Black




IP54

IP54


TETRA
Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-02110	BH03-02111
Max 1x35 w	Max 1x35 w
1 x MR16	1 x MR16
220-240V	220-240V
IP54	IP54
Aluminium	Aluminium
White	Black



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

LED LINEAR LIGHT



LED




3 CCT



5 YEARS WARRANTY

Linkable up to 600w

It can be connected into various shapes & creatively combined, fit and enhance with any area


 Y CONNECTOR BN01-9748X	 120° CONNECTOR BN01-9738X	 T CONNECTOR BN01-9718X	 L CONNECTOR BN01-9708X	 CROSS CONNECTOR BN01-9728X	 ROUND 1/3 CONNECTOR BN01-98X8X	 ROUND 1/2 CONNECTOR BN01-97X8X
---	---	--	--	---	--	--

SIMPLE INSTALLATION

The lamp bodies can be connected. No internal wiring needed.


CONTROL LIGHT DIRECTION

Multi-directional bending, precise control of light emission. Make people feel more comfortable and relaxed.





ALINE	BN01-00280	BN01-00281
	18 w	18 w
	3IN1	3IN1
	2160 lm	2160 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black



ALINE	BN01-00480	BN01-00481
	36 w	36 w
	3IN1	3IN1
	4320 lm	4320 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black



ALINE	BN01-00580	BN01-00581
	45 w	45 w
	3IN1	3IN1
	5400 lm	5400 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




ALINE	BN01-97080	BN01-97081
3 CCT	12 w	12 w
	3IN1	3IN1
	1440 lm	1440 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC	AL+PC
	White	Black




NEW



ALINE	BN01-97180	BN01-97181
3 CCT	10 w	10 w
	3IN1	3IN1
	1200 lm	1200 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC	AL+PC
	White	Black



NEW




ALINE	BN01-97280	BN01-97281
3 CCT	12 w	12 w
	3IN1	3IN1
	1440 lm	1440 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC	AL+PC
	White	Black



NEW



ALINE	BN01-97380	BN01-97381
3 CCT	13 w	13 w
	3IN1	3IN1
	1560 lm	1560 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC	AL+PC
	White	Black



3 CCT - Color Temperature Changeable





3 CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



ALINE	BN01-97480	BN01-97481
 3CCT	19 w 3IN1 2280 lm 220-240V ≥80 IP20 AL+PC White	19 w 3IN1 2280 lm 220-240V ≥80 IP20 AL+PC Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




LINKABLE




NEW




LINKABLE



ALINE	BN01-97680	BN01-97681
3 CCT	30 w	30 w
	3IN1	3IN1
	3600 lm	3600 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black



ALINE	BN01-97780	BN01-97781
3 CCT	42 w	42 w
	3IN1	3IN1
	5040 lm	5040 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black




NEW



LINKABLE



ALINE	BN01-97880	BN01-97881
3 CCT	56 w	56 w
	3IN1	3IN1
	6720 lm	6720 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW

LINKABLE



ALINE	BN01-98080	BN01-98081
	18 w	18 w
	3IN1	3IN1
	2160 lm	2160 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black




NEW

LINKABLE



ALINE	BN01-98180	BN01-98181
	24 w	24 w
	3IN1	3IN1
	2880 lm	2880 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black




NEW

LINKABLE



ALINE	BN01-98280	BN01-98281
	30 w	30 w
	3IN1	3IN1
	3600 lm	3600 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	AL+PC White	AL+PC Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BN01-99990
Pendant Part
Black
Metal
1.5m



BN01-99991
Locker
Silver
Metal





BN01-99992
Surface Clip
Black
Metal



BN01-99993
Cable Connector
Grey
PC



BN01-99994
Diffuser
30 m
White
PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





NEW



160
lm/W

5
YEARS
WARRANTY

POWER
ADJUSTABLE

SLINE

BN03-00280

4 Wire 3 Phase



3 CCT

30 w

20 w - 25 w - 30 w

3IN1

4800 lm

Selectable

220-240V



LED


≥80

IP20



AL+PC

White



NEW



160
lm/W

5
YEARS
WARRANTY

POWER
ADJUSTABLE

SLINE

BN03-00380

4 Wire 3 Phase



3 CCT

50 w

35 w - 40 w - 45 w - 50 w

3IN1

8000 lm

Selectable

220-240V



LED


≥80

IP20




AL+PC

White



NEW



180
lm/W

5
YEARS
WARRANTY

POWER
ADJUSTABLE

SLINE

BN03-00610

4 Wire 3 Phase



3 CCT

30 w

20 w - 25 w - 30 w

4000K

5400 lm

Selectable

220-240V



LED


≥80

IP20




AL+PC

White



NEW



180
lm/W

5
YEARS
WARRANTY

POWER
ADJUSTABLE

SLINE

BN03-00710

4 Wire 3 Phase



3 CCT

50 w

35 w - 40 w - 45 w - 50 w

4000K

9000 lm

Selectable

220-240V



LED


≥80

IP20



AL+PC

White



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



110
lm/W


NEW




5 Hexagonal Light Set

HEGZA	BN10-01830	BN10-02030	BN10-02130
	7 w	10 w	16 w
	6500K	6500K	6500K
	720 lm	1100 lm	1760 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	PC+PC	PC+PC	PC+PC
	440 mm	750 mm	1175 mm


HEGZA	BN10-02230
	168 w
	6500K
	17280 lm
	220-240V
	≥80
	IP20
	PC+PC
	440 mm




BN10-02300
Connector 180°
220-240V
IP20 PC



BN10-02301
Connector 90°
220-240V
IP20 PC



BN10-02302
Connector T
220-240V
IP20 PC




BN10-02303
Connector +
220-240V
IP20 PC




BN10-02304
Connector V
220-240V
IP20 PC



BN10-02305
Connector Y
220-240V
IP20 PC



BN10-02306
Connector 180° 3 Way L
220-240V
IP20 PC



BN10-02307
Connector 180° 3 Way R
220-240V
IP20 PC



BN10-02308
Connector K
220-240V
IP20 PC



BN10-02309
Connector ↑
220-240V
IP20 PC



BN10-02310
Connector 6 WAY
220-240V
IP20 PC



BN10-02320
Power Adaptor
220-240V
IP20 PC



BN10-02321
Power Cord 30 cm
220-240V
IP20



BN10-02322
Pendant Kit
Steel
IP20




BN10-02323
Dismantel Tool
PC
IP20

Warning!
Maximum connection is up to max. 500W



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



And many more layouts you can create...



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LEDLINE BN10-00180 BN11-00400 BN11-00410 BN11-00430

	4 w	4 w	4 w	4 w		
	3IN1	3000K	4000K	6500K		
	440 lm	440 lm	440 lm	440 lm		
	220-240V	220-240V	220-240V	220-240V		
	≥80	>80	>80	>80		
	IP20	IP20	IP20	IP20		
	PC+PC	PC	PC	PC		
	White	White	White	White		



LEDLINE BN10-00280 BN11-00700 BN11-00710 BN11-00730

	8 w	7 w	7 w	7 w		
	3IN1	3000K	4000K	6500K		
	880 lm	780 lm	780 lm	780 lm		
	220-240V	220-240V	220-240V	220-240V		
	≥80	>80	>80	>80		
	IP20	IP20	IP20	IP20		
	PC+PC	PC	PC	PC		
	White	White	White	White		



LEDLINE BN10-00380 BN11-01100 BN11-01110 BN11-01130

	12 w	11 w	11 w	11 w		
	3IN1	3000K	4000K	6500K		
	1320 lm	1220 lm	1220 lm	1220 lm		
	220-240V	220-240V	220-240V	220-240V		
	≥80	>80	>80	>80		
	IP20	IP20	IP20	IP20		
	PC+PC	PC	PC	PC		
	White	White	White	White		



LEDLINE BN10-00480 BN11-01400 BN11-01410 BN11-01430

	16 w	14 w	14 w	14 w		
	3IN1	3000K	4000K	6500K		
	1760 lm	1550 lm	1550 lm	1550 lm		
	220-240V	220-240V	220-240V	220-240V		
	≥80	>80	>80	>80		
	IP20	IP20	IP20	IP20		
	PC+PC	PC	PC	PC		
	White	White	White	White		



BN99-99105
15 cm
2HD Cable
White
220-240V



BN99-99901
30 cm
2HD Cable
White
220-240V



BN99-99902
Power Cable
1,5 m
White
220-240V

3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



PROLINE BN18-00680



18 w
3IN1
1800 lm
220-240V

IP40



≥80
IP40



PC
White



PROLINE BN18-01280



35 w
3IN1
3600 lm
220-240V

IP40



≥80
IP40



PC
White



120
lm/W

PROLINE BN20-10680



18 w
3IN1
2160 lm
220-240V

IP40



≥80
IP40



PC
White



120
lm/W

PROLINE BN20-11280 BN20-11281




36 w 36 w
3IN1 3IN1
4320 lm 4320 lm
220-240V 220-240V

IP40



≥80 ≥80
IP40 IP40



PC PC
White Black



120
lm/W

PROLINE BN20-41280




36 w
3IN1
4320 lm
220-240V

IP40



≥80
IP40



PC
White




3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



TOWER	BK06-00080	BK06-00081
	3 w	3 w
IP44	3000K	3000K
	Modul 300 lm	Modul 300 lm
	5V DC	5V DC
LED	>80	>80
	IP44	IP44
	Metal	Metal
	White	Black



TOWER	BK06-00090	BK06-00092	BK06-00091
	3 w	3 w	3 w
IP44	3IN1	3IN1	3IN1
	200 lm	200 lm	200 lm
	5V DC	5V DC	5V DC
3CCT	>80	>80	>80
LED	IP44	IP44	IP44
	Metal + PC	Metal + PC	Metal + PC
	White	Green	Black



LUXE	BK06-01180	BK06-01181	BK06-01186
	2 w	2 w	2 w
	3IN1	3IN1	3IN1
	2200K 3000K 6000K	2200K 3000K 6000K	2200K 3000K 6000K
	Modul 200 lm	Modul 200 lm	Modul 200 lm
	5V DC	5V DC	5V DC
IP44	>80	>80	>80
	IP44	IP44	IP44
LED	Metal+PC	Metal+PC	Metal+PC
	White	Black	Golden



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




LB124 **BK01-00516**

4.5 w
5000K
350 lm
13.2V DC
>80
IP20
ABS
White



Dimmable




LB125 **BK01-00710**

5 w
5000K
400 lm
5V DC
>80
IP20
ABS
White



Dimmable




LB132 **BK01-01411**

7 w
5000K
580 lm
12V DC
>80
IP20
ABS
Black



Dimmable



LB146 **BK01-02781**

5 w
3IN1
500 lm
5V DC
>80
IP20
ABS
Black



Dimmable



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



AMBIENT BH70-01090



8 w
RGBW
5V DC
IP20
ABS
White



Bluetooth

Braytron

LED FLOOR LIGHT

16 MILLION COLORS DIMMABLE

8 Watt

Bluetooth

Your controllers

1. APPLICATION
2. REMOTE
3. BUTTONS

MODEL NO: BH70-01090

LED

RGB

SOUND PICKUP MODES

DYNAMIC SCENE MODES

ADJUSTABLE BRIGHTNESS


RGB MODE

GAMING ROOM

LIVING ROOM

BEDROOM

LEISURE ROOM



3CCT - Color Temperature Changeable

3000K

4000K

6500K

3CCT SWITCH

3000K 4000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



CEILING FAN

NEW



FANCY **BH85-00030**

24 w+30w
3IN1
2200 lm
220-240V
≥80
IP20
ABS-PP
White

FAN+LED REMOTE DIMMABLE

3 CCT

RGB 3 YEAR WARRANTY

Ø450

89

NEW



FANCY **BH85-00040**

40 w+20 w
3IN1
4400 lm
220-240V
≥80
IP20
ABS+PVC
White

FAN+LED REMOTE DIMMABLE

3 CCT

APP 2 YEAR WARRANTY

Ø450

170

NEW



FANCY **BH85-00200** **BH85-00201**

24 w+35 w
3IN1
2280 lm
220-240V
≥80
IP20
Metal-ABS
White

24 w+35 w
3IN1
2280 lm
220-240V
≥80
IP20
Metal-ABS
Black

FAN+LED REMOTE 5 YEAR WARRANTY

3 CCT

Ø1320 52"

Ø150

390 320

Ø233

NEW



FANCY **BH85-00216**

18 w+30 w
3IN1
1800 lm
220-240V
≥80
IP20
Metal-ABS
Black-Wooden

FAN+LED REMOTE 5 YEAR WARRANTY

3 CCT

Ø1320 52"

Ø150

390 320

Ø233

3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





FANCY	BH85-00220	BH85-00221
	18 w+30 w	18 w+30 w
	3IN1	3IN1
	1800 lm	1800 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal-ABS White	Metal-ABS Black



NEW



FANCY	BH85-00230	BH85-00231
	24 w+35 w	24 w+35 w
	3IN1	3IN1
	2280 lm	2280 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal-ABS White	Metal-ABS Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW




FANCY **BH85-00300**



3 CCT



32 w+30 w
3IN1
3160 lm
220-240V
≥80
IP20
Metal-PC
White



NEW




FANCY **BH85-00301**



3 CCT



32 w+30 w
3IN1
3160 lm
220-240V
≥80
IP20
Metal-PC
Black



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

DECORATIVE LIGHTING





LINA	BH16-09180	BH16-09181	BH16-09186
 3 CCT	35 w	35 w	35 w
 LED	3IN1	3IN1	3IN1
 F A G	3500 lm	3500 lm	3500 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden



3CCT - Color Temperature Changeable




3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LINA	BH16-09280	BH16-09281	BH16-09286
	45 w	45 w	45 w
	3IN1	3IN1	3IN1
	4520 lm	4520 lm	4520 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden



LINA	BH16-09680	BH16-09681	BH16-09686
	65 w	65 w	65 w
	3IN1	3IN1	3IN1
	6500 lm	6500 lm	6500 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LINA	BH16-09980	BH16-09981	BH16-09986
 3CCT	30 w	30 w	30 w
 LED	3IN1	3IN1	3IN1
	3000 lm	3000 lm	3000 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
 FAG	Aluminium White	Aluminium Black	Aluminium Golden



3CCT - Color Temperature Changeable




3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BELLA	BH17-00280	BH17-00281	BH17-00286
	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	4260 lm	4260 lm	4260 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden



BELLA	BH17-00780	BH17-00781	BH17-00786
	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	4260 lm	4260 lm	4260 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




3CCT - Color Temperature Changeable


		
3000K	4000K	6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BELLA	BH17-02380	BH17-02381
 3CCT	36 w 3IN1 4260 lm 220-240V ≥80 IP20 Aluminium White	36 w 3IN1 4260 lm 220-240V ≥80 IP20 Aluminium Black



BELLA	BH17-02880	BH17-02881
 3CCT	36 w 3IN1 4260 lm 220-240V ≥80 IP20 Aluminium White	36 w 3IN1 4260 lm 220-240V ≥80 IP20 Aluminium Black



3CCT - Color Temperature Changeable

3000K

4000K


6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BELLA	BH17-01280	BH17-01281	BH17-01286
	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	4260 lm	4260 lm	4260 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden



BELLA	BH17-01380	BH17-01381	BH17-01386
	46 w	46 w	46 w
	3IN1	3IN1	3IN1
	5200 lm	5200 lm	5200 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden




3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BELLA	BH17-03480	BH17-03481	BH17-03486
 3CCT	46 w 3IN1 5200 lm 220-240V ≥80 IP20 Aluminium White	46 w 3IN1 5200 lm 220-240V ≥80 IP20 Aluminium Black	46 w 3IN1 5200 lm 220-240V ≥80 IP20 Aluminium Golden



3CCT - Color Temperature Changeable




3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BELLA	BH17-01780	BH17-01781
	36 w	36 w
	3IN1	3IN1
	4260 lm	4260 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Aluminium White	Aluminium Black



BELLA	BH17-01980	BH17-01981	BH17-01986
	46 w	46 w	46 w
	3IN1	3IN1	3IN1
	5200 lm	5200 lm	5200 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP20	IP20	IP20
	Aluminium White	Aluminium Black	Aluminium Golden



3CCT - Color Temperature Changeable

3000K	4000K	6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



CRYSTAL




BH17-04890

55 w
3IN1 - With Remote
6050 lm
220-240V
>80
IP20
Aluminium
White

BH17-04891

55 w
3IN1 - With Remote
6050 lm
220-240V
>80
IP20
Aluminium
Black



CRYSTAL




BH17-04990

80 w
3IN1 - With Remote
8800 lm
220-240V
>80
IP20
Aluminium
White

BH17-04991

80 w
3IN1 - With Remote
8800 lm
220-240V
>80
IP20
Aluminium
Black



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




CRYSTAL



BH17-05090
 40 w
 3IN1 - With Remote
 4400 lm
 220-240V
 >80
 IP20
 Aluminium
 White

BH17-05091
 40 w
 3IN1 - With Remote
 4400 lm
 220-240V
 >80
 IP20
 Aluminium
 Black




CRYSTAL



BH17-05190
 55 w
 3IN1 - With Remote
 6050 lm
 220-240V
 >80
 IP20
 Aluminium
 White

BH17-05191
 55 w
 3IN1 - With Remote
 6050 lm
 220-240V
 >80
 IP20
 Aluminium
 Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NELA





BH17-04090

60 w
3IN1 - With Remote
6050 lm
220-240V
>80
IP20
Aluminium
White

BH17-04091

60 w
3IN1 - With Remote
6050 lm
220-240V
>80
IP20
Aluminium
Black



NELA




BH17-04490

40 w
3IN1 - With Remote
4400 lm
220-240V
>80
IP20
Aluminium
White

BH17-04491

40 w
3IN1 - With Remote
4400 lm
220-240V
>80
IP20
Aluminium
Black




3CCT - Color Temperature Changeable




3CCT SWITCH




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NELA	BH17-04590	BH17-04591
	65 w	65 w
	3IN1 - With Remote	3IN1 - With Remote
	7150 lm	7150 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	Aluminium	Aluminium
	White	Black



NELA	BH17-04691
	80 w
	3IN1 - With Remote
	8800 lm
	220-240V
	>80
	IP20
	Aluminium
	Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




BLADE	BH16-04380	BH16-04381	BH16-04386
 3CCT	36 w 3IN1 4350 lm 220-240V	36 w 3IN1 4350 lm 220-240V	36 w 3IN1 4350 lm 220-240V
 LED	≥80 IP20 Metal+PC White	≥80 IP20 Metal+PC Black	≥80 IP20 Metal+PC Golden
 E A G			



NEW



BLADE	BH16-04480	BH16-04481
 3CCT	50 w 3IN1 5800 lm 220-240V	50 w 3IN1 5800 lm 220-240V
 LED	≥80 IP20 Metal+PC White	≥80 IP20 Metal+PC Black
 E A G		



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BLADE	BH16-05380	BH16-05381	BH16-05386
 3CCT	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	4350 lm	4350 lm	4350 lm
	220-240V	220-240V	220-240V
 LED	≥80	≥80	≥80
	IP20	IP20	IP20
 E A G	Metal+PC White	Metal+PC Black	Metal+PC Golden



POWER ADJUSTABLE



3CCT - Color Temperature Changeable

 3000K	 4000K	 6500K
--	---	---

3CCT SWITCH

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BLADE	BH16-06180	BH16-06181
3 CCT	36 w 3IN1 3680 lm 220-240V	36 w 3IN1 3680 lm 220-240V
	≥80 IP20	≥80 IP20
	Metal White	Metal Black



BLADE	BH16-06280	BH16-06281
3 CCT	45 w 3IN1 4650 lm 220-240V	45 w 3IN1 4650 lm 220-240V
	≥80 IP20	≥80 IP20
	Metal White	Metal Black



BLADE	BH16-06290	BH16-06291
3 CCT	45 w 3IN1 - With Remote 4650 lm 220-240V	45 w 3IN1 - With Remote 4650 lm 220-240V
	>80 IP20	>80 IP20
	Metal White	Metal Black




3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BLADE	BH16-07180	BH16-07181	BH16-07187
	36 w	36 w	36 w
	3IN1	3IN1	3IN1
	3680 lm	3680 lm	3680 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP20	IP20	IP20
	Metal White	Metal Black	Metal Wooden



BLADE	BH16-07280	BH16-07281	BH16-07287
	45 w	45 w	45 w
	3IN1	3IN1	3IN1
	4650 lm	4650 lm	4650 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP20	IP20	IP20
	Metal White	Metal Black	Metal Wooden




3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BLADE	BH16-07290	BH16-07291	BH16-07297
3CCT	45 w	45 w	45 w
	3IN1 - With Remote	3IN1 - With Remote	3IN1 - With Remote
	4650 lm	4650 lm	4650 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP20	IP20	IP20
	Metal	Metal	Metal
	White	Black	Wooden



PENDANT KIT BLADE
 SH16-05001 White SH16-05002 Black SH16-05003 Wooden



PENDANT KIT BLADE
 SH16-05004 White SH16-05005 Black SH16-05006 Wooden



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



JADE BH16-30380




24 w
3IN1
2450 lm
220-240V



≥80
IP20



Metal+PMMA
White



NEW



JADE BH16-30480




36 w
3IN1
3750 lm
220-240V



≥80
IP20



Metal+PMMA
White



NEW



JADE BH16-31080



24 w
3IN1
2450 lm
220-240V



≥80
IP20



Metal+PMMA
White



NEW



JADE BH16-31180



36 w
3IN1
3750 lm
220-240V



≥80
IP20



Metal+PMMA
White



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




JADE BH16-32130

15 w
6500K
1500 lm
220-240V
≥80
IP20



Metal+PMMA
White



NEW



JADE BH16-32280



24 w
3IN1
2450 lm
220-240V
≥80
IP20
Metal+PMMA
White




NEW



JADE BH16-32380



36 w
3IN1
3750 lm
220-240V
≥80
IP20
Metal+PMMA
White



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW




NEW



CEILING	BH99-00110	BH99-00130
	24 w	24 w
	4000K	6500K
	2500 lm	2500 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal+PP	Metal+PP
	White	White





CEILING	BH99-00210	BH99-00230
	40 w	40 w
	4000K	6500K
	4300 lm	4300 lm
	220-240V	220-240V
	≥80	≥80
	IP20	IP20
	Metal+PP	Metal+PP
	White	White



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

PENDANT LIGHT





S001R


BV01-00010

Bulb not included.

Suitable For
G9 BULB



Max 1x10 w
220-240V
IP20
Metal
Golden 1xG9



S001R


BV01-00011

Bulb not included.

Suitable For
G9 BULB



Max 3x10 w
220-240V
IP20
Metal
Golden 3xG9



S001R


BV01-00012

Bulb not included.

Suitable For
G9 BULB



Max 5x10 w
220-240V
IP20
Metal
Golden 5xG9



S002R


BV01-00020

Bulb not included.

Suitable For
E27 BULB



Max 1x23 w
220-240V
IP20
Metal
Golden 1xE27



S002R


BV01-00021

Bulb not included.

Suitable For
G9 BULB



Max 1x10 w
220-240V
IP20
Metal
Golden 1XG9



S002R

BV01-00022

Bulb not included.


Suitable For
G9 BULB



Max 3x10 w
220-240V
IP20
Metal
Golden 3xG9



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



S002R

Bulb not included.

Suitable For
G9 BULB



BV01-00023

Max 5x10 w
220-240V

IP20

Metal

Golden 5xG9



S002S

Bulb not included.

Suitable For
G9 BULB



BV01-00024

Max 5x10 w
220-240V

IP20

Metal

Golden 5xG9



S001C

Bulb not included.

Suitable For
G9 BULB




BV01-00013

Max 1x10 w
220-240V

IP20

Metal

Golden 1xG9



S001W

Bulb not included.

Suitable For
G9 BULB




BV01-00014

Max 1x10 w
220-240V


IP20

Metal

Golden 1xG9




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S003R
Bulb not included.
Suitable For
G9 BULB




BV01-00030
Max 1x10 w
220-240V
IP20
Metal
Smoky 1xG9



S003R
Bulb not included.
Suitable For
G9 BULB




BV01-00031
Max 3x10 w
220-240V
IP20
Metal
Smoky 3xG9



S003R
Bulb not included.
Suitable For
G9 BULB



BV01-00032
Max 6x10 w
220-240V
IP20
Metal
Smoky 6xG9




S003S
Bulb not included.
Suitable For
G9 BULB



BV01-00033
Max 4x10 w
220-240V
IP20
Metal
Smoky 4xG9



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



S003R

BV01-00034


Bulb not included.

Max 1x10 w
220-240V

IP20

Metal

Amber 1XG9



S003R

BV01-00035


Bulb not included.

Max 3x10 w
220-240V

IP20

Metal

Amber 3XG9



S003R

BV01-00036


Bulb not included.

Max 6x10 w
220-240V

IP20

Metal

Amber 6XG9



S003S

BV01-00037

Bulb not included.

Max 4x10 w
220-240V


IP20

Metal

Amber 4XG9



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S004R

BV01-00040


Bulb not included.
Suitable For
E27 BULB

Max 1x23 w
220-240V

IP20

Metal

Smoky 1XE27



S004R

BV01-00041


Bulb not included.
Suitable For
E27 BULB

Max 3x23 w
220-240V

IP20

Metal

Smoky 3XE27



S004S

BV01-00042


Bulb not included.
Suitable For
E27 BULB

Max 3x23 w
220-240V

IP20

Metal

Smoky 3XE27



S004W

BV01-00043

Bulb not included.
Suitable For
E27 BULB

Max 1x23 w
220-240V


IP20

Metal

Smoky 1XE27



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



S004R

BV01-00044

Bulb not included.


Max 1x23 w
220-240V



IP20

Metal

Amber 1XE27



S004R

BV01-00045

Bulb not included.


Max 3x23 w
220-240V



IP20

Metal

Amber 3XE27



S004S

BV01-00046

Bulb not included.

Max 3x23 w
220-240V



IP20

Metal

Amber 3XE27



S004W

BV01-00047

Bulb not included.


Max 1x23 w
220-240V



IP20

Metal

Amber 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S005R

Bulb not included.

Suitable For
E27 BULB




BV01-00050

Max 1x23 w
220-240V

IP20

Metal

Smoky 1XE27



S005R

Bulb not included.

Suitable For
E27 BULB



BV01-00051

Max 3x23 w
220-240V

IP20

Metal

Smoky 3XE27



S005S

Bulb not included.

Suitable For
E27 BULB



BV01-00052

Max 3x23 w
220-240V

IP20

Metal

Smoky 3XE27



S005W

Bulb not included.

Suitable For
E27 BULB




BV01-00053

Max 1x23 w
220-240V


IP20

Metal

Smoky 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S006R

Bulb not included.

Suitable For
G9 BULB



BV01-00060

Max 1x10 w
220-240V

IP20

Metal

Opal+Golden 1XG9



S006W

Bulb not included.

Suitable For
G9 BULB




BV01-00062

Max 1x10 w
220-240V


IP20

Metal

Opal+Golden 1XG9




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S007R **BV01-00070**
 Bulb not included.
 Suitable For
 E27 BULB

 Max 1x23 w
 220-240V
 IP20
 Metal
 Smoky 1XE27



S007R **BV01-00071**
 Bulb not included.
 Suitable For
 E27 BULB

 Max 3x23 w
 220-240V
 IP20
 Metal
 Smoky 3XE27




S007S **BV01-00072**
 Bulb not included.
 Suitable For
 E27 BULB

 Max 3x23 w
 220-240V
 IP20
 Metal
 Smoky 3XE27




S007W **BV01-00073**
 Bulb not included.
 Suitable For
 E27 BULB

 Max 1x23 w
 220-240V
 IP20
 Metal
 Smoky 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S008R

Bulb not included.

Suitable For
E14 BULB




BV01-00080

Max 1x23 w
220-240V

IP20

Metal

Cooper 1XE14



S008R

Bulb not included.

Suitable For
E14 BULB



BV01-00081

Max 3x23 w
220-240V

IP20

Metal

Cooper 3XE14



S008W

Bulb not included.

Suitable For
E14 BULB




BV01-00083

Max 1x23 w
220-240V

IP20

Metal

Cooper 1XE14



S008S

Bulb not included.

Suitable For
E14 BULB




BV01-00082

Max 4x23 w
220-240V

IP20

Metal

Cooper 4XE14



S008T

Bulb not included.

Suitable For
E14 BULB




BV01-00084

Max 1x23 w
220-240V

IP20

Metal

Cooper 1XE14



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S009R

BV01-00090

Bulb not included.

Max 1x23 w

Suitable For
E27 BULB

220-240V

IP20

Metal

Opal+Black 1XE27



S009R

BV01-00091

Bulb not included.

Max 3x23 w

Suitable For
E27 BULB

220-240V

IP20

Metal

Opal+Black 3XE27



S009S

BV01-00092

Bulb not included.

Max 3x23 w

Suitable For
E27 BULB

220-240V

IP20

Metal

Opal+Black 3XE27



S009T

BV01-00093

Bulb not included.

Max 1x23 w


Suitable For
E27 BULB

220-240V

IP20

Metal

Opal+Black 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S011R

BV01-00100

Bulb not included.


Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal

Opal+Black 1XE27



S011R

BV01-00101

Bulb not included.


Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal

Opal+Black 1XE27



S011R

BV01-00102

Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal

Opal+Black 1XE27



S011R

BV01-00103

Bulb not included.


Max 1x23 w
220-240V

Suitable For
E14 BULB

IP20

Metal

Opal+Black 1XE14



S011R

BV01-00104

Bulb not included.


Max 1x23 w
220-240V

Suitable For
E14 BULB

IP20

Metal

Opal+Black 1XE14



S011R

BV01-00105

Bulb not included.

Max 1x23 w
220-240V

Suitable For
E14 BULB


IP20

Metal

Opal+Black 1XE14



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S011R

BV01-00106

Bulb not included.

Max 3x23 w

Suitable For
E14 BULB

220-240V

IP20

Metal

Opal+Black 3XE14



S012C

BV01-00107

Bulb not included.

Max 3x10 w

Suitable For
G9 BULB

220-240V

IP20

Metal

Opal+Black 3XG9



S012R

BV01-00110

Bulb not included.

Max 4x10 w

Suitable For
G9 BULB

220-240V

IP20

Metal

Opal+Black 4XG9



S012R

BV01-00111

Bulb not included.

Max 6x10 w

Suitable For
G9 BULB

220-240V



IP20

Metal

Opal+Black 6XG9



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



S012C

Bulb not included.

Suitable For
G9 BULB



BV01-00112

Max 6x10 w

220-240V

IP20

Metal

Opal+Black 6XG9

S012C

Bulb not included.

Suitable For
G9 BULB



BV01-00113


Max 6x10 w

220-240V

IP20

Metal

Opal+Black 6XG9



S013R

Bulb not included.

Suitable For
E27 BULB



BV01-00114


Max 1x23 w

220-240V

IP20

Metal

Opal+Black 1XE27



S013S

Bulb not included.

Suitable For
G9 BULB



BV01-00115

Max 4x10 w

220-240V

IP20

Metal

Opal+Black 4XG9



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S013R

Bulb not included.

Suitable For
G9 BULB



BV01-00116

Max 3x10 w

220-240V

IP20

Metal

Opal+Black 3XG9



S013W

Bulb not included.

Suitable For
G9 BULB



BV01-00117



Max 1x10 w

220-240V

IP20

Metal

Opal+Black 1XG9



S013T

Bulb not included.

Suitable For
G9 BULB



BV01-00118

Max 1x10 w

220-240V

IP20

Metal

Opal+Black 1XG9



S013T

Bulb not included.

Suitable For
G9 BULB



BV01-00119


Max 1x10 w

220-240V


IP20

Metal

Opal+Black 1XG9




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



S014R
Bulb not included.
Suitable For
G9 BULB




BV01-00120
Max 5x10 w
220-240V
IP20
Metal
Clear+Black 5XG9



S011S
Bulb not included.
Suitable For
G9 BULB



BV01-00121
Max 6x10 w
220-240V
IP20
Metal
Clear+Black 6XG9



S011R
Bulb not included.
Suitable For
G9 BULB




BV01-00122
Max 11x10 w
220-240V
IP20
Metal
Clear+Black 11XG9




S011W
Bulb not included.
Suitable For
G9 BULB



BV01-00123
Max 1x10 w
220-240V
IP20
Metal
Clear+Black 1XG9



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




S014R

Bulb not included.
Suitable For
G9 BULB



BV01-00124

Max 5x10 w
220-240V
IP20
Metal
Amber+Golden 5XG9



S011S

Bulb not included.
Suitable For
G9 BULB



BV01-00125

Max 6x10 w
220-240V
IP20
Metal
Amber+Golden 6XG9



S011R

Bulb not included.
Suitable For
G9 BULB



BV01-00126

Max 11x10 w
220-240V
IP20
Metal
Amber+Golden 11XG9




S011W

Bulb not included.
Suitable For
G9 BULB




BV01-00127

Max 1x10 w
220-240V
IP20
Metal
Amber+Golden 1XG9



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



S011S

Bulb not included.

Suitable For
G9 BULB



BV01-00131

Max 6x10 w

220-240V

IP20

Metal

Amber+Golden 6XG9



S011S

Bulb not included.

Suitable For
G9 BULB



BV01-00132

Max 11x10 w

220-240V



IP20

Metal

Amber+Golden 11XG9



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



D003R

BV02-00030


Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal+Rattan
Rattan 1XE27



D003R

BV02-00031



Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal+Rattan
Rattan 1XE27



D003R

BV02-00032


Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal+Rattan
Rattan 1XE27



D003R

BV02-00033


Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal+Rattan
Rattan 1XE27



D003R

BV02-00034



Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal+Rattan
Rattan 1XE27



D003R

BV02-00035

Bulb not included.

Max 1x23 w
220-240V

Suitable For
E27 BULB

IP20

Metal+Rattan
Rattan 1XE27



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



W001C

Bulb not included.

Suitable For
E14 BULB




BV03-00010

Max 1x23 w

220-240V

IP20

Metal+Wooden
Black+Wooden 1XE14



W001C

Bulb not included.

Suitable For
E14 BULB




BV03-00011

Max 2x23 w

220-240V

IP20

Metal+Wooden
Black+Wooden 2XE14



W001C

Bulb not included.

Suitable For
E14 BULB




BV03-00012

Max 3x23 w

220-240V

IP20

Metal+Wooden
Black+Wooden 3XE14



W001C

Bulb not included.

Suitable For
E14 BULB




BV03-00013

Max 4x23 w


220-240V

IP20

Metal+Wooden
Black+Wooden 4XE14



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



W001R

Bulb not included.
Suitable For
E27 BULB



BV03-00014

Max 1x23 w
220-240V
IP20
Metal+Wooden
Black+Wooden 1XE27



W001S

Bulb not included.
Suitable For
E27 BULB



BV03-00015

Max 3x23 w
220-240V
IP20
Metal+Wooden
Black+Wooden 3XE27



W001T

Bulb not included.
Suitable For
E27 BULB




BV03-00016

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



W002R

Bulb not included.

Suitable For
E14 BULB



BV03-00020

Max 1x23 w

220-240V

IP20

Metal

Black 1XE14



W002S

Bulb not included.

Suitable For
E14 BULB



BV03-00021


Max 3x23 w

220-240V

IP20

Metal

Black 3XE14



W002W

Bulb not included.

Suitable For
E14 BULB



BV03-00022

Max 1x23 w

220-240V

IP20

Metal

Black 1XE14



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



W006R

Bulb not included.
Suitable For
E27 BULB



BV03-00060

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



W006R

Bulb not included.
Suitable For
E27 BULB



BV03-00061

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



W004R

Bulb not included.
Suitable For
E27 BULB



BV03-00040

Max 1x23 w
220-240V
IP20
Metal
Black+Opal 1XE27



W004R

Bulb not included.
Suitable For
E27 BULB



BV03-00041

Max 1x23 w
220-240V
IP20
Metal
Black+Opal 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



G002C

Bulb not included.



BV04-00020

Max 1x10 w
220-240V

IP20

Metal+Aluminium
Golden+Black 1XGU10



G002C

Bulb not included.



BV04-00021

Max 3x10 w
220-240V

IP20

Metal+Aluminium
Golden+Black 3XGU10



G002C

Bulb not included.



BV04-00022

Max 2x10 w
220-240V

IP20

Metal+Aluminium
Golden+Black 2XGU10



G002C

Bulb not included.



BV04-00023

Max 3x10 w
220-240V

IP20

Metal+Aluminium
Golden+Black 3XGU10



G002C

Bulb not included.



BV04-00024

Max 4x10 w
220-240V

IP20

Metal+Aluminium
Golden+Black 4XGU10



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



G004C

BV04-00044

Bulb not included.

Max 6x23 w

Suitable For
E27 BULB


220-240V



IP20

Metal

Black 6XE27



G004C

BV04-00043

Bulb not included.

Max 6x23 w

Suitable For
E27 BULB

220-240V




IP20

Metal

Golden 6XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



G005R

Bulb not included.



BV04-00050

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27




G005R

Bulb not included.



BV04-00054

Max 5x23 w
220-240V
IP20
Metal
Black 5XE27




G005S

Bulb not included.



BV04-00052

Max 4x23 w
220-240V
IP20
Metal
Black 4XE27



G005R

Bulb not included.



BV04-00051

Max 1x23 w
220-240V
IP20
Metal
Golden 1XE27




G005R

Bulb not included.



BV04-00055

Max 5x23 w
220-240V
IP20
Metal
Golden 5XE27



G005S

Bulb not included.



BV04-00053

Max 4x23 w
220-240V
IP20
Metal
Golden 4XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY45-00200

Bulb not included. Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



BY45-00201

Bulb not included. Max 1x23 w
220-240V
IP20
Metal
Copper 1XE27



G006R

Bulb not included. Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



G006R

BV04-00061

Bulb not included. Max 3x23 w
220-240V
IP20
Metal
Black 3XE27



G006S

Bulb not included. Max 3x23 w
220-240V
IP20
Metal
Black 3XE27




G006S

Bulb not included. Max 5x23 w
220-240V
IP20
Metal
Black 5XE27



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



G007R

Bulb not included.

Suitable For
G9 BULB



BV04-00070

Max 1x10 w
220-240V

IP20

Metal+Aluminium
Black 1XG9



G007S

Bulb not included.

Suitable For
G9 BULB




BV04-00072

Max 5x10 w
220-240V

IP20

Metal+Aluminium
Black 5XG9



G007R

Bulb not included.

Suitable For
G9 BULB



BV04-00071

Max 1x10 w
220-240V

IP20

Metal+Aluminium
Golden 1XG9



G007S

Bulb not included.

Suitable For
G9 BULB



BV04-00073

Max 5x10 w
220-240V

IP20

Metal+Aluminium
Golden 5XG9



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



P001R

Bulb not included.



BV05-00010

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27




P001S

Bulb not included.



BV05-00011

Max 3x23 w
220-240V
IP20
Metal
Black 3XE27



P001W

Bulb not included.



BV05-00013

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



P001C

Bulb not included.



BV05-00012

Max 5x23 w
220-240V
IP20
Metal
Black 5XE27



P001W

Bulb not included.




BV05-00014

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



P002R

BV05-00020


Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Cooper 1XE27



P002R

BV05-00021


Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P003R

BV05-00022

Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P004W

BV05-00025



Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P003R

BV05-00023


Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Bronze 1XE27



P004R

BV05-00024


Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P006R

BV05-00028

Bulb not included.

Max 1x23 w
220-240V


IP20

Metal

Black 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



P006R

BV05-00029


Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P007R

BV05-00030



Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P007R

BV05-00031


Bulb not included.

Max 1x23 w
220-240V

IP20

Metal

Black 1XE27



P007R

BV05-00032

Bulb not included.

Max 1x23 w
220-240V


IP20

Metal

White 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



P008R

Bulb not included.



BV05-00040

Max 1x23 w
220-240V
IP20
Metal
White 1XE27



BV05-00041

Max 1x23 w
220-240V
IP20
Metal
Grey 1XE27



BV05-00042

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



BV05-00043

Max 1x23 w
220-240V
IP20
Metal
Blue 1XE27




BV05-00044

Max 1x23 w
220-240V
IP20
Metal
Beige 1XE27



BV05-00045

Max 1x23 w
220-240V
IP20
Metal
Green 1XE27



P009R

Bulb not included.



BV05-00050

Max 1x23 w
220-240V
IP20
Metal
White 1XE27



BV05-00051

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27




BV05-00052

Max 1x23 w
220-240V
IP20
Metal
Grey 1XE27



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BV05-00060
Max 1x23 w
220-240V
IP20
Metal
White



BV05-00061
Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



BV05-00062
Max 1x23 w
220-240V
IP20
Metal
Grey 1XE27



BV05-00063
Max 1x23 w
220-240V
IP20
Metal
Blue 1XE27



BV05-00064
Max 1x23 w
220-240V
IP20
Metal
Beige 1XE27




BV05-00065
Max 1x23 w
220-240V
IP20
Metal
Golden 1XE27


Bulb not included.




P010S
Bulb not included.
Suitable For E27 BULB
BV05-00066
Max 3x23 w
220-240V
IP20
Metal
Golden 3XE27



P010T
Bulb not included.
Suitable For E27 BULB
BV05-00067
Max 1x23 w
220-240V
IP20
Metal
Golden 1XE27



P010T
Bulb not included.
Suitable For E27 BULB
BV05-00068
Max 1x23 w
220-240V
IP20
Metal
Golden 1XE27




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



P011R **BV05-00070**
 Bulb not included. Max 1x10 w
 Suitable For GU10 BULB 220-240V
 50mm IP20
 Metal
 Black 1XGU10



P011S **BV05-00071**
 Bulb not included. Max 4x10 w
 Suitable For GU10 BULB 220-240V
 50mm IP20
 Metal
 Black 4XGU10




P011R **BV05-00072**
 Bulb not included. Max 5x10 w
 Suitable For GU10 BULB 220-240V
 50mm IP20
 Metal
 Black 5XGU10



P011T **BV05-00073**
 Bulb not included. Max 2x10 w
 Suitable For GU10 BULB 220-240V
 50mm IP20
 Metal
 Black 2XGU10



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



F001T


BV06-00010

Bulb not included.

Max 1x23 w
220-240V

IP20

Metal+Fabric
Black 1XE27



F001T


BV06-00011

Bulb not included.

Max 1x23 w
220-240V

IP20

Metal+Fabric
Black 1XE27



F001T


BV06-00012

Bulb not included.

Max 1x23 w
220-240V

IP20

Metal+Fabric
White 1XE14



F001T

BV06-00013

Bulb not included.


Max 1x23 w
220-240V

IP20

Metal+Fabric
Black 1XE14



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



F002T

Bulb not included.



BV06-00020

Max 1x23 w
220-240V
IP20
Metal
White 1XE27




BV06-00021

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27



BV06-00022

Max 1x23 w
220-240V
IP20
Metal
Grey 1XE27



F003T

Bulb not included.



BV06-00030

Max 1x23 w
220-240V
IP20
Metal
White 1XE27

BV06-00031

Max 1x23 w
220-240V
IP20
Metal
Black 1XE27

BV06-00032

Max 1x23 w
220-240V
IP20
Metal
Grey 1XE27

BV06-00033



Max 1x23 w
220-240V
IP20
Metal
Beige 1XE27




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



AVVA	BH07-03000	BH07-03001
	8 w	8 w
	3000K	3000K
	720 lm	720 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	Aluminium White	Aluminium Black



AVVA	BH07-03100	BH07-03101
	8 w	8 w
	3000K	3000K
	720 lm	720 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	Aluminium White	Aluminium Black



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LEVA BH07-03401


10 w
3000K
1060 lm
220-240V



≥80
IP20



Aluminium
Black




BH07-03501

20 w
3000K
2100 lm
220-240V

≥80
IP20

Aluminium
Black



LEVA BH07-03601


30 w
3000K
3260 lm
220-240V



≥80
IP20



Aluminium
Black




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




NELA BH07-03700

12 w
3000K
1200 lm
220-240V
≥80
IP20
Aluminium
White



NELA BH07-03701


12 w
3000K
1200 lm
220-240V
≥80
IP20
Aluminium
Black




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



TINY	BH07-04101	BH07-04106
	16 w	16 w
	3000K	3000K
	1450 lm	1450 lm
	220-240V	220-240V
	≥80	≥80
	Aluminium Black	Aluminium Golden



TINY	BH07-04201	BH07-04206
	16 w	16 w
	3000K	3000K
	1580 lm	1580 lm
	220-240V	220-240V
	≥80	≥80
	Aluminium Black	Aluminium Golden+Black



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



LILY BN12-00081



3CCT




LED



12 w
3IN1
1160 lm
220-240V

IP44
Aluminium
Black

IP44



LILY BN12-00085



3CCT




LED



12 w
3IN1
1160 lm
220-240V

IP44
Aluminium
Chrome

IP44



LILY BN12-00086



3CCT




LED



12 w
3IN1
1160 lm
220-240V

IP44
Aluminium
Golden

IP44



3 IN 1 CCT SELECTABLE
3000K - 4000K - 6500K

1 LAMP
3 DIFFERENT TYPE OF ASSEMBLING

ON THE WALL

ON THE MIRROR

ON THE SHELF

3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




LILY	BN12-00181	BN12-00281
	8 w	16 w
	3IN1	3IN1
	700 lm	1600 lm
	220-240V	220-240V
	>80	≥80
	IP44	IP44
	Aluminium Black	ABS+PC Black

IP44



LILY	BN12-00185	BN12-00285
	8 w	16 w
	3IN1	3IN1
	700 lm	1600 lm
	220-240V	220-240V
	>80	≥80
	IP44	IP44
	Aluminium Chrome	ABS+PC Chrome

IP44




NEW



LILY	BN12-00581	BN12-00585	BN12-00586
	7 w	7 w	7 w
	3IN1	3IN1	3IN1
	600 lm	600 lm	600 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP44	IP44	IP44
	Aluminium Black	Aluminium Chrome	Aluminium Golden

IP44



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



LILY BN12-00410

7 w
4000K
600 lm
220-240V
≥80
IP44
Metal+PC
White


IP44



LILY BN12-00411

7 w
4000K
600 lm
220-240V
≥80
IP44
Metal+PC
Black

IP44



MIRRORA BN12-00603

10 w
3000K
900 lm
220-240V
≥80
IP44
Aluminium
Silver

IP44



MIRRORA BN12-00633

10 w
6500K
900 lm
220-240V
≥80
IP44
Aluminium
Silver

IP44




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




ARIA	BN12-00780	BN12-00781
 3CCT	12 w 3IN1 900 lm 220-240V >80 IP44 Aluminium White	12 w 3IN1 900 lm 220-240V >80 IP44 Aluminium Black

 IP44



ARIA	BN12-00785	BN12-00786
 3CCT	12 w 3IN1 900 lm 220-240V >80 IP44 Aluminium Chrome	12 w 3IN1 900 lm 220-240V >80 IP44 Aluminium Golden

 IP44



3CCT - Color Temperature Changeable




3CCT SWITCH




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



SARA	BN12-00880	BN12-00881
 3CCT	8 w 3IN1 700 lm 220-240V	8 w 3IN1 700 lm 220-240V
 LED	>80 IP20 Metal White	>80 IP20 Metal Black
 FAG		



SARA	BN12-00885	BN12-00886
 3CCT	8 w 3IN1 700 lm 220-240V	8 w 3IN1 700 lm 220-240V
 LED	>80 IP20 Metal Chrome	>80 IP20 Metal Golden
 FAG		



3CCT - Color Temperature Changeable

 3000K	 4000K	 6500K
--	---	---



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Step

BH07-00018





3 CCT



LED



2 w
3IN1
200 lm
220-240V
≥80
IP20
Aluminium + PC
Black+Silver



Step

BH07-00100

Steplight Cover
CR1
D97

PMMA + Aluminium
Sandy White

BH07-00101


Steplight Cover
CR1
D97

PMMA + Aluminium
Sandy Black

BH07-00103

Steplight Cover
CR1
D97

PMMA + Aluminium
Brushed Silver



Step

BH07-00110

Steplight Cover
CR2
D97

PMMA + Aluminium
Sandy White

BH07-00111


Steplight Cover
CR2
D97

PMMA + Aluminium
Sandy Black

BH07-00113

Steplight Cover
CR2
D97

PMMA + Aluminium
Brushed Silver



Step

BH07-00150

Steplight Cover
CS1
L80

PMMA + Aluminium
Sandy White

BH07-00151


Steplight Cover
CS1
L80

PMMA + Aluminium
Sandy Black

BH07-00153

Steplight Cover
CS1
L80

PMMA + Aluminium
Brushed Silver



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



Step	BH07-00160	BH07-00161	BH07-00163
	Steplight Cover	Steplight Cover	Steplight Cover
	CS2	CS2	CS2
	L80	L80	L80
	PMMA + Aluminium	PMMA + Aluminium	PMMA + Aluminium
	Sandy White	Sandy Black	Brushed Silver



Step	BH07-00170	BH07-00171	BH07-00173
	Steplight Cover	Steplight Cover	Steplight Cover
	CS3	CS3	CS3
	L80	L80	L80
	PMMA + Aluminium	PMMA + Aluminium	PMMA + Aluminium
	Sandy White	Sandy Black	Brushed Silver



3CCT SWITCH

5000K
4000K
3000K

Junction Box

Light Body

Cover

Light Fixture

Suitable for Ø68mm junction box

Easy Installation
Just by one click
(Without Screw)





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Step	BH07-00380	BH07-00381	BH07-00382
 3CCT	1.5 w 3IN1 90 lm 220-240V	1.5 w 3IN1 90 lm 220-240V	1.5 w 3IN1 90 lm 220-240V
 LED	≥80	≥80	≥80
 IP20	IP20	IP20	IP20
 ABS	ABS	ABS	ABS
 G A B	White	Black	Grey

SENSOR



Junction Box

Light Body



Suitable for Ø68mm junction box

3CCT - Color Temperature Changeable

3000K

4000K

6500K

3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





VEKSUS BG39-00018



3 w
3IN1
180 lm
220-240V
≥80
IP65
Aluminium
Black




IP65




VEKSUS BG39-00100 BG39-00105

Steplight Cover Metal White
Steplight Cover Metal Black




VEKSUS BG39-00101 BG39-00106

Steplight Cover Metal White
Steplight Cover Metal Black



VEKSUS BG39-00102 BG39-00107

Steplight Cover Metal White
Steplight Cover Metal Black




3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW




VEKSUS BG39-00110 **BG39-00115**
Steplight Cover Steplight Cover
Metal Metal
White Black



VEKSUS BG39-00111 **BG39-00116**
Steplight Cover Steplight Cover
Metal Metal
White Black



VEKSUS BG39-00112 **BG39-00117**
Steplight Cover Steplight Cover
Metal Metal
White Black



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



VEKSUS BG39-00028


-  3 w
3IN1- SENSOR
-  180 lm
220-240V
≥80
IP65
-  Aluminium
Black

IP65





VEKSUS BG39-00120 BG39-00125

- Steplight Cover Steplight Cover
- Metal Metal
- White Black





VEKSUS BG39-00121 BG39-00126

- Steplight Cover Steplight Cover
- Metal Metal
- White Black




VEKSUS BG39-00130 BG39-00135

- Steplight Cover Steplight Cover
- Metal Metal
- White Black




VEKSUS BG39-00131 BG39-00136

- Steplight Cover Steplight Cover
- Metal Metal
- White Black





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





VEKSUS	BG39-00300	BG39-00301
	3 w	3 w
	3000K	3000K
	180 lm	180 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	Aluminium+PC White	Aluminium+PC Black

IP65



VEKSUS	BG39-00400	BG39-00401
	3 w	3 w
	3000K	3000K
	180 lm	180 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	Aluminium+PC White	Aluminium+PC Black

IP65



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BULKHEAD BC18-30780 BC18-30781



3 CCT



18 w	18 w
3IN1	3IN1
2020 lm	2020 lm
220-240V	220-240V
>80	>80
IP65	IP65
PC	PC
White	Black

IP65



NEW



Indicator Touch Test Button



Replaceable Battery Clicking Mounting Bracket

IP Connection Box CCT Switch

MOON BC15-00980



3 CCT



18 w
3IN1
2020 lm
220-240V
>80
IP65
PC
White

IP65



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



GRANDE BC15-00580



20 w
5IN1
2000 lm
220-240V

IP54




≥80

IP54



PC
White



GRANDE BC15-00480



20 w
5IN1
2000 lm
220-240V

IP54





≥80

IP54




PC
White





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




NAPOLI	BG37-30710	BG37-30712
Bulb not included. Suitable For E27 BULB	Max. 1x23W	Max. 1x23W
	1xE27	1xE27
	D270	D270
	220-240V	220-240V
	IP65	IP65
	PC	PC
	White	Grey




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




SENA	BC15-00300	BC15-00310	BC15-00330
	15 w	15 w	15 w
	3000K	4000K	6500K
	1460 lm	1460 lm	1460 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP20	IP20	IP20
	Metal	Metal	Metal
	White	White	White



JADE	BH15-01100	BH15-01110	BH15-01130
	18 w	18 w	18 w
	3000K	4000K	6500K
	1740 lm	1740 lm	1740 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP44	IP44	IP44
	PC	PC	PC
	White	White	White



SNS-SRP	BP03-92080	BP03-92081
	20 w	20 w
	3IN1	3IN1
	1800 lm	1800 lm
	220-240V	220-240V
	>80	>80
	IP20	IP20
	PC	PC
	White	Black



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



JADE	BH15-00180	BH15-00181
 3CCT	20 w 3IN1 1950 lm 220-240V	20 w 3IN1 1950 lm 220-240V
 LED	≥80 IP44	≥80 IP44
 FAG	PP-PMMA White	PP-PMMA Black

IP44



NEW



JADE	BH15-00380	BH15-00381
 3CCT	20 w 3IN1 1950 lm 220-240V	20 w 3IN1 1950 lm 220-240V
 LED	≥80 IP44	≥80 IP44
 FAG	PP-PMMA White	PP-PMMA Black

IP44



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BH15-02100	BH15-02110	BH15-02130
	20 w	20 w	20 w
	3000K	4000K	6500K
	1980 lm	1980 lm	1980 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP44	IP44	IP44
	PC	PC	PC
	White	White	White

IP44



JADE	BH15-02200	BH15-02230
	30 w	30 w
	3000K	6500K
	3050 lm	3050 lm
	220-240V	220-240V
	>80	>80
	IP44	IP44
	PC	PC
	White	White

IP44



JADE	BH15-03100	BH15-03110	BH15-03130
	20 w	20 w	20 w
	3000K	4000K	6500K
	1980 lm	1980 lm	1980 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP44	IP44	IP44
	PC	PC	PC
	White	White	White

IP44



JADE	BH15-03200	BH15-03230
	30 w	30 w
	3000K	6500K
	3050 lm	3050 lm
	220-240V	220-240V
	>80	>80
	IP44	IP44
	PC	PC
	White	White

IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BULKHEAD	BC18-00280	BC18-00281
	12 w	12 w
	3IN1	3IN1
	1320 lm	1320 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	PC	PC
	White	Black

IP65



BULKHEAD	BC18-00680	BC18-00681
	12 w	12 w
	3IN1	3IN1
	1320 lm	1320 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	PC	PC
	White	Black


IP65



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BULKHEAD BC18-10380 BC18-00380




25 w	18 w
3IN1	3IN1
2250 lm	2020 lm
220-240V	220-240V



>80	>80
IP65	IP65
PP	PC
White	White



IP65



BULKHEAD BC18-10381 BC18-00381




25 w	18 w
3IN1	3IN1
2250 lm	2020 lm
220-240V	220-240V



>80	>80
IP65	IP65
PP	PC
Black	Black



IP65



BULKHEAD BC18-10780 BC18-00780



25 w	18 w
3IN1	3IN1
2250 lm	2020 lm
220-240V	220-240V



>80	>80
IP65	IP65
PP	PP
White	White



IP65



BULKHEAD BC18-00731 BC18-00781



25 w	18 w
3IN1	3IN1
2250 lm	2020 lm
220-240V	220-240V



>80	>80
IP65	IP65
PP	PC
Black	Black




IP65



3CCT - Color Temperature Changeable



3CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





SOLARIS **BG36-00281**
 15 w
 3IN1
 1500 lm
 Solar Panel Energy
 ≥80
 IP54
 ABS
 Black

IP54



MILES **BG36-10110**
 30 w
 4000K
 3300 lm
 220-240V
 ≥70
 IP54
 PC
 White


IP54



Motion Sensor + Photocell Sensor

SOLARIS **BG36-00130**
 3 w
 6500K
 240 lm
 Solar Panel Energy
 ≥80
 IP54
 ABS
 White


IP54



Motion Sensor + Photocell Sensor

SOLARIS **BG36-00140**
 6 w
 6500K
 600 lm
 Solar Panel Energy
 ≥80
 IP54
 ABS
 White

IP54



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SOLARIS

BG36-00381



3 CCT

10 w

3 IN1

1000 lm

Solar Panel Energy


≥80

IP54

ABS

Black

IP54



SPIKE

BG36-00582



2 CCT

12 w

2 IN1

300 lm(%100)

Solar Panel Energy


≥80

IP65

PC

Grey

IP65



Multicolor options available

SPIKE

BG36-00592



LED

12 w

RGB

Solar Panel Energy


≥80

IP65

PC

Grey

IP65



3 CCT - Color Temperature Changeable



3 CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



Continuously working up to 24 hours

SPIKE	BG36-00681	BG36-00781
	8 w	8 w
	2IN1	2IN1
	70 lm	70 lm
	Solar Panel Energy ≥ 80	Solar Panel Energy ≥ 80
	IP65	IP65
	ABS+PC	ABS+PC
	Black	Black

IP65



Adjustable Height



Light



Light Pole



Ground Stake

2CCT - Color Changeable

3000K

6500K


2CCT SWITCH

3000K

6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



VENETO BG37-00381



3 CCT




LED



F A G

10 w
3IN1
950 lm
220-240V
>80
IP44
PC
Black

IP44



VENETO BG37-00481



3 CCT





LED



F A G

20 w
3IN1
1900 lm
220-240V
>80
IP44
PC
Black

IP44



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




PALERMO BG37-00080 BG37-00081



8 w	8 w
3IN1	3IN1
760 lm	760 lm
220-240V	220-240V
>80	>80
IP65	IP65
PC	PC
White	Black

IP65



PALERMO BG37-00180 BG37-00181 BG37-00182 BG37-00183



10 w	10 w	10 w	10 w
3IN1	3IN1	3IN1	3IN1
950 lm	950 lm	950 lm	950 lm
220-240V	220-240V	220-240V	220-240V
>80	>80	>80	>80
IP65	IP65	IP65	IP65
PC	PC	PC	PC
White	Black	Grey	Blue

IP65




PALERMO BG37-00280 BG37-00281 BG37-00282 BG37-00283 BG37-00286



12 w				
3IN1	3IN1	3IN1	3IN1	3IN1
1160 lm				
220-240V	220-240V	220-240V	220-240V	220-240V
>80	>80	>80	>80	>80
IP65	IP65	IP65	IP65	IP65
PC	PC	PC	PC	PC
White	Black	Grey	Blue	Golden

IP65



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



WALLS **BG38-01082**




3 CCT



15 w
3IN1
1450 lm
220-240V
≥80
IP65
PC
Grey

IP65



WALLS **BG38-01182**




3 CCT



15 w
3IN1
1450 lm
220-240V
≥80
IP65
PC
Grey

IP65



WALLS **BG38-01282**




3 CCT



15 w
3IN1
1450 lm
220-240V
≥80
IP65
PC
Grey

IP65



WALLS **BG38-01382**




3 CCT



15 w
3IN1
1450 lm
220-240V
≥80
IP65
PC
Grey

IP65



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



WALLS BG38-01481



3 CCT



15 w

3 IN1

1450 lm

220-240V



≥80

IP65

PC

Black

IP65



WALLS BG38-01581



3 CCT



15 w

3 IN1

1450 lm

220-240V


≥80

IP65

PC

Black

IP65



3 CCT - Color Temperature Changeable



3 CCT SWITCH




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



WALLS BG38-00102 BG38-00112 BG38-00132 BG38-00182

	15 w	15 w	15 w	15 w
	3000K	4000K	6500K	3IN1
	1460 lm	1460 lm	1460 lm	1460 lm
	220-240V	220-240V	220-240V	220-240V
	>80	>80	>80	>80
	IP65	IP65	IP65	IP65
	PC	PC	PC	PC
	Black	Black	Black	Black


IP65



WALLS BG38-00302 BG38-00312 BG38-00332 BG38-00382

	15 w	15 w	15 w	15 w
	3000K	4000K	6500K	3IN1
	1460 lm	1460 lm	1460 lm	1460 lm
	220-240V	220-240V	220-240V	220-240V
	>80	>80	>80	>80
	IP65	IP65	IP65	IP65
	PC	PC	PC	PC
	Black	Black	Black	Black


IP65



WALLS BG38-00202 BG38-00212 BG38-00232 BG38-00282

	15 w	15 w	15 w	15 w
	3000K	4000K	6500K	3IN1
	1460 lm	1460 lm	1460 lm	1460 lm
	220-240V	220-240V	220-240V	220-240V
	>80	>80	>80	>80
	IP65	IP65	IP65	IP65
	PC	PC	PC	PC
	Black	Black	Black	Black


IP65




WALLS BG38-00402 BG38-00482

	20 w	20 w
	3000K	3IN1
	1980 lm	1980 lm
	220-240V	220-240V
	>80	>80
	IP65	IP65
	PC	PC
	Black	Black

IP65



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




WALLS	BG38-00702	BG38-00712	BG38-00732
	12 w	12 w	12 w
	3000K	4000K	6500K
	1140 lm	1140 lm	1140 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP65	IP65	IP65
	PC	PC	PC
	Grey	Grey	Grey

IP65



WALLS	BG38-00902	BG38-00912	BG38-00932
	15 w	15 w	15 w
	3000K	4000K	6500K
	1450 lm	1450 lm	1450 lm
	220-240V	220-240V	220-240V
	>80	>80	>80
	IP65	IP65	IP65
	PC	PC	PC
	Grey	Grey	Grey

IP65





NAPOLI	BG37-00582
	20 w
	3IN1
	2000 lm
	220-240V
	>80
	IP65
	PC
	Grey

IP65



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



NAPOLI	BG37-00710	BG37-00712
	Max 1x23 w	Max 1x23 w
	D270	D270
Bulb not included.	1 x E27	1 x E27
	220-240V	220-240V
Suitable For E27 BULB	IP65	IP65
	PC	PC
	White	Grey



IP65



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LINE **BG38-03501**

18 w

3000K

1860 lm

220-240V


≥80

IP54

Aluminium

Black

 IP54



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



VEKTA BG38-02682



3 CCT




LED



F A+

1x6 w
3 IN1
600 lm
220-240V
≥80
IP65
PC
Grey

IP65



VEKTA BG38-02782



3 CCT




LED



F A+

2x6 w
3 IN1
1200 lm
220-240V
≥80
IP65
PC
Grey

IP65



3 CCT - Color Temperature Changeable



3 CCT SWITCH




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




VEKTA	BG38-02480	BG38-02482
 3CCT	1x9 w 3IN1 900 lm 220-240V ≥80 IP65 PC White	1x9 w 3IN1 900 lm 220-240V ≥80 IP65 PC Dark Grey

 IP65



VEKTA	BG38-02580	BG38-02582
 3CCT	2x9 w 3IN1 1780 lm 220-240V ≥80 IP65 PC White	2x9 w 3IN1 1780 lm 220-240V ≥80 IP65 PC Grey

 IP65



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




VEKTA	BG38-02080	BG38-02081
 3 CCT	3 w 3 IN1 240 lm 220-240V ≥80 IP65 PC White	3 w 3 IN1 240 lm 220-240V ≥80 IP65 PC Black

 IP65



VEKTA	BG38-02180	BG38-02181
 3 CCT	3 w 3 IN1 240 lm 220-240V ≥80 IP65 PC White	3 w 3 IN1 240 lm 220-240V ≥80 IP65 PC Black

 IP65



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




VEKTA	BG38-01880	BG38-01881	BG38-01882
 3 CCT	3 w 3IN1 180 lm 220-240V	3 w 3IN1 180 lm 220-240V	3 w 3IN1 180 lm 220-240V
 LED	≥80 IP65 PC	≥80 IP65 PC	≥80 IP65 PC
 G A G	White	Black	Dark Grey

 IP65



VEKTA	BG38-01980	BG38-01981	BG38-01982
 3 CCT	3 w 3IN1 180 lm 220-240V	3 w 3IN1 180 lm 220-240V	3 w 3IN1 180 lm 220-240V
 LED	≥80 IP65 PC	≥80 IP65 PC	≥80 IP65 PC
 G A G	White	Black	Dark Grey

 IP65



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




VECTOR **BG38-03180** **BG38-03182**



2x1 w	2x1 w
3IN1	3IN1
180 lm	180 lm
220-240V	220-240V
>80	>80
IP65	IP65
PC	PC
White	Grey

IP65




VECTOR **BG38-03380** **BG38-03381** **BG38-03382**




6x1 w	6x1 w	6x1 w
3IN1	3IN1	3IN1
480 lm	480 lm	480 lm
220-240V	220-240V	220-240V
≥80	≥80	≥80
IP65	IP65	IP65
PC	PC	PC
White	Black	Dark Grey


IP65



NEW



Amber



Blue



Purple





Colors change by switch

VECTOR **BG38-03392**



6x1 w
3IN1
480 lm
220-240V
≥80
IP65
PC
Dark Grey

IP65



3CCT - Color Temperature Changeable





3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



VEKTA	BG38-03400	BG38-03401	BG38-03402	G9 Bulb Included
	Max 10 w	Max 10 w	Max 10 w	IP54
	1 x G9	1 x G9	1 x G9	
	220-240V	220-240V	220-240V	
	IP54	IP54	IP54	
	≥80	≥80	≥80	
	Aluminium White	Aluminium Black	Aluminium Dark Grey	



Adjustable light angle



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



RITA **BG32-00100** **BG32-00101**

Max 1x35 w	Max 1x35 w
1 x GU10	1 x GU10
220-240V	220-240V
IP65	IP65
Aluminium	Aluminium
White	Black

IP65




NEW



RITA **BG32-00120** **BG32-00121**

Max 2x35 w	Max 2x35 w
2 x GU10	2 x GU10
220-240V	220-240V
IP65	IP65
Aluminium	Aluminium
White	Black

IP65




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



RITA **BG32-00200** **BG32-00201** **BG32-00202**

Max 1x35 w	Max 1x35 w	Max 1x35 w
1 x GU10	1 x GU10	1 x GU10
220-240V	220-240V	220-240V
IP44	IP44	IP44
Aluminium	Aluminium	Aluminium
White	Black	Dark Grey


IP44



RITA **BG32-00400** **BG32-00401** **BG32-00402**

Max 1x35 w	Max 1x35 w	Max 1x35 w
1 x GU10	1 x GU10	1 x GU10
220-240V	220-240V	220-240V
IP44	IP44	IP44
Aluminium	Aluminium	Aluminium
White	Black	Dark Grey

IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



RITA	BG32-00220	BG32-00221	BG32-00222
	Max 2x35 w	Max 2x35 w	Max 2x35 w
	2 x GU10	2 x GU10	2 x GU10
	220-240V	220-240V	220-240V
	IP44	IP44	IP44
	Aluminium White	Aluminium Black	Aluminium Dark Grey




IP44



RITA	BG32-00420	BG32-00421	BG32-00422
	Max 2x35 w	Max 2x35 w	Max 2x35 w
	2 x GU10	2 x GU10	2 x GU10
	220-240V	220-240V	220-240V
	IP44	IP44	IP44
	Aluminium White	Aluminium Black	Aluminium Dark Grey



IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




SPOTLUX BT25-00201 BT25-00231 BT25-00251 BT25-00271



	7 w	7 w	7 w	7 w
	3000K	6500K	Green	Amber
	700 lm	700 lm		
	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80
	IP65	IP65	IP65	IP65
	PA+PC	PA+PC	PA+PC	PA+PC
	Black	Black	Black	Black


IP65



SPOTLUX BT25-00351

Max 1x10 w
1 x GU10
220-240V
IP65
PC
Black

IP65



INDUS


BT27-00101

Max 1x35 w
1 x GU10
220-240V

IP67



Aluminium+304SS
Nickel



INDUS


BT27-00111

Max 1x35 w
1 x GU10
220-240V

IP67



Aluminium+304SS
Nickel



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



TIRANA BG43-05882




3 CCT



45 w
3IN1
4400 lm
220-240V
≥80
IP65
Aluminium
Dark Grey



IP65



NEW



TIRANA BG43-99022 BG43-99031 BG43-99032

2,5 m	3 m	3 m
Aluminium	Aluminium	Aluminium
Dark Grey	Black	Dark Grey

Suitable for BG43-05982

NEW



TIRANA BG43-05982




3 CCT



45 w
3IN1
4400 lm
220-240V
≥80
IP65
Aluminium
Dark Grey



IP65



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



5 YEAR WARRANTY 130 lm/W

TOPLIGHT BT48-07081



3CCT

70 w
3IN1
10500 lm
220-240V



LED


≥70

IP65



Aluminium
Black

IP65



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



PALMIRA BG43-06401

20 w
3000K
2100 lm
220-240V
≥80
IP65
Aluminium
Black



IP65




PALMIRA BG43-06001

15 w
3000K
1500 lm
220-240V
≥80
IP65
Aluminium
Black



IP65



PALMIRA BG43-06301

15 w
3000K
1500 lm
220-240V
≥80
IP65
Aluminium
Black



IP65




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



DALLAS BG43-02002

7 w
3000K
600 lm
220-240V
≥80
IP54
Aluminium
Grey


IP54



DALLAS BG43-02102

7 w
3000K
600 lm
220-240V
≥80
IP54
Aluminium
Grey


IP54



DALLAS BG43-02302

7 w
3000K
600 lm
220-240V
≥80
IP54
Aluminium
Grey

IP54



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



TARUS BG43-00011

Max 1x23 w

1 x E27

220-240V

IP44


Aluminium

Black

IP44

Bulb not included

Suitable For E27 BULB



MILANO BG43-04002

Max 1x23 w

1 x E27

220-240V

IP44


Aluminium

Grey

IP44

Bulb not included

Suitable For E27 BULB



MILANO BG43-04102

Max 1x23 w

1 x E27

220-240V

IP44


Aluminium

Grey

IP44

Bulb not included

Suitable For E27 BULB



MILANO BG43-04202

Max 1x23 w

1 x E27

220-240V

IP44


Aluminium

Grey

IP44

Bulb not included

Suitable For E27 BULB



MILANO BG43-04302

Max 1x23 w

1 x E27

220-240V

IP44


Aluminium

Grey

IP44

Bulb not included

Suitable For E27 BULB



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



PARIS **BG43-03002**

Max 1x23 w

IP54

1 x E27


220-240V

IP54

Aluminium
Grey

Bulb not included

Suitable For
E27 BULB



PARIS **BG43-03102**

Max 1x23 w

IP54

1 x E27


220-240V

IP54

Aluminium
Grey

Bulb not included

Suitable For
E27 BULB



PARIS **BG43-03202**

Max 1x23 w

IP54

1 x E27


220-240V

IP54

Aluminium
Grey

Bulb not included

Suitable For
E27 BULB



PARIS **BG43-03302**

Max 1x23 w

IP54

1 x E27


220-240V

IP54

Aluminium
Grey


Bulb not included

Suitable For
E27 BULB



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



125 lm/W

MULTILINE	BT06-00282	BT06-00482	BT06-00483	BT06-00582
	20 w	40 w	40 w	60 w
	3IN1	3IN1	3IN1	3IN1
	2520 lm	5000 lm	5000 lm	7200 lm
	220-240V	220-240V	220-240V	220-240V
	≥80	≥80	≥80	≥80
	IP65	IP65	IP65	IP65
	PC	PC	PC	PC
	Grey	Grey	Grey	Grey

IP65



Emergency Lm ≥ 350 Lm

Working time ≥ 3 h



LED WATERPROOF FIXTURE

3 CCT SWITCH

POWER ADJUSTABLE SWITCH

3 WIRES

Flicker Free

5 YEARS WARRANTY

125 lm/W

POWER ADJUSTABLE

Linkable (Max. 300W)

3 CCT SWITCH

3000K 4000K 6500K

15W 20W 25W

30W 40W 50W

40W 50W 60W

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

3 CCT SWITCH

3000K 4000K 6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MULTILINE BT06-00780



3 CCT




20 w
3IN1
2600 lm
220-240V
≥80
IP65
PC
Light Grey



130 lm/W

5 YEARS WARRANTY

IP65



NEW



MULTILINE BT06-00880



3 CCT




40 w
3IN1
5000 lm
220-240V
≥80
IP65
PC
Light Grey



130 lm/W

5 YEARS WARRANTY

IP65



LED WATERPROOF FIXTURE

POWER ADJUSTABLE SWITCH

3 CCT SWITCH

2 WIRES

Flicker Free

5 YEARS WARRANTY

130 lm/W

LED 💧
IP65

Linkable (Max. 300W)

3 CCT SWITCH

POWER ADJUSTABLE

12W 16W 20W

24W 32W 40W

3000K 4000K 6500K



3 CCT - Color Temperature Changeable

3000K	4000K	6500K
-------	-------	-------



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



PROLINE	BT07-00610	BT07-00630
	16 w	16 w
	4000K	6500K
	1600 lm	1600 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	PC	PC
	White	White

IP65



PROLINE	BT07-01210	BT07-01230
	32 w	32 w
	4000K	6500K
	3400 lm	3400 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	PC	PC
	White	White

IP65



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



PROLINE BT07-30680



20 w
3IN1
2240 lm
220-240V

IP65



≥80
IP65



PC
White

Linkable Max Up To 10 PCS



PROLINE BT07-31280




40 w
3IN1
4500 lm
220-240V

IP65



≥80
IP65



PC
White

Linkable Max Up To 8 PCS



PROLINE BT07-31510 BT07-31530 BT07-31580



60 w
4000K
6300 lm
220-240V

60 w
6500K
6300 lm
220-240V

60 w
3IN1
6300 lm
220-240V


IP65



≥80
IP65

≥80
IP65

≥80
IP65



PC
White

PC
White

PC
White

Linkable Max Up To 4 PCS

3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





AQUALINE

Bulb not included

IP65


BT05-10682	BT05-10684	BT05-11282	BT05-11283	BT05-11284	BT05-11582	BT05-11583
Max 1x10 w	Max 1x10 w	Max 1x20 w	Max 1x20 w	Max 1x20 w	Max 1x30 w	Max 1x30 w
T8 G13						
1x0.6 mt	1x0.6 mt	1x1.2 mt	1x1.2 mt	1x1.2 mt	1x1.5 mt	1x1.5 mt
220-240V						
Single Side	Double Side	Single Side	Double Side	Double Side	Single Side	Double Side
IP65						
ABS-PC	ABS-PC	ABS-PC	ABS-PS	ABS-PC	ABS-PC	ABS-PS
Milky White						



BT05-20682	BT05-20683	BT05-20684	BT05-21282	BT05-21283	BT05-21284
Max 2x10 w	Max 2x10 w	Max 2x10 w	Max 2x20 w	Max 2x20 w	Max 2x20 w
T8 G13					
2x0.6 mt	2x0.6 mt	2x0.6 mt	2x1.2 mt	2x1.2 mt	2x1.2 mt
220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
Single Side	Double Side	Double Side	Single Side	Double Side	Double Side
IP65	IP65	IP65	IP65	IP65	IP65
ABS-PC	ABS-PS	ABS-PC	ABS-PC	ABS-PS	ABS-PC
Milky White					



BT05-21582	BT05-21583	BT05-21584
Max 2x30 w	Max 2x30 w	Max 2x30 w
T8 G13	T8 G13	T8 G13
2x1.5 mt	2x1.5 mt	2x1.5 mt
220-240V	220-240V	220-240V
Single Side	Double Side	Double Side
IP65	IP65	IP65
ABS-PC	ABS-PS	ABS-PC
Milky White	Milky White	Milky White



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SOLAR PRODUCTS






SOLAR **BT43-03031**

LED

50 w
6500K
1350 lm
Solar Panel Energy
>70
IP65
ABS
Black

IP65




SOLAR **BT43-05031**

LED

100 w
6500K
1800 lm
Solar Panel Energy
>70
IP65
ABS
Black

IP65



BT43-99901
Arm for ST01
Ø 48 mm
30 cm
Black
Metal



BT43-99902
ST89 Arm for ST01
Ø 48 mm
30 cm
Grey
Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




SOLAR **BT43-15032**

100 w
6500K
1700 lm
Solar Panel Energy >70
IP65
Aluminium
Grey




SOLAR **BT43-29132**

200 w
6500K
3000 lm
Solar Panel Energy >70
IP65
Aluminium
Grey



SOLAR **BT43-29432**

300 w
6500K
4000 lm
Solar Panel Energy >70
IP65
Aluminium
Grey



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SOLAR BT64-10681



50 w
3IN1

600 lm

Solar Panel Energy

>80


IP65

ABS

Black



IP65



SOLAR BT64-11281



100 w
3IN1

1200 lm

Solar Panel Energy

>80


IP65

ABS

Black



IP65



SOLAR BT64-11881



150 w
3IN1

1800 lm

Solar Panel Energy

>80


IP65

ABS

Black



IP65



SOLAR BT64-12081



200 w
3IN1

2400 lm

Solar Panel Energy

>80


IP65

ABS

Black



IP65



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



HIBAY BT45-49181

- 3 CCT
- 100 w 60W - 9600lm
- 3IN1 80W - 12800lm
- 16000 lm 100W - 16000lm
- 100-240V
- ≥70
- IP65
- Aluminium
- Black

IP65




NEW



HIBAY BT45-49681

- 3 CCT
- 200 w 120W - 19200lm
- 3IN1 160W - 25600lm
- 32000 lm 200W - 32000lm
- 100-240V
- ≥70
- IP65
- Aluminium
- Black


IP65



HIBAY BT45-59181

- 3 CCT
- 3IN1 60W - 4000K - 9000lm
- 110-277V 60W - 5000K - 10200lm
- ≥70 60W - 6500K - 9000lm
- IP65 80W - 4000K - 12000lm
- Aluminium 80W - 5000K - 13600lm
- Black 80W - 6500K - 12000lm
- 100W - 4000K - 15000lm
- 100W - 5000K - 17000lm
- 100W - 6500K - 15000lm


IP65



HIBAY BT45-59681

- 3 CCT
- 3IN1 150W - 4000K - 22500lm
- 110-277V 150W - 5000K - 25500lm
- ≥70 150W - 6500K - 22500lm
- IP65 175W - 4000K - 26250lm
- Aluminium 175W - 5000K - 29750lm
- Black 175W - 6500K - 26250lm
- 200W - 4000K - 30000lm
- 200W - 5000K - 34000lm
- 200W - 6500K - 30000lm

IP65



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



NEW



HIBAY

BT45-39181

130
lm/W

IP65




3CCT

100 w
3IN1
13000 lm
220-240V
≥70



LSD

Aluminium
Black



HIBAY

BT45-39681

BT45-39881

130
lm/W

IP65



3CCT

200 w
3IN1
26000 lm
220-240V
≥80





LSD

Aluminium
Black



300 w
3IN1
39000 lm
220-240V
≥80

Aluminium
Black



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




*Sensor not included

160 lm/W 5 YEARS WARRANTY

HIBAY BT46-69581

200 w 100W - 18000lm
 3IN1 150W - 25500lm
 32000 lm 200W - 32000lm
 170-265V
 ≥80
 IP65
 Aluminium
 Black

IP65




NEW




SENSOR BT46-99901

Sensor
 3PIN
 Suitable for
BT46-69581
 IP65
 White

IP65



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



WITH MAGNETS

ON/OFF & DIM SWITCH

1M (USB-A) (TYPE-C) CABLE INCLUDED

USB-A & TYPE-C

HANGING / MAGNET

PORTABLE

WITH STAND

STEP DIM (50% & 100%)

RECHARGEABLE & REPLACEABLE

FUNCTIONS AS POWER BANK



WORKLITE BT59-00431

20 w

6500K

2000 lm

220-240V


≥80

IP54

PC

Black

IP54



LED

Dimmable

Battery icon



ON/OFF SWITCH

CABLE LENGTH 1,5 meter

WITH STAND

HANGING

PORTABLE



WORKLITE BT59-00531

50 w

6500K

5000 lm

220-240V


≥80

IP54

PC

Black

IP54



LED

F A G



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




WORKLITE BT60-95081



3 CCT

50 w
3 IN1
4700 lm
220-240V
≥70
IP65
Aluminium
Black+Yellow

IP65




WORKLITE BT60-99181



3 CCT

100 w
3 IN1
9500 lm
220-240V
≥70
IP65
Aluminium
Black+Yellow

IP65



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




FLOOD BT65-01082



3 CCT



10 w
3IN1
1100 lm
220-240V
≥80
IP65
Aluminium
Grey




FLOOD BT65-02082



3 CCT



20 w
3IN1
2200 lm
220-240V
≥80
IP65
Aluminium
Grey




FLOOD BT65-03082



3 CCT



30 w
3IN1
3300 lm
220-240V
≥80
IP65
Aluminium
Grey




FLOOD BT65-05082



3 CCT



50 w
3IN1
5500 lm
220-240V
≥80
IP65
Aluminium
Grey



3CCT - Color Temperature Changeable



3CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



FLOOD BT65-09182



100 w
3IN1
11000 lm
220-240V




≥80
IP65



Aluminium
Grey



IP65



FLOOD BT65-09682



200 w
3IN1
22000 lm
220-240V




≥80
IP65



Aluminium
Grey



IP65



FLOOD BT65-09882



300 w
3IN1
33000 lm
220-240V




≥80
IP65



Aluminium
Grey



IP65



NEW



FLOOD BT65-09982



400 w
3IN1
44300 lm
220-240V




≥80
IP65



Aluminium
Grey



IP65



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



FLOOD BT65-90532
 400 w
 6500K
 48000 lm
 220-240V
 ≥80
 IP65
 Aluminium
 Grey



IP65




NEW



FLOOD BT65-90632
 500 w
 6500K
 60000 lm
 220-240V
 ≥80
 IP65
 Aluminium
 Grey



IP65



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



FLOOD BT65-21082




3 CCT



10 w
3IN1
1100 lm
220-240V
≥80
IP65
Aluminium
Grey

IP54



FLOOD BT65-22082




3 CCT



20 w
3IN1
2200 lm
220-240V
≥80
IP65
Aluminium
Grey

IP54



FLOOD BT65-23082




3 CCT



30 w
3IN1
3300 lm
220-240V
≥80
IP65
Aluminium
Grey

IP54



FLOOD BT65-25082




3 CCT



50 w
3IN1
5500 lm
220-240V
≥80
IP65
Aluminium
Grey

IP54



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



FLOOD BT60-51080




3 CCT



10 w
3IN1
950 lm
220-240V
≥70
IP65
Aluminium
White

IP65



FLOOD BT60-52080




3 CCT



20 w
3IN1
1900 lm
220-240V
≥70
IP65
Aluminium
White

IP65



FLOOD BT60-53080




3 CCT



30 w
3IN1
2850 lm
220-240V
≥70
IP65
Aluminium
White

IP65



FLOOD BT60-55080




3 CCT



50 w
3IN1
4750 lm
220-240V
≥70
IP65
Aluminium
White

IP65



3 CCT - Color Temperature Changeable



3 CCT SWITCH



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



FLOOD BT60-59180




3 CCT



100 w
3 IN1
9500 lm
220-240V
≥70
IP65
Aluminium
White

IP65



FLOOD BT60-63080




3 CCT



30 w
3 IN1
2850 lm
220-240V
≥70
IP65
Aluminium
White

IP65



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



FLOOD	BT66-01001	BT66-01031
	10 w	10 w
	3000K	6500K
	1000 lm	1000 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	Aluminium Black	Aluminium Black

IP65




NEW



FLOOD	BT66-02001	BT66-02031
	20 w	20 w
	3000K	6500K
	2200 lm	2200 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	Aluminium Black	Aluminium Black

IP65




NEW



FLOOD	BT66-03001	BT66-03031
	30 w	30 w
	3000K	6500K
	3300 lm	3300 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	Aluminium Black	Aluminium Black

IP65




NEW



FLOOD	BT66-05001	BT66-05011	BT66-05031
	50 w	50 w	50 w
	3000K	4000K	6500K
	5500 lm	5500 lm	5500 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP65	IP65	IP65
	Aluminium Black	Aluminium Black	Aluminium Black

IP65




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




FLOOD	BT66-09101	BT66-09111	BT66-09131
	100 w	100 w	100 w
	3000K	4000K	6500K
	11000 lm	11000 lm	11000 lm
	220-240V	220-240V	220-240V
	≥80	≥80	≥80
	IP65	IP65	IP65
	Aluminium Black	Aluminium Black	Aluminium Black

IP65




FLOOD	BT66-09401	BT66-09431
	150 w	150 w
	3000K	6500K
	16500 lm	16500 lm
	220-240V	220-240V
	≥80	≥80
	IP65	IP65
	Aluminium Black	Aluminium Black

IP65



FLOOD	BT66-09631
	200 w
	6500K
	22000 lm
	220-240V
	≥80
	IP65
	Aluminium Black

IP65




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




FLOOD **BT66-22031**
SENSOR 20 w
 6500K
 2200 lm
 220-240V
 ≥80
 IP54
 Aluminium
 Black

IP54




FLOOD **BT66-23031**
SENSOR 30 w
 6500K
 3300 lm
 220-240V
 ≥80
 IP54
 Aluminium
 Black

IP54



FLOOD **BT66-25031**
SENSOR 50 w
 6500K
 5500 lm
 220-240V
 ≥80
 IP54
 Aluminium
 Black

IP54



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



FLOOD BT66-02091



20 w IP65


RGB

220-240V

≥80

IP65

Aluminium
Black



FLOOD BT66-03091



30 w IP65


RGB

220-240V

≥80

IP65

Aluminium
Black



FLOOD BT66-05091



50 w IP65


RGB

220-240V

≥80

IP65

Aluminium
Black



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



ST95	BT42-42912	BT42-43912	BT42-45612	BT42-48312	BT42-49212	BT42-49412
	29.5 w	39 w	56.5 w	83 w	112 w	148 w
	4000K	4000K	4000K	4000K	4000K	4000K
	4500 lm	5500 lm	7900 lm	11600 lm	16300 lm	20800 lm
	110-277VAC	110-277VAC	110-277VAC	110-277VAC	110-277VAC	110-277VAC
	>70	>70	>70	>70	>70	>70
	IP66	IP66	IP66	IP66	IP66	IP66
	Aluminium Grey	Aluminium Grey	Aluminium Grey	Aluminium Grey	Aluminium Grey	Aluminium Grey



ST89	BT42-93012	BT42-93032	BT42-95012	BT42-95032	BT42-99112	BT42-99132	BT42-99412	BT42-99432	BT42-99612	BT42-99632
	30 w	30 w	50 w	50 w	100 w	100 w	150 w	150 w	200 w	200 w
	4000K	6500K								
	3300 lm	3300 lm	5500 lm	5500 lm	11000 lm	11000 lm	16500 lm	16500 lm	22000 lm	22000 lm
	220-240V									
	>70	>70	>70	>70	>70	>70	>70	>70	>70	>70
	IP66									
	Aluminium Grey									



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




ST81 BT42-03032

30 w
6500K
3300 lm
220-240V
>70



IP65
Aluminium
Grey

IP65




ST81 BT42-05032

50 w
6500K
5500 lm
220-240V
>70



IP65
Aluminium
Grey

IP65




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




TR010 BC03-00100

-  3 w
6500K
120 lm
220-240V
-  Rechargeable
-  IP20
-  ABS
-  White




TR012 BC03-00121

-  3 w
6500K
150 lm
220-240V
-  Rechargeable
-  IP20
-  ABS
-  Black-Red




TR013 BC03-00137

-  10 w
6500K
400 lm
220-240V
-  Rechargeable
-  IP20
-  ABS
-  Yellow-Black




TR016 BC03-00161

-  5 w
6500K
300 lm
220-240V
-  Rechargeable
-  IP20
-  ABS
-  Red-Black



TR018 BC03-00187

-  15 w
6500K
450 lm
220-240V
-  Rechargeable
-  IP20
-  ABS
-  Red-Black



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



DUAL MODE



EXIT-LED

BC14-00800




3 w
6500K
150 lm
220-240V

IP54

Dual Mode
Maintained
and
Non-
Maintained

IP54
ABS
White
LiFePO4 Battery



PICTOGRAMS INCLUDED



DUAL MODE



EXIT-LED

BC14-00900




5 w
6500K
350 lm
220-240V

IP65

Maintained
and
Non-
Maintained

>70
IP65
ABS
White
Lithium Battery



PICTOGRAMS INCLUDED



PICTOGRAMS NOT INCLUDED FOR BC14-00900



BC14-01311

BC14-01313


BC14-01314




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



EXIT-LED BC14-01100
 2 w
 Green
 150 lm
 220-240V
 IP20
 ABS
 White
 Ni-MH Battery



EXIT-LED BC14-01120
 2 w
 Green
 150 lm
 220-240V
 IP20
 ABS
 White
 Ni-MH Battery



PICTOGRAMS INCLUDED



BC14-01315

BC14-01301



BC14-01310

BC14-01302



PICTOGRAMS NOT INCLUDED FOR ABOVE MODELS



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



EXIT-LED BC14-00553

 2 w
 220-240V
 IP20
 Aluminium
 Silver



EXIT-LED BC14-00653

 2 w
 220-240V
 IP20
 Aluminium
 Silver




EXIT-LED BC14-00753 BC14-00763

 2 w 2 w
 220-240V 220-240V
 IP20 IP20
 Aluminium Aluminium
 Silver Silver





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BM30 BC01-00130




2 w
6500K
150 lm
220-240V
>70
IP20
ABS
White



BM60 BC01-00330




4 w
6500K
330 lm
220-240V
>70
IP20
ABS
White



BM90 BC01-00430



6 w
6500K
600 lm
220-240V
>70
IP20
ABS
White




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

The ultimate light experience

Εξαιρετική ποιότητα φωτός που μπορεί να αλλάξει χρώμα και φωτεινότητα με απλά κλικ ή φωνητικά.


Με τη δυνατότητα να συνδεθείτε με το Cloud, μπορείτε να ελέγξετε τα φωτιστικά σας από οπουδήποτε και με οποιοδήποτε smartphone. Η δυνατότητα να συνδεθείτε με το Cloud, σας επιτρέπει να ελέγξετε τα φωτιστικά σας από οπουδήποτε και με οποιοδήποτε smartphone.




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA13-00929	A60	E27	RGBW	9W	806Lm	220-240VAC	>0.5	220°	ThermoPC	60




MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA24-00559	MR16	GU10	RGBW	5W	430Lm	220-240VAC	>0.5	110°	ThermoPC	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-00880	A60	E27	5 CCT	2700K	8.5W	880Lm	220-240VAC	>80	180°	50
				3000K						
				4000K						
				5000K						
				6500K						



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-01080	A60	E27	5 CCT	2700K	10.5W	1160Lm	220-240VAC	>80	180°	50
				3000K						
				4000K						
				5000K						
				6500K						



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-01380	A65	E27	5 CCT	2700K	13.5W	1520Lm	220-240VAC	>80	180°	50
				3000K						
				4000K						
				5000K						
				6500K						



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	DIMENSIONS	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA07-00510	C37	E14	3000K	5W	φ37 x 126	470Lm	220-240VAC	180°	100
BA07-00511	C37	E14	4000K	5W	φ37 x 126	470Lm	220-240VAC	180°	100
BA07-00513	C37	E14	6500K	5W	φ37 x 126	470Lm	220-240VAC	180°	100
BA07-00710	C37	E14	3000K	6.5W	φ37 x 126	630Lm	220-240VAC	180°	100
BA07-00711	C37	E14	4000K	6.5W	φ37 x 126	630Lm	220-240VAC	180°	100
BA07-00713	C37	E14	6500K	6.5W	φ37 x 126	630Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	DIMENSIONS	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00510	C37	E14	3000K	5W	φ37 x 100	470Lm	220-240VAC	180°	100
BA09-00511	C37	E14	4000K	5W	φ37 x 100	470Lm	220-240VAC	180°	100
BA09-00513	C37	E14	6500K	5W	φ37 x 100	470Lm	220-240VAC	180°	100
BA09-00710	C37	E14	3000K	6.5W	φ37 x 100	630Lm	220-240VAC	180°	100
BA09-00711	C37	E14	4000K	6.5W	φ37 x 100	630Lm	220-240VAC	180°	100
BA09-00713	C37	E14	6500K	6.5W	φ37 x 100	630Lm	220-240VAC	180°	100
BA09-00520	C37	E27	3000K	5W	φ37 x 100	470Lm	220-240VAC	180°	100
BA09-00523	C37	E27	6500K	5W	φ37 x 100	470Lm	220-240VAC	180°	100
BA09-00720	C37	E27	3000K	6.5W	φ37 x 100	630Lm	220-240VAC	180°	100
BA09-00721	C37	E27	4000K	6.5W	φ37 x 100	630Lm	220-240VAC	180°	100
BA09-00723	C37	E27	6500K	6.5W	φ37 x 100	630Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	DIMENSIONS	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00510	P45	E14	3000K	5W	φ45 x 80	470Lm	220-240VAC	180°	100
BA11-00511	P45	E14	4000K	5W	φ45 x 80	470Lm	220-240VAC	180°	100
BA11-00513	P45	E14	6500K	5W	φ45 x 80	470Lm	220-240VAC	180°	100
BA11-00710	P45	E14	3000K	6.5W	φ45 x 80	630Lm	220-240VAC	180°	100
BA11-00711	P45	E14	4000K	6.5W	φ45 x 80	630Lm	220-240VAC	180°	100
BA11-00713	P45	E14	6500K	6.5W	φ45 x 80	630Lm	220-240VAC	180°	100
BA11-00520	G45	E27	3000K	5W	φ45 x 80	470Lm	220-240VAC	180°	100
BA11-00521	G45	E27	4000K	5W	φ45 x 80	470Lm	220-240VAC	180°	100
BA11-00523	G45	E27	6500K	5W	φ45 x 80	470Lm	220-240VAC	180°	100
BA11-00720	G45	E27	3000K	6.5W	φ45 x 80	630Lm	220-240VAC	180°	100
BA11-00721	G45	E27	4000K	6.5W	φ45 x 80	630Lm	220-240VAC	180°	100
BA11-00723	G45	E27	6500K	6.5W	φ45 x 80	630Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	SOCKET	CCT	WATT	DIMENSIONS	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-00920	A60	E27	3000K	9W	φ60 x 104	806Lm	220-240VAC	180°	100
BA13-00921	A60	E27	4000K	9W	φ60 x 104	806Lm	220-240VAC	180°	100
BA13-00923	A60	E27	6500K	9W	φ60 x 104	806Lm	220-240VAC	180°	100
BA13-01120	A60	E27	3000K	11W	φ60 x 112	1055Lm	220-240VAC	180°	100
BA13-01121	A60	E27	4000K	11W	φ60 x 112	1055Lm	220-240VAC	180°	100
BA13-01123	A60	E27	6500K	11W	φ60 x 112	1055Lm	220-240VAC	180°	100
BA13-01220	A60	E27	3000K	12W	φ60 x 112	1055Lm	220-240VAC	180°	100
BA13-01221	A60	E27	4000K	12W	φ60 x 112	1055Lm	220-240VAC	180°	100
BA13-01223	A60	E27	6500K	12W	φ60 x 112	1055Lm	220-240VAC	180°	100
BA13-01320	A60	E27	3000K	13W	φ60 x 110	1350Lm	220-240VAC	180°	100
BA13-01321	A60	E27	4000K	13W	φ60 x 110	1350Lm	220-240VAC	180°	100
BA13-01323	A60	E27	6500K	13W	φ60 x 110	1350Lm	220-240VAC	180°	100
BA13-01520	A60	E27	3000K	15W	φ60 x 121	1350Lm	220-240VAC	180°	100
BA13-01521	A60	E27	4000K	15W	φ60 x 121	1350Lm	220-240VAC	180°	100
BA13-01523	A60	E27	6500K	15W	φ60 x 121	1350Lm	220-240VAC	180°	100




MODEL NO	TYPE	SOCKET	CCT	WATT	DIMENSIONS	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-60920	A60	E27	3000K	9W	φ60 x 109	806Lm	220-240VAC	180°	100
BA13-60921	A60	E27	4000K	9W	φ60 x 109	806Lm	220-240VAC	180°	100
BA13-60923	A60	E27	6500K	9W	φ60 x 109	806Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01620	A65	E27	3000K	16W	100W	1620Lm	220-240VAC	180°	100
BA13-01621	A65	E27	4000K	16W	100W	1620Lm	220-240VAC	180°	100
BA13-01623	A65	E27	6500K	16W	100W	1620Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01820	A65	E27	3000K	18W	100W	1800Lm	220-240VAC	180°	100
BA13-01821	A65	E27	4000K	18W	100W	1800Lm	220-240VAC	180°	100
BA13-01823	A65	E27	6500K	18W	100W	1800Lm	220-240VAC	180°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA14-31023	A65	E27	6500K	10W	60W	806Lm	220-240VAC	180°	50

BATTERY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA14-70920	A60-Sensor	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA14-70923	A60-Sensor	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA33-01420	G95	E27	3000K	14W	90W	1360Lm	220-240VAC	180°	36
BA33-01421	G95	E27	4000K	14W	90W	1360Lm	220-240VAC	180°	36
BA33-01423	G95	E27	6500K	14W	90W	1360Lm	220-240VAC	180°	36



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA41-30720	G95	E27	3000K	7W	60W	806Lm	220-240VAC	360°	20
BA41-30723	G95	E27	6500K	7W	60W	806Lm	220-240VAC	360°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA34-00610	R50	E14	3000K	6W	40W	550Lm	220-240VAC	120°	100
BA34-00613	R50	E14	6500K	6W	40W	550Lm	220-240VAC	120°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA34-00920	R63	E27	3000K	9W	60W	830Lm	220-240VAC	120°	100
BA34-00923	R63	E27	6500K	9W	60W	830Lm	220-240VAC	120°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-31820	T80	E27	3000K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-31821	T80	E27	4000K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-31823	T80	E27	6500K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-32020	T80	E27	3000K	20W	130W	2100Lm	220-240VAC	180°	40
BA13-32021	T80	E27	4000K	20W	130W	2100Lm	220-240VAC	180°	40
BA13-32023	T80	E27	6500K	20W	130W	2100Lm	220-240VAC	180°	40



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-32820	T100	E27	3000K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-32821	T100	E27	4000K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-32823	T100	E27	6500K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-33020	T100	E27	3000K	30W	175W	3000Lm	220-240VAC	180°	30
BA13-33021	T100	E27	4000K	30W	175W	3000Lm	220-240VAC	180°	30
BA13-33023	T100	E27	6500K	30W	175W	3000Lm	220-240VAC	180°	30



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-33820	T120	E27	3000K	38W	250W	4260Lm	220-240VAC	180°	20
BA13-33823	T120	E27	6500K	38W	250W	4260Lm	220-240VAC	180°	20
BA13-34020	T120	E27	3000K	40W	250W	4260Lm	220-240VAC	180°	20
BA13-34021	T120	E27	4000K	40W	250W	4260Lm	220-240VAC	180°	20
BA13-34023	T120	E27	6500K	40W	250W	4260Lm	220-240VAC	180°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-35021	T140	E27	4000K	50W	320W	5500Lm	220-240VAC	180°	8
BA13-35023	T140	E27	6500K	50W	320W	5500Lm	220-240VAC	180°	8



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA23-00580	MR16 LED Modul	3CCT	5W	50W	430Lm	220-240VAC	110°	100
BA23-00780	MR16 LED Modul	3CCT	7W	70W	700Lm	220-240VAC	110°	100



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°-120°)	VOLTAGE	ANGLE	PCS/CTN
BA23-10580	MR16 LED Modul	3CCT	5W	50W	380Lm	220-240VAC	45°	100
BA23-10780	MR16 LED Modul	3CCT	7W	70W	700Lm	220-240VAC	45°	100



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA23-21080	MR16 LED Modul	3CCT	10W	75W	900Lm	220-240VAC	45°	100



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA23-31080	MR16 LED Modul	3CCT	10W	75W	900Lm	220-240VAC	110°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00550	MR16	GU10	3000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00551	MR16	GU10	4000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00553	MR16	GU10	6500K	5W	50W	430Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00650	MR16	GU10	3000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00651	MR16	GU10	4000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00653	MR16	GU10	6500K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00750	MR16	GU10	3000K	7W	70W	580Lm	220-240VAC	110°	100
BA24-00751	MR16	GU10	4000K	7W	70W	580Lm	220-240VAC	110°	100
BA24-00753	MR16	GU10	6500K	7W	70W	580Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00560	MR16	GU5.3	3000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00561	MR16	GU5.3	4000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00563	MR16	GU5.3	6500K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00660	MR16	GU5.3	3000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00661	MR16	GU5.3	4000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00663	MR16	GU5.3	6500K	6.5W	70W	550Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00550	MR16	GU10	3000K	5W	50W	380Lm	220-240VAC	38°	100
BA25-00551	MR16	GU10	4000K	5W	50W	380Lm	220-240VAC	38°	100
BA25-00553	MR16	GU10	6500K	5W	50W	380Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00650	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00651	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00653	MR16	GU10	6500K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00750	MR16	GU10	3000K	7W	70W	530Lm	220-240VAC	38°	100
BA25-00751	MR16	GU10	4000K	7W	70W	530Lm	220-240VAC	38°	100
BA25-00753	MR16	GU10	6500K	7W	70W	530Lm	220-240VAC	38°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00660	MR16	GU5.3	3000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00661	MR16	GU5.3	4000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00663	MR16	GU5.3	6500K	6.5W	70W	500Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00754	MR16	GU10	Red	7W	/	/	220-240VAC	38°	100
BA25-00755	MR16	GU10	Green	7W	/	/	220-240VAC	38°	100
BA25-00756	MR16	GU10	Blue	7W	/	/	220-240VAC	38°	100
BA25-00757	MR16	GU10	Amber	7W	/	/	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-30460	MR16	GU5.3	3000K	4.5W	50W	360Lm	12VAC	38°	100
BA25-30461	MR16	GU5.3	4000K	4.5W	50W	360Lm	12VAC	38°	100
BA25-30463	MR16	GU5.3	6500K	4.5W	50W	360Lm	12VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA26-00650	MR16	GU10	3000K	6.5W	70W	650Lm	220-240VAC	38°	100
BA26-00651	MR16	GU10	4000K	6.5W	70W	650Lm	220-240VAC	38°	100
BA26-00653	MR16	GU10	6500K	6.5W	70W	650Lm	220-240VAC	38°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA26-60650	MR16 Dim.	GU10	3000K	6W	70W	450Lm	220-240VAC	38°	100
BA26-60651	MR16 Dim.	GU10	4000K	6W	70W	450Lm	220-240VAC	38°	100
BA26-60653	MR16 Dim.	GU10	6500K	6W	70W	450Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA27-00550	MR16	GU10	3000K	4.8W	50W	350Lm	220-240VAC	38°	100
BA27-00551	MR16	GU10	4000K	4.8W	50W	350Lm	220-240VAC	38°	100
BA27-00553	MR16	GU10	6500K	4.8W	50W	350Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA27-60650	MR16-Dimmable	GU10	3000K	5.5W	50W	400Lm	220-240VAC	38°	100
BA27-60651	MR16-Dimmable	GU10	4000K	5.5W	50W	400Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00390	G9-Dimmable	G9	3000K	3W	20W	260Lm	220-240VAC	240°	250
BA29-00391	G9-Dimmable	G9	4000K	3W	20W	260Lm	220-240VAC	240°	250
BA29-00393	G9-Dimmable	G9	6500K	3W	20W	260Lm	220-240VAC	240°	250



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00590	G9	G9	3000K	5W	45W	430Lm	220-240VAC	240°	250
BA29-00591	G9	G9	4000K	5W	45W	430Lm	220-240VAC	240°	250
BA29-00593	G9	G9	6500K	5W	45W	430Lm	220-240VAC	240°	250



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00690	G9	G9	3000K	6.5W	45W	580Lm	220-240VAC	240°	250
BA29-00691	G9	G9	4000K	6.5W	45W	580Lm	220-240VAC	240°	250
BA29-00693	G9	G9	6500K	6.5W	45W	580Lm	220-240VAC	240°	250



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00990	G9	G9	3000K	9W	60W	806Lm	220-240VAC	240°	250
BA29-00991	G9	G9	4000K	9W	60W	806Lm	220-240VAC	240°	250
BA29-00993	G9	G9	6500K	9W	60W	806Lm	220-240VAC	240°	250



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA35-00410	C35-Tail	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA35-00413	C35-Tail	E14	6500K	4W	40W	470Lm	220-240VAC	300°	100
BA35-00610	C35-Tail	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA35-00613	C35-Tail	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-00410	C35	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-00610	C35	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA36-00611	C35	E14	4000K	6W	50W	630Lm	220-240VAC	300°	100
BA36-00613	C35	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-60410	C35-Dimmable	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-60610	C35-Dimmable	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-00420	C35	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-00620	C35	E27	3000K	6W	50W	630Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA37-00410	P45	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA37-00610	P45	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA37-00613	P45	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φ_{use} 360°)	VOLTAGE	ANGLE	PCS/CTN
BA37-00420	G45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA37-00620	G45	E27	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA37-00623	G45	E27	6500K	6W	50W	630Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φ_{use} 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-00720	A60	E27	3000K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00721	A60	E27	4000K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00723	A60	E27	6500K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00920	A60	E27	3000K	9W	75W	1055Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φ_{use} 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-60820	A60-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φ_{use} 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-01320	A65	E27	3000K	13W	110W	1520Lm	220-240VAC	300°	100



*Technical information indicated above may have tolerance \pm 10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA39-00420	T45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA41-60820	G95-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	360°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA46-00720	ST64	E27	3000K	7W	60W	806Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB36-00410	C35-Amber	E14	2200K	4W	30W	360Lm	220-240VAC	360°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN($\Phi_{use\ 360^\circ}$)	VOLTAGE	ANGLE	PCS/CTN
BB36-60410	C35-Amber-Dimmable	E14	2200K	4W	30W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN($\Phi_{use\ 360^\circ}$)	VOLTAGE	ANGLE	PCS/CTN
BB37-00410	P45-Amber	E14	2200K	4W	30W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN($\Phi_{use\ 360^\circ}$)	VOLTAGE	ANGLE	PCS/CTN
BB37-00420	G45-Amber	E27	2200K	4W	30W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN($\Phi_{use\ 360^\circ}$)	VOLTAGE	ANGLE	PCS/CTN
BB39-00420	T45	E27	2200K	4W	30W	360Lm	220-240VAC	360°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB46-00620	ST64-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB46-60620	ST64-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB47-00620	G95-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB47-60620	G95-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB48-00620	G125-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB62-60620	T30-200-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50




MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-00680	T8/0.6mt	Double Side	G13	3000K	9W	900Lm	220-240VAC	270°	25
BA52-00681	T8/0.6mt	Double Side	G13	4000K	9W	900Lm	220-240VAC	270°	25
BA52-00683	T8/0.6mt	Double Side	G13	6500K	9W	900Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-01280	T8/1.2mt	Double Side	G13	3000K	18W	1800Lm	220-240VAC	270°	25
BA52-01281	T8/1.2mt	Double Side	G13	4000K	18W	1800Lm	220-240VAC	270°	25
BA52-01283	T8/1.2mt	Double Side	G13	6500K	18W	1800Lm	220-240VAC	270°	25



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-01580	T8/1.5mt	Double Side	G13	3000K	24W	2440Lm	220-240VAC	270°	25
BA52-01581	T8/1.5mt	Double Side	G13	4000K	24W	2440Lm	220-240VAC	270°	25
BA52-01583	T8/1.5mt	Double Side	G13	6500K	24W	2440Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-20680	T8/0.6mt	Single Side	G13	3000K	9W	900Lm	220-240VAC	270°	25
BA52-20681	T8/0.6mt	Single Side	G13	4000K	9W	900Lm	220-240VAC	270°	25
BA52-20683	T8/0.6mt	Single Side	G13	6500K	9W	900Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-21280	T8/1.2mt	Single Side	G13	3000K	18W	1800Lm	220-240VAC	270°	25
BA52-21281	T8/1.2mt	Single Side	G13	4000K	18W	1800Lm	220-240VAC	270°	25
BA52-21283	T8/1.2mt	Single Side	G13	6500K	18W	1800Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-21580	T8/1.5mt	Single Side	G13	3000K	24W	2440Lm	220-240VAC	270°	25
BA52-21581	T8/1.5mt	Single Side	G13	4000K	24W	2440Lm	220-240VAC	270°	25
BA52-21583	T8/1.5mt	Single Side	G13	6500K	24W	2440Lm	220-240VAC	270°	25



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00300	Ecoline	5050	3000K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00301	Ecoline	5050	4000K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00303	Ecoline	5050	6500K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00304	Ecoline	5050	Red	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00305	Ecoline	5050	Green	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00306	Ecoline	5050	Blue	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00307	Ecoline	5050	Amber	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00309	Ecoline	5050	RGB	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00409	Ecoline	5050	RGB	12W	60 Led	12VDC	IP65	250 Mt	10 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00310	Ecoline	5050	3000K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00311	Ecoline	5050	4000K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00313	Ecoline	5050	6500K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00319	Ecoline	5050	RGB	12W	60 Led	24VDC	IP20	250 Mt	10 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00700	Ecoline	2835	3000K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00701	Ecoline	2835	4000K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00703	Ecoline	2835	6500K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00704	Ecoline	2835	RED	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00705	Ecoline	2835	GREEN	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00706	Ecoline	2835	BLUE	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00707	Ecoline	2835	AMBER	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00710	Ecoline	2835	3000K	8W	60 Led	24VDC	IP20	200 Mt	8 mm
BS01-00711	Ecoline	2835	4000K	8W	60 Led	24VDC	IP20	200 Mt	8 mm
BS01-00713	Ecoline	2835	6500K	8W	60 Led	24VDC	IP20	200 Mt	8 mm




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00800	Ecoline	2835	3000K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00801	Ecoline	2835	4000K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00803	Ecoline	2835	6500K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00804	Ecoline	2835	RED	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00805	Ecoline	2835	GREEN	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00806	Ecoline	2835	BLUE	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP20	200 Mt	8 mm
BS01-00811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP20	200 Mt	8 mm
BS01-00813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP20	200 Mt	8 mm




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00910	Plusline	2835	3000K	16W	180 Led	24VDC	IP20	200 Mt	10 mm
BS01-00911	Plusline	2835	4000K	16W	180 Led	24VDC	IP20	200 Mt	10 mm
BS01-00913	Plusline	2835	6500K	16W	180 Led	24VDC	IP20	200 Mt	10 mm




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01410	Plusline	2835	3000K	20W	240 Led	24VDC	IP20	200 Mt	10 mm
BS01-01411	Plusline	2835	4000K	20W	240 Led	24VDC	IP20	200 Mt	10 mm
BS01-01413	Plusline	2835	6500K	20W	240 Led	24VDC	IP20	200 Mt	10 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-10810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP65	200 Mt	8 mm
BS01-10811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP65	200 Mt	8 mm
BS01-10813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP65	200 Mt	8 mm
BS01-10910	Plusline	2835	3000K	16W	180 Led	24VDC	IP65	200 Mt	8 mm
BS01-10911	Plusline	2835	4000K	16W	180 Led	24VDC	IP65	200 Mt	8 mm
BS01-10913	Plusline	2835	6500K	16W	180 Led	24VDC	IP65	200 Mt	8 mm




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01418	Plusline	5050	RGBW+CW	12W	96 Led	24VDC	IP20	100 Mt	12 mm




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	LED QTY	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-03000	COB	320 LED	3000K	10W	12VDC	IP20	400 Mt	8 mm
BS01-03001	COB	320 LED	4000K	10W	12VDC	IP20	400 Mt	8 mm
BS01-03003	COB	320 LED	6500K	10W	12VDC	IP20	400 Mt	8 mm



MODEL NO	TYPE	LED QTY	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-03010	COB	320 LED	3000K	10W	24VDC	IP20	400 Mt	8 mm
BS01-03011	COB	320 LED	4000K	10W	24VDC	IP20	400 Mt	8 mm
BS01-03013	COB	320 LED	6500K	10W	24VDC	IP20	400 Mt	8 mm




MODEL NO	TYPE	LED QTY	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00710	COB	360 LED	3000K	12W	220-240VAC	IP65	50 Mt	10 mm
BS02-00711	COB	360 LED	4000K	12W	220-240VAC	IP65	50 Mt	10 mm
BS02-00713	COB	360 LED	6500K	12W	220-240VAC	IP65	50 Mt	10 mm



BS02-99943
Corner Connector
ABS



MODEL NO	TYPE	LED QTY	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00720	COB	240 LED	3000K	10W	220-240VAC	IP65	100 Mt	10 mm
BS02-00721	COB	240 LED	4000K	10W	220-240VAC	IP65	100 Mt	10 mm
BS02-00723	COB	2400 LED	6500K	10W	220-240VAC	IP65	100 Mt	10 mm
BS02-00727	COB	2400 LED	AMBER	10W	220-240VAC	IP65	100 Mt	10 mm



BS02-99720
Power Cord
Max. 500W
ABS
220-240V



BS02-99721
Clip
PVC



BS02-99722
End Cap
PVC



BS02-99723
Middle Connector
ABS



BS02-99724
Corner Connector
ABS




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



F A G

MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-02000	Ecoline	2835	3000K	8W	220-240VAC	IP65	100 Mt	12 mm
BS02-02001	Ecoline	2835	4000K	8W	220-240VAC	IP65	100 Mt	12 mm
BS02-02003	Ecoline	2835	6500K	8W	220-240VAC	IP65	100 Mt	12 mm



IP65

BS02-99812

Clip

F2835

120L1

PC

BS02-99811

End Cap

2835

PC

BS02-99810

Power Cord

IP65

ABS



F A G

MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00010	Neon	2835	3000K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00011	Neon	2835	4000K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00013	Neon	2835	6500K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00014	Neon	2835	RED	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00015	Neon	2835	GREEN	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00016	Neon	2835	BLUE	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00017	Neon	2835	AMBER	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm



IP65

BS02-90020

Clip

Neon LED Strip

8x16

PC

BS02-90021

Cap

Neon LED Strip

8x16

PC

BS02-90022

Middle Connector

Neon LED Strip

8x16

PC

NEW



F A G

MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00020	Ecoline	2835	3000K	6W	220-240VAC	IP65	100 Mt	14 mm
BS02-00021	Ecoline	2835	4000K	6W	220-240VAC	IP65	100 Mt	14 mm
BS02-00023	Ecoline	2835	6500K	6W	220-240VAC	IP65	100 Mt	14 mm



IP65

BS02-99000

Power Cord

8A

PC

BS02-99001

Clip

LED Rope Stripe

PC

BS02-99002


End Cap

LED Rope Stripe

PC



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00508	Ecoline	5050	RGB	10W	96 Led	220-240VAC	IP65	100 Mt	16 mm
BS01-00509	Ecoline	5050	RGB	13W	120 Led	220-240VAC	IP65	100 Mt	16 mm



IP65



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00500	Ecoline	2835	3000K	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm
BS01-00501	Ecoline	2835	4000K	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm
BS01-00503	Ecoline	2835	6500K	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm
BS01-00504	Ecoline	2835	RED	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm
BS01-00505	Ecoline	2835	GREEN	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm
BS01-00506	Ecoline	2835	BLUE	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm
BS01-00507	Ecoline	2835	AMBER	8W	120 Led	220-240VAC	IP65	100 Mt	15 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00510	Ecoline	2835	3000K	12W	180 Led	220-240V	IP65	100 Mt	16 mm
BS01-00511	Ecoline	2835	4000K	12W	180 Led	220-240V	IP65	100 Mt	16 mm
BS01-00513	Ecoline	2835	6500K	12W	180 Led	220-240V	IP65	100 Mt	16 mm
BS01-00514	Ecoline	2835	RED	12W	180 Led	220-240V	IP65	100 Mt	16 mm
BS01-00515	Ecoline	2835	GREEN	12W	180 Led	220-240V	IP65	100 Mt	16 mm
BS01-00516	Ecoline	2835	BLUE	12W	180 Led	220-240V	IP65	100 Mt	16 mm
BS01-00517	Ecoline	2835	AMBER	12W	180 Led	220-240V	IP65	100 Mt	16 mm

BS02-99910
Power Cord
For BS01-0051X
8A
2835
120L
PC



BS02-99911
End Cap
Ecoline 2835
For BS01-0051X
120L
PC



BS02-99912
Clip
Ecoline 2835
For BS01-0051X
120L
PC



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00510	Ecoline	2835	3000K	8W	120 Led	220-240V	IP65	100 Mt	9 mm
BS02-00511	Ecoline	2835	4000K	8W	120 Led	220-240V	IP65	100 Mt	9 mm
BS02-00513	Ecoline	2835	6500K	8W	120 Led	220-240V	IP65	100 Mt	9 mm
BS02-00530	Ecoline	2835	3000K	15W	240 Led	220-240V	IP65	100 Mt	13 mm
BS02-00531	Ecoline	2835	4000K	15W	240 Led	220-240V	IP65	100 Mt	13 mm
BS02-00533	Ecoline	2835	6500K	15W	240 Led	220-240V	IP65	100 Mt	13 mm



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BS01-99600
LED Strip Connector
Strip to Wire
8-10-12mm
PC



BS01-99601
LED Strip Connect
Wired to Strip
8-10-12mm
PC



BS01-99602
LED Strip Connect
Wired Middle
8-10-12mm
PC



BS01-99604
LED Strip Connector
Corner
8-10-12mm
PC



BS01-99605
LED Strip Connector
Middle
8-10-12mm
PC



BS01-99610
LED Strip Connector
Strip to Wire
RGB 10mm
PC



BS01-99611
LED Strip Connector
Wired to Strip
RGB 10mm
PC



BS01-99612
LED Strip Connector
Wired Middle
RGB 10mm
PC



BS01-99614
LED Strip Connector
Corner
RGB 10mm
PC



BS01-99615
LED Strip Connector
Middle
RGB 10mm
PC



BS01-99616
DIY Plier



BS01-99906
BS01-99907
Power Cord
8A
For 120Led&180Led
PC



BS01-99908
RGB Controller
Max.800W
For BS01-00509
PC



BS01-99909
RGB Controller
Max.800W
For Neon Led Strip
PC



BS01-99910
RGB Controller
Max.800W
For BS01-00508
PC



BS01-99912
End Cap
For BS01-005XX
2835
120L2-180L2
PC



BS01-99913
End Cap
RGB
5050
96L2-120L2
PC



BS01-99922
Clip
For BS01-005XX
2835
120L2-180L2
PC

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BS01-99923
Clip
6,5x16mm
RGB
5050
96L2-120L2
PC




BS01-99930
Power Cord
8A
For 240Led
PC



BS02-90001
Power Cord
8A
For Neon Led Strip
PC



BS01-99903
End Cap
+ Clip Connector set
120L
PC



BS02-99931
End Cap
+ Clip Connector set
240L
PC



BS02-90020
Clip
Neon Led Strip 8x16
For BS02-0001X
PC



BS02-90021
Cap
Neon Led Strip 8x16
For BS02-0001X
PC



BS02-90022
Middle Connector
Neon Led Strip 8x16
For BS02-0001X
PC



BS02-99000
Rope Power Cord
8A
For BS02-0002X
PC



BS02-99001
Clip
LED Rope Stripe
For BS02-0002X
PC



BS02-99002
End Cap
LED Rope Stripe
For BS02-0002X
PC



BS02-99720
Power Cord
For BS02-0072X
Max. 500W
ABS
220-240V



BS02-99721
Clip
For BS02-0072X
PVC



BS02-99722
End Cap
For BS02-0072X
PVC



BS02-99723
Middle Connector
For BS02-0072X
ABS



BS02-99724
Corner Connector
For BS02-0072X
ABS



BS02-99810
Power Cord
For BS02-0200X
IP65
ABS
220-240V



BS02-99811
End Cap
Ecoline 2835
For BS02-0200X
PC

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BS02-99812
Clip
For BS02-0200X
2835
120L1
PC



BS02-99900
Power Cord
8A
L9
220L
"ABS



BS02-99901
BS02-99942
Clip
L9
220L
PVC



BS02-99902
BS02-99941
End Cap
L9
220L
PC



BS02-99903
BS02-99944
Middle Connector
L9
220L
ABS



BS02-99910
Power Cord
For BS01-0051X
8A
2835
120L
PC



BS02-99911
End Cap
Ecoline 2835
For BS01-0051X
120L
PC



BS02-99912
Clip
Ecoline 2835
For BS01-0051X
2835
120L1
PC



BS02-99930
Power Cord
8A
For BS01-0053X
2835
240L2
PC



BS02-99932
Clip
Ecoline
For BS01-0053X
2835
240L2
PC



BS02-99940
Power Cord
8A
5.5X10.5
PC



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-00250	25W	12VDC	2A	>0.5	220-240V	IP20	Aluminium	85x57x34mm	60
BY02-00600	60W	12VDC	5A	>0.5	220-240V	IP20	Aluminium	160x40x32mm	60
BY02-01000	100W	12VDC	8.3A	>0.5	220-240V	IP20	Aluminium	190x46x37mm	60
BY02-01500	150W	12VDC	12.5A	>0.5	220-240V	IP20	Aluminium	200x46x37mm	60
BY02-02000	200W	12VDC	16.5A	>0.5	220-240V	IP20	Aluminium	200x58x40mm	40
BY02-02500	250W	12VDC	21A	>0.5	220-240V	IP20	Aluminium	222x68x41mm	40
BY02-03500	350W	12VDC	29A	>0.5	220-240V	IP20	Aluminium	222x68x41mm	40
BY02-10250	25W	24VDC	1A	>0.5	220-240V	IP20	Aluminium	86x58x33mm	60
BY02-10600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	160x40x32mm	60
BY02-11000	100W	24VDC	4.2A	>0.5	220-240V	IP20	Aluminium	190x47x35mm	60
BY02-11500	150W	24VDC	6.2A	>0.5	220-240V	IP20	Aluminium	200x46x37mm	60
BY02-12500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	220x68x40mm	40
BY02-13500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	222x68x41mm	40
BY02-15000	500W	24VDC	20.8A	>0.5	220-240V	IP20	Aluminium	215x50x115mm	20



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-20600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	150x35x23mm	60
BY02-21000	100W	24VDC	4.2A	>0.5	220-240V	IP20	Aluminium	143x48x23mm	60
BY02-21500	150W	24VDC	6.2A	>0.5	220-240V	IP20	Aluminium	185x48x23mm	60
BY02-22000	200W	24VDC	8.2A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-22500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-23500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40
BY02-24000	400W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40
BY02-26000	600W	24VDC	25A	>0.5	220-240V	IP20	Aluminium	215x112x50mm	20



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY01-00600	60W	24VDC	2.5A	>0.5	220-240V	IP67	Aluminium	130x44x21mm	50
BY01-01000	100W	24VDC	4.1A	>0.5	220-240V	IP67	Aluminium	170x65x31mm	30
BY01-01500	150W	24VDC	6.25A	>0.5	220-240V	IP67	Aluminium	190x65x31mm	20
BY01-02000	200W	24VDC	8.3A	>0.5	220-240V	IP67	Aluminium	210x65x31mm	20
BY01-02500	250W	24VDC	10A	>0.5	220-240V	IP67	Aluminium	210x65x31mm	10
BY01-03000	300W	24VDC	12.5A	>0.5	220-240V	IP67	Aluminium	230x75x40mm	10
BY01-04000	400W	24VDC	16.5A	>0.5	220-240V	IP67	Aluminium	250x75x40mm	10



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22000	200W	48VDC	4A	>0.5	220-240V	IP20	Aluminium	255x49x30mm	30
BY03-23500	350W	48VDC	7.2A	>0.5	220-240V	IP20	Aluminium	255x60x30mm	30




MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-30600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	150x53x21mm	100
BY02-31000	100W	24VDC	4.1A	>0.5	220-240V	IP20	Aluminium	170x53x21mm	100
BY02-31500	150W	24VDC	6.25A	>0.5	220-240V	IP20	Aluminium	210x53x21mm	50
BY02-32000	200W	24VDC	8.3A	>0.5	220-240V	IP20	Aluminium	308x53x21mm	50
BY02-32500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	308x53x21mm	50
BY02-33000	300W	24VDC	12.5A	>0.5	220-240V	IP20	Aluminium	308x53x21mm	50
BY02-33500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	308x53x21mm	50
BY02-34000	400W	24VDC	16.5A	>0.5	220-240V	IP20	Aluminium	308x53x21mm	50




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	WATT	OUTPUT CURRENT	INPUT VOLTAGE	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01120	Controller	216W	18A	220-240V	12/24VDC	220-240VAC	PC	100



MODEL NO	TYPE	WATT	OUTPUT CURRENT	INPUT VOLTAGE	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01130	Controller	72W	6A	220-240V	12/24VDC	220-240VAC	PC	200




MODEL NO	TYPE	WATT	OUTPUT CURRENT	INPUT VOLTAGE	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01140	Controller	480W	4A/CH	220-240V	12/24VDC	220-240VAC	PC	100



NEW


MODEL NO	MAX.WATT	TYPE	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-00010	13W	AC	220-240V	2x3,7V 1800mAh	IP20	PC	50
BY35-00020	13W	DC	220-240V	2x3,7V 1800mAh	IP20	PC	50

EMERGENCY KIT




MODEL NO	MAX.WATT	TYPE	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-30130	3W	DC	220-240V	3.7V 2200mAh	IP20	PC	50
BY35-30230	5W	DC	220-240V	7.4V 2200mAh	IP20	PC	50

EMERGENCY KIT




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01010	MS01	PIR	IP20	220-240VAC	2000W (Halogen)	500W (CFL)	800W (LED)	0.45W (Static 0.1W)	10 Sec. - 5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
Max. 8m	0.6 - 1.5 m/s	5-2000 LUX	2-4 Mt	-20° - +40°	%93 RH	PC	50			



MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01030	MS03	PIR	IP44	220-240VAC	800W (Halogen)	400W (LED)	0.5W (Static 0.1W)	10 Sec. - 8 Min (Adjustable)	180°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
Max. 25m	0.6 - 1.5 m/s	5-2000 LUX	2-3 Mt	-20° - +40°	%93 RH	PC	50		





MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01040	MS04	PIR	IP20	220-240VAC	800W (Halogen)	400W (LED)	0.45W (Static 0.1W)	10 Sec. - 5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
Max. 5m	0.6 - 1.5 m/s	5-2000 LUX	2 - 4 Mt	-20° - +40°	%93 RH	PC	100		





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	INPUT VOLTAGE	RATED LOAD	TIME DELAY	DETECTION ANGLE	DETECTION DISTANCE	INSTALLATION HEIGHT	WORKING TEMPERATURE	MATERIAL	PCS/CTN
BY31-01050	220-240VAC	2000W (Halogen)	10 Sec. - 25 Min	360°	Max. 15m	2 - 4 Mt	-20° - +40°	PC	50



MODEL NO	INPUT VOLTAGE	RATED LOAD	TIME DELAY	DETECTION ANGLE	DETECTION DISTANCE	INSTALLATION HEIGHT	WORKING TEMPERATURE	MATERIAL	PCS/CTN
BY31-01060	220-240VAC	400W (LED)	20 Sec. - 10 Min	360°	Max. 5m	2 - 3 Mt	-20° - +40°	PC	100




MODEL NO	INPUT VOLTAGE	RATED LOAD	AMPER	PROTECTION DEGREE	WORKING TEMPERATURE	MATERIAL	PCS/CTN
BY31-03010	220-240VAC	Max. 1000W	6A	IP44	-20° - +40°	PC	100



IP44




MODEL NO	TYPE	INPUT VOLTAGE	RATED LOAD	AMPER	PROTECTION DEGREE	WORKING TEMPERATURE	MATERIAL	PCS/CTN
BY31-03020	PS01	220-240VAC	Max. 1800W	10A	IP44	-20° - +40°	PC	100



IP44



MODEL NO	TYPE	INPUT VOLTAGE	RATED LOAD	AMPER	PROTECTION DEGREE	WORKING TEMPERATURE	MATERIAL	PCS/CTN
BY31-03040	PS03	220-240VAC	Max. 3000W	25A	IP44	-20° - +40°	PC	100



IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



ELECTRICAL

SWITCHGEARS

MCB, DPN, RCCB & INDICATORS

5 YEARS
WARRANTY



MODEL NO DEFINITION

B X G X - X X XX

- RATED CURRENT
- RELEASE TYPE
- POLES (1=1P, 2=2P, 3=3P, 4=P)
- BREAKING CAPACITY (1=4.5kA, 2=6kA, 3=10kA)
- GENERATION
- TYPE (M=MCB, R=RCCB, O=RCBO, C=MCCB)
- VENDOR CODE



IEC/EN60898-1
IEC/EN60947-2
IEC/EN61008-1

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01106	BMG2-1 C06	C	6kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-01110	BMG2-1 C10	C	6kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-01116	BMG2-1 C16	C	6kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-01120	BMG2-1 C20	C	6kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-01125	BMG2-1 C25	C	6kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-01132	BMG2-1 C32	C	6kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-01140	BMG2-1 C40	C	6kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-01150	BMG2-1 C50	C	6kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-01163	BMG2-1 C63	C	6kA	1P	63A	63A	240/415V~	50/60Hz	120






ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01206	BMG2-2 C06	C	6kA	2P	6A	63A	415V~	50/60Hz	60
BY80-01210	BMG2-2 C10	C	6kA	2P	10A	63A	415V~	50/60Hz	60
BY80-01216	BMG2-2 C16	C	6kA	2P	16A	63A	415V~	50/60Hz	60
BY80-01220	BMG2-2 C20	C	6kA	2P	20A	63A	415V~	50/60Hz	60
BY80-01225	BMG2-2 C25	C	6kA	2P	25A	63A	415V~	50/60Hz	60
BY80-01232	BMG2-2 C32	C	6kA	2P	32A	63A	415V~	50/60Hz	60
BY80-01240	BMG2-2 C40	C	6kA	2P	40A	63A	415V~	50/60Hz	60
BY80-01250	BMG2-2 C50	C	6kA	2P	50A	63A	415V~	50/60Hz	60
BY80-01263	BMG2-2 C63	C	6kA	2P	63A	63A	415V~	50/60Hz	60



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01306	BMG2-3 C06	C	6kA	3P	6A	63A	415V~	50/60Hz	40
BY80-01310	BMG2-3 C10	C	6kA	3P	10A	63A	415V~	50/60Hz	40
BY80-01316	BMG2-3 C16	C	6kA	3P	16A	63A	415V~	50/60Hz	40
BY80-01320	BMG2-3 C20	C	6kA	3P	20A	63A	415V~	50/60Hz	40
BY80-01325	BMG2-3 C25	C	6kA	3P	25A	63A	415V~	50/60Hz	40
BY80-01332	BMG2-3 C32	C	6kA	3P	32A	63A	415V~	50/60Hz	40
BY80-01340	BMG2-3 C40	C	6kA	3P	40A	63A	415V~	50/60Hz	40
BY80-01350	BMG2-3 C50	C	6kA	3P	50A	63A	415V~	50/60Hz	40
BY80-01363	BMG2-3 C63	C	6kA	3P	63A	63A	415V~	50/60Hz	40



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01406	BMG2-4 C06	C	6kA	4P	6A	63A	415V~	50/60Hz	30
BY80-01410	BMG2-4 C10	C	6kA	4P	10A	63A	415V~	50/60Hz	30
BY80-01416	BMG2-4 C16	C	6kA	4P	16A	63A	415V~	50/60Hz	30
BY80-01420	BMG2-4 C20	C	6kA	4P	20A	63A	415V~	50/60Hz	30
BY80-01425	BMG2-4 C25	C	6kA	4P	25A	63A	415V~	50/60Hz	30
BY80-01432	BMG2-4 C32	C	6kA	4P	32A	63A	415V~	50/60Hz	30
BY80-01440	BMG2-4 C40	C	6kA	4P	40A	63A	415V~	50/60Hz	30
BY80-01450	BMG2-4 C50	C	6kA	4P	50A	63A	415V~	50/60Hz	30
BY80-01463	BMG2-4 C63	C	6kA	4P	63A	63A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00106	BMG1-1 C06	C	4.5kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-00110	BMG1-1 C10	C	4.5kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-00116	BMG1-1 C16	C	4.5kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-00120	BMG1-1 C20	C	4.5kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-00125	BMG1-1 C25	C	4.5kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-00132	BMG1-1 C32	C	4.5kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-00140	BMG1-1 C40	C	4.5kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-00150	BMG1-1 C50	C	4.5kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-00163	BMG1-1 C63	C	4.5kA	1P	63A	63A	240/415V~	50/60Hz	120





ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00206	BMG1-2 C06	C	4.5kA	2P	6A	63A	415V~	50/60Hz	60
BY80-00210	BMG1-2 C10	C	4.5kA	2P	10A	63A	415V~	50/60Hz	60
BY80-00216	BMG1-2 C16	C	4.5kA	2P	16A	63A	415V~	50/60Hz	60
BY80-00220	BMG1-2 C20	C	4.5kA	2P	20A	63A	415V~	50/60Hz	60
BY80-00225	BMG1-2 C25	C	4.5kA	2P	25A	63A	415V~	50/60Hz	60
BY80-00232	BMG1-2 C32	C	4.5kA	2P	32A	63A	415V~	50/60Hz	60
BY80-00240	BMG1-2 C40	C	4.5kA	2P	40A	63A	415V~	50/60Hz	60
BY80-00250	BMG1-2 C50	C	4.5kA	2P	50A	63A	415V~	50/60Hz	60
BY80-00263	BMG1-2 C63	C	4.5kA	2P	63A	63A	415V~	50/60Hz	60



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00306	BMG1-3 C06	C	4.5kA	3P	6A	63A	415V~	50/60Hz	40
BY80-00310	BMG1-3 C10	C	4.5kA	3P	10A	63A	415V~	50/60Hz	40
BY80-00316	BMG1-3 C16	C	4.5kA	3P	16A	63A	415V~	50/60Hz	40
BY80-00320	BMG1-3 C20	C	4.5kA	3P	20A	63A	415V~	50/60Hz	40
BY80-00325	BMG1-3 C25	C	4.5kA	3P	25A	63A	415V~	50/60Hz	40
BY80-00332	BMG1-3 C32	C	4.5kA	3P	32A	63A	415V~	50/60Hz	40
BY80-00340	BMG1-3 C40	C	4.5kA	3P	40A	63A	415V~	50/60Hz	40
BY80-00350	BMG1-3 C50	C	4.5kA	3P	50A	63A	415V~	50/60Hz	40
BY80-00363	BMG1-3 C63	C	4.5kA	3P	63A	63A	415V~	50/60Hz	40



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00406	BMG1-4 C06	C	4.5kA	4P	6A	63A	415V~	50/60Hz	30
BY80-00410	BMG1-4 C10	C	4.5kA	4P	10A	63A	415V~	50/60Hz	30
BY80-00416	BMG1-4 C16	C	4.5kA	4P	16A	63A	415V~	50/60Hz	30
BY80-00420	BMG1-4 C20	C	4.5kA	4P	20A	63A	415V~	50/60Hz	30
BY80-00425	BMG1-4 C25	C	4.5kA	4P	25A	63A	415V~	50/60Hz	30
BY80-00432	BMG1-4 C32	C	4.5kA	4P	32A	63A	415V~	50/60Hz	30
BY80-00440	BMG1-4 C40	C	4.5kA	4P	40A	63A	415V~	50/60Hz	30
BY80-00450	BMG1-4 C50	C	4.5kA	4P	50A	63A	415V~	50/60Hz	30
BY80-00463	BMG1-4 C63	C	4.5kA	4P	63A	63A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01391	BMG2-3 C100	C	6kA	3P	100A	100A	415V~	50/60Hz	20



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01480	BMG2-4 C80	C	6kA	4P	80A	100A	415V~	50/60Hz	20
BY80-01491	BMG2-4 C100	C	6kA	4P	100A	100A	415V~	50/60Hz	20
BY80-01492	BMG2-4 C125	C	6kA	4P	125A	125A	415V~	50/60Hz	20



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01506	BMG2-1 B06	B	6kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-01510	BMG2-1 B10	B	6kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-01516	BMG2-1 B16	B	6kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-01520	BMG2-1 B20	B	6kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-01525	BMG2-1 B25	B	6kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-01532	BMG2-1 B32	B	6kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-01540	BMG2-1 B40	B	6kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-01550	BMG2-1 B50	B	6kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-01563	BMG2-1 B63	B	6kA	1P	63A	63A	240/415V~	50/60Hz	120




ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-02006	BMG1-D C06	C	4.5kA	1P+N	6A	63A	240V~	50/60Hz	120
BY80-02010	BMG1-D C10	C	4.5kA	1P+N	10A	63A	240V~	50/60Hz	120
BY80-02016	BMG1-D C16	C	4.5kA	1P+N	16A	63A	240V~	50/60Hz	120
BY80-02020	BMG1-D C20	C	4.5kA	1P+N	20A	63A	240V~	50/60Hz	120
BY80-02025	BMG1-D C25	C	4.5kA	1P+N	25A	63A	240V~	50/60Hz	120
BY80-02032	BMG1-D C32	C	4.5kA	1P+N	32A	63A	240V~	50/60Hz	120
BY80-02106	BMG1-D B06	B	4.5kA	1P+N	6A	63A	240V~	50/60Hz	120
BY80-02110	BMG1-D B10	B	4.5kA	1P+N	10A	63A	240V~	50/60Hz	120
BY80-02116	BMG1-D B16	B	4.5kA	1P+N	16A	63A	240V~	50/60Hz	120
BY80-02125	BMG1-D B25	B	4.5kA	1P+N	25A	63A	240V~	50/60Hz	120
BY80-02132	BMG1-D B32	B	4.5kA	1P+N	32A	63A	240V~	50/60Hz	120

MCB-3P

MCB-4P

MCB-1P

DPN



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-03206	BRG3-2 01 06	10mA	10kA	2P	6A	63A	240V~	50/60Hz	60
BY80-03210	BRG3-2 01 10	10mA	10kA	2P	10A	63A	240V~	50/60Hz	60
BY80-03216	BRG3-2 01 16	10mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-04216	BRG3-2 03 16	30mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-04225	BRG3-2 03 25	30mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-04240	BRG3-2 03 40	30mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-04263	BRG3-2 03 63	30mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-05216	BRG3-2 10 16	100mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-05225	BRG3-2 10 25	100mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-05240	BRG3-2 10 40	100mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-05263	BRG3-2 10 63	100mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-06216	BRG3-2 30 16	300mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-06225	BRG3-2 30 25	300mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-06240	BRG3-2 30 40	300mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-06263	BRG3-2 30 63	300mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-07216	BRG3-2 50 16	500mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-07225	BRG3-2 50 25	500mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-07240	BRG3-2 50 40	500mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-07263	BRG3-2 50 63	500mA	10kA	2P	63A	63A	240V~	50/60Hz	60




TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-04416	BRG3-4 03 16	30mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-04425	BRG3-4 03 25	30mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-04440	BRG3-4 03 40	30mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-04463	BRG3-4 03 63	30mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-05416	BRG3-4 10 16	100mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-05425	BRG3-4 10 25	100mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-05440	BRG3-4 10 40	100mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-05463	BRG3-4 10 63	100mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-06416	BRG3-4 30 16	300mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-06425	BRG3-4 30 25	300mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-06440	BRG3-4 30 40	300mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-06463	BRG3-4 30 63	300mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-07416	BRG3-4 50 16	500mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-07425	BRG3-4 50 25	500mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-07440	BRG3-4 50 40	500mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-07463	BRG3-4 50 63	500mA	10kA	4P	63A	63A	415V~	50/60Hz	30



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-04480	BRG3-4 03 80	30mA	10kA	4P	80A	80A	415V~	50/60Hz	30
BY80-04491	BRG3-4 03 100	30mA	10kA	4P	100A	100A	415V~	50/60Hz	30
BY80-06480	BRG3-4 30 80	300mA	10kA	4P	80A	80A	415V~	50/60Hz	30
BY80-06491	BRG3-4 30 100	300mA	10kA	4P	100A	100A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



ITEM NO	MODEL NO	COLOR	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY81-00010	BRG1- 1 1 4	RED	230V~	50/60Hz	120
BY81-00011	BRG1- 1 1 5	GREEN	230V~	50/60Hz	120
BY81-00012	BRG1- 1 1 6	YELLOW	230V~	50/60Hz	120




ITEM NO	MODEL NO	COLOR	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY81-00013	BRG1- 1 2 8	RED+GREEN	230V~	50/60Hz	120
BY81-00014	BRG1- 1 3 9	RED+YELLOW+GREEN	230V~	50/60Hz	120




ITEM NO	TYPE	OPERATING ACCURACY	TYPE OF DIAL	FUNCTION	POWER RESERVE (QRD, QRS)	TIME OF FUNCTION	SWITCHING CAPACITY	POWER CONSUMPTION	PCS/CTN
BY81-00110	Din-Rail-Timer	± 1 min/day at 22 °C	96 Pins	48 on/off	100 Hours	15 Min - 24hrs	16(4)A/250V~	0.5W	100

INDICATORS



INDUSTRIAL TIMER



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BY72-00030
 XLINE 3xSocket
 Max. 3680W 16A
 Without cable
 White
 IP20
 Safety Shutter

BY72-00033
 XLINE 3xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 3m Cable
 White
 IP20
 Safety Shutter



BY72-00031
 XLINE 3xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 1,5m Cable
 White
 IP20
 Safety Shutter

BY72-00035
 XLINE 3xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 5m Cable
 White
 IP20
 Safety Shutter




BY72-00040
 XLINE 4xSocket
 Max. 3680W 16A
 Without cable
 White
 IP20
 Safety Shutter

BY72-00043
 XLINE 4xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 3m Cable
 White
 IP20
 Safety Shutter



BY72-00041
 XLINE 4xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 1,5m Cable
 White
 IP20
 Safety Shutter

BY72-00045
 XLINE 4xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 5m Cable
 White
 IP20
 Safety Shutter



BY72-00060
 XLINE 6xSocket
 Max. 3680W 16A
 Without cable
 White
 IP20
 Safety Shutter

BY72-00063
 XLINE 6xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 3m Cable
 White
 IP20
 Safety Shutter



BY72-00061
 XLINE 6xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 1,5m Cable
 White
 IP20
 Safety Shutter

BY72-00065
 XLINE 6xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm2
 5m Cable
 White
 IP20
 Safety Shutter




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY72-00230
 XLINE 3xSocket
 Max. 3680W 16A
 Without cable
 White
 IP20
 ON/OFF
 Safety Shutter

BY72-00233
 XLINE 3xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 3m Cable
 White
 IP20
 ON/OFF
 Safety Shutter



BY72-00240
 XLINE 4xSocket
 Max. 3680W 16A
 Without cable
 White
 IP20
 ON/OFF
 Safety Shutter

BY72-00243
 XLINE 4xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 3m Cable
 White
 IP20 ON/OFF
 Safety Shutter



BY72-00260
 XLINE 6xSocket
 Max. 3680W 16A
 Without cable
 White
 IP20
 ON/OFF
 Safety Shutter

BY72-00263
 XLINE 6xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 3m Cable
 White
 IP20 ON/OFF
 Safety Shutter



BY72-00231
 XLINE 3xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 1,5m Cable
 White
 IP20 ON/OFF
 Safety Shutter



BY72-00235
 XLINE 3xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 5m Cable
 White
 IP20
 ON/OFF
 Safety Shutter



BY72-00241
 XLINE 4xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 1,5m Cable
 White
 IP20 ON/OFF
 Safety Shutter



BY72-00245
 XLINE 4xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 5m Cable
 White
 IP20 ON/OFF
 Safety Shutter



BY72-00261
 XLINE 6xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 1,5m Cable
 White
 IP20 ON/OFF
 Safety Shutter



BY72-00265
 XLINE 6xSocket
 Max. 3680W 16A
 H05VV-3x1,5mm²
 5m Cable
 White
 IP20 ON/OFF
 Safety Shutter




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

BY72-01001
IPLINE 1xSocket
Max. 3600W 16A
Without cable
Black
IP44
TPE-Copper


IP44



NEW

BY72-01002
IPLINE 2xSocket
Max. 3600W 16A
Without cable
Black
IP44
TPE-Copper


IP44



NEW

BY72-01003
IPLINE 3xSocket
Max. 3600W 16A
Without cable
Black
IP44
TPE-Copper


IP44



NEW

BY72-01004
IPLINE 4xSocket
Max. 3600W 16A
Without cable
Black
IP44
TPE-Copper

IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



BY74-00101
IPLINE TPF01
Female Socket
Max. 3600W 16A
Black
IP44
TPE-Copper

IP44




NEW



BY74-00102
IPLINE TPF02
Female Socket
Max. 3600W 16A
Black
IP44
TPE-Copper

IP44




NEW



BY74-00111
IPLINE TPM01
Male Plug
Max. 3600W 16A
Black
IP44
TPE-Copper

IP44




NEW



BY74-00112
IPLINE TPM02
Male Plug
Max. 3600W 16A
Black
IP44
TPE-Copper

IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

BY72-02030
XLINE
3xSocket
16A
White
IP20



NEW

BY72-02031
XLINE
3xSocket
16A
White
IP20



NEW

BY72-02033
XLINE
3xSocket
16A
White
IP20



NEW

BY72-02035
XLINE
1xSchuko Socket
1xUSBA
1xUSBC
White IP20



BY74-00001
FM01
16A
White
IP20



BY74-00002
ML01
16A
White
IP20



BY74-00003
ML02
16A
White
IP20



BY74-00004
SW01
10A
White
IP20



BY74-00005
ML04
16A
White
IP20




BY74-00006
ML03
16A
White
IP20



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




CAT5e U/UTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00350	CAT5e	4*2*(0.51CCA) 24AWG	UTP	HDPE	PVC	GREY	Ø5.0mm	305M/ROLL



CAT5e U/UTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00360	CAT5e	4*2*(0.48Cu) 24AWG	UTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL



CAT5e U/FTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00370	CAT5e	4*2*(0.50Cu) 24AWG	FTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL




CAT6 U/UTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00390	CAT6	4*2*(0.53CCA) 23AWG	UTP	HDPE	PVC	GREY	Ø6.0mm	305M/ROLL



CAT6 U/UTP 4x2x23AWG




MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00419	CAT6	4*2*(0.52Cu) 23AWG	UTP	HDPE	PVC	PURPLE	Ø6.0mm	305M/ROLL



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




CAT6 U/UTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00420	CAT6	4*2*(0.53Cu) 23AWG	UTP	HDPE	LSZH/PVC	GREY	Ø6.0mm	305M/ROLL



CAT6 U/FTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00430	CAT6	4*2*(0.53Cu) 23AWG	FTP	HDPE	LSZH/PVC	GREY	Ø7.0mm	305M/ROLL



CAT6 U/SFTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00440	CAT6	4*2*(0.53Cu) 23AWG	SFTP	HDPE	LSZH/PVC	BLUE	Ø7.0mm	305M/ROLL




CAT6 U/SFTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00441	CAT6	4*2*(0.53Cu) 23AWG	SFTP	HDPE	LSZH/PVC	BLACK	Ø7.2mm	305M/ROLL



RG 59 COAXIAL




MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00100	RG59	0.81CCS 20AWG	AL+PET FOIL+64x0.12ALMG	3.66FPE	PVC	WHITE	Ø5.9mm	100M x 6ROLL



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




RG 59 COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00130	RG59	0.81Cu 20AWG	CuAL+PET FOIL+96x0.12CCA	3.66FPE	PVC	WHITE	Ø5.9mm	100M x 6ROLL




RG 59 COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00132	RG59	0.81Cu 20AWG	CuAL+PET FOIL+96x0.12CCA	3.66FPE	PVC	BLACK	Ø5.9mm	305M/ROLL




RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00190	RG6U	1.02CCS 18AWG	AL+PET FOIL+64x0.12ALMG	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL




RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00200	RG6U	1.02CCS 18AWG	AL+PET FOIL+112x0.12ALMG	4.57FPE	PVC	WHITE	Ø7.05mm	100M x 6ROLL



RG 6U COAXIAL




MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00230	RG6U	1.02Cu 18AWG	CuAL+PET FOIL+96x0.12CCA	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

RG 6U COAXIAL




MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00231	RG6U	1.02Cu 18AWG	CuAL+PET FOIL+96x0.12CCA	4.57FPE	PVC	WHITE	Ø6.8mm	500M x 1ROLL

RG 6U COAXIAL




MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00260	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80X0.12Cu	4.57FPE	PVC	BLACK+GREEN	Ø6.8mm	100M x 6ROLL

RG 6U COAXIAL




MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00261	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80x0.12Cu	4.57FPE	PVC	BLACK+GREEN	Ø6.8mm	500M x 1ROLL

RG 6U COAXIAL




MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00264	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80X0.12Cu	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL

RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00265	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80X0.12Cu	4.57FPE	PVC	WHITE	Ø6.8mm	500M x 1ROLL

RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00266	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80X0.12Cu	4.57FPE	PVC	BLACK	Ø6.8mm	305M x 1ROLL




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




ELK-FAN BZ01-00010

12 w
4 inch
34 (dB)
100 (m³/h)
White
220-240V
IPX2
ABS




ELK-FAN BZ01-00020

16 w
5 inch
35 (dB)
160 (m³/h)
White
220-240V
IPX2
ABS



ELK-FAN BZ01-00030

18 w
6 inch
37 (dB)
260 (m³/h)
White
220-240V
IPX2
ABS



BZ01-99990 Valve for 4 inch **BZ01-99991** Valve for 5 inch **BZ01-99992** Valve for 6 inch




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BY90-00302
SC302
2IN
Clear
Current 32A
Cable Size 0.2-4mm²
IP20
PC



BY90-00303
SC303
3IN
Clear
Current 32A
Cable Size 0.2-4mm²
IP20
PC



BY90-00305
SC305
5IN
Clear
Current 32A
Cable Size 0.2-4mm²
IP20
PC



BY90-00202
SC202
2IN
Grey
Current 32A
Cable Size 0.2-4mm²
IP20
PC




BY90-00203
SC203
3IN
Grey
Current 32A
Cable Size 0.2-4mm²
IP20
PC



BY90-00205
SC205
5IN
Grey
Current 32A
Cable Size 0.2-4mm²
IP20
PC




MODEL NO	BT42-09000
HOUSING	PA
Metal PART	Brass
WATERPROOF O-RING	Silicone
RATED VOLTAGE	250V
RATED CURRENT	16A
CABLE RANGE	0.5-1.5mm ²
CABLE OD	≤7mm
Operating Temp. range	-40°-+85°
WATERPROOF RATE	IP67
FIRE CLASSIFICATION	94V0
PCS/CARTON	500



GU10-15
15 cm
GU10
Lampholder



GU91-00010
15 cm
GU10 - 75W
Ceramic
Lampholder



GU91-00110
10 cm
GU5.3 - 50W
Ceramic
Lampholder



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BY90-00100
P19
0.13 x 19 mm | 10 yards
White
PVC



BY90-00101
P19
0.13 x 19 mm | 10 yards
Black
PVC



BY90-00102
P19
0.13 x 19 mm | 10 yards
Grey
PVC



BY90-00104
P19
0.13 x 19 mm | 10 yards
Red
PVC



BY90-00105
P19
0.13 x 19 mm | 10 yards
Green
PVC



BY90-00106
P19
0.13 x 19 mm | 10 yards
Blue
PVC



BY90-00107
P19
0.13 x 19 mm | 10 yards
Yellow
PVC



BY90-00109
P19
0.13 x 19 mm | 10 yards
Yellow+Green
PVC



BY90-00110
P19
0.13 x 19 mm | 20 yards
White
PVC



BY90-00111
P19
0.13 x 19 mm | 20 yards
Black
PVC



BY90-00112
P19
0.13 x 19 mm | 20 yards
Grey
PVC



BY90-00114
P19
0.13 x 19 mm | 20 yards
Red
PVC



BY90-00115
P19
0.13 x 19 mm | 20 yards
Green
PVC



BY90-00116
P19
0.13 x 19 mm | 20 yards
Blue
PVC




BY90-00117
P19
0.13 x 19 mm | 20 yards
Yellow
PVC



BY90-00119
P19
0.13 x 19 mm | 20 yards
Yellow+Green
PVC

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



	Material	Width (mm)	Length (mm)	White	Black	Silver	PCS/Bag
BY90-01011	PA66	2,5	100	●			100
BY90-01012	PA66	2,5	150	●			100
BY90-01013	PA66	2,5	200	●			100
BY90-01021	PA66	2,5	100		●		100
BY90-01022	PA66	2,5	150		●		100
BY90-01023	PA66	2,5	200		●		100
BY90-01031	PA66	3,6	150	●			100
BY90-01032	PA66	3,6	200	●			100
BY90-01034	PA66	3,6	280	●			100
BY90-01036	PA66	3,6	370	●			100
BY90-01041	PA66	3,6	150		●		100
BY90-01042	PA66	3,6	200		●		100
BY90-01044	PA66	3,6	280		●		100
BY90-01046	PA66	3,6	370		●		100
BY90-01051	PA66	4,8	200	●			100
BY90-01052	PA66	4,8	250	●			100
BY90-01053	PA66	4,8	300	●			100
BY90-01055	PA66	4,8	370	●			100
BY90-01061	PA66	4,8	200		●		100
BY90-01062	PA66	4,8	250		●		100
BY90-01063	PA66	4,8	300		●		100
BY90-01065	PA66	4,8	370		●		100
BY90-01073	PA66	7,6	370	●			100
BY90-01075	PA66	7,6	500	●			100
BY90-01083	PA66	7,6	370		●		100
BY90-01085	PA66	7,6	500		●		100
BY90-01121	304 SS	4,6	200			●	100
BY90-01123	304 SS	4,6	360			●	100
BY90-01131	304 SS	7,9	360			●	100




*with adhesive tape


	Material	Width (mm)	Length (mm)	White	Black	PCS/Bag
BY90-01211	PA66	19	19	●		100
BY90-01221	PA66	19	19		●	100
BY90-01213	PA66	28	28	●		100
BY90-01223	PA66	28	28		●	100

	Material	Width (mm)	Length (mm)	White	Black	PCS/Bag
BY90-01310	PA66	16	10,7	●		100
BY90-01311	PA66	17,6	12,9	●		100
BY90-01321	PA66	17,6	12,9		●	100
BY90-01312	PA66	21,3	15,3	●		100
BY90-01322	PA66	21,3	15,3		●	100


*Technical information indicated above may have tolerance $\pm\%10$. For final updated information please visit website www.braytron.com




BY70-00151
GP001
2.4mt
Black
Metal




BY70-00161
GP001
3mt
Black
Metal




BY70-00171
GP001
4mt
Black
Metal




BY70-00261
GP002
3mt
Black
Metal




BY70-00271
GP002
4mt
Black
Metal




BY70-00301
GP003
0.5mt
Black
Metal




BY70-00311
GP003
0.75mt
Black
Metal




BY70-00321
GP003
1mt
Black
Metal



BY70-00351
GP003
2.4mt
Black
Metal




BY70-00361
GP003
3mt
Black
Metal




BY70-00371
GP003
4mt
Black
Metal

* Only for Romania market


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BY71-00001
SP001
Black
Metal



BY71-00011
SP002
Black
Metal




BY71-00021
SP002
Black
Metal





BY71-00031
SP002
Black
Metal





BY71-00041
SP002
Black
Metal




BY71-01021
SP003
Black
Metal



BY71-01031
SP003
Black
Metal



BY71-01041
SP003
Black
Metal



TIRANA	BG43-99022	BG43-99031	BG43-99032
	2,5 m	3 m	3 m
	Aluminium	Aluminium	Aluminium
	Dark Grey	Black	Dark Grey
	Suitable for BG43-05982		

* Only for Romania market

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Braytron
GLOBAL OFFICE

Braytron

LIGHTING & ELECTRICAL

PRODUCT CATALOGUE



BRAYTRON ROMANIA

S.C. Spotvision Electric & Lighting S.R.L
(Distribuitor Unic in Romania)
Bd. Iuliu Maniu, Nr. 616, Sect. 6
061129, Bucharest, Romania
www.spotvisionelectric.ro
sales@spotvisionelectric.ro



2026



www.braytron.com