

Panasonic



X-tendia

POWER AND SAFETY,
PERFECTLY COMBINED

X-tendia



Full protection against sudden surge **Surge Protected X-tendia Group Socket**

Panasonic X-tendia Surge Protected Group Socket provides reliable protection for your devices from sudden power surges caused by lightning, power outages, or voltage fluctuations. Designed with advanced surge protection technology, it prevents damage to sensitive electronics like computers, TVs, and appliances.

The surge protection feature shields your devices from sudden voltage spikes during use. The on-off switch allows you to turn off devices when not in use, helping to minimize standby power consumption and prevent unnecessary energy waste.



Safety Shutter

X-tendia

HANG IT OR FIX IT
X-TENDIA SUITS EVERYWHERE




- Flexible installation with the option to be fixed or hung as needed
- Safety shutter included in all models for added protection
- Special rear cover for safer cable management
- Illuminated push-button available for easy visibility
- Multiple configurations available in 2-gang, 3-gang, 4-gang, 5-gang, and 6-gang
- Cordless or cable options available in 1.5 m, 2 m, 3 m, and 5 m lengths
- Available in black, white and gray color options



X-tendia makes the life easier with its holder bracket in all places that it will be used.

Hanging with Holder Bracket

It's very easy to use X-tendia when you need to hang it. Guide pin on the holder bracket is easily inserted into its suitable housing on X-tendia and it becomes ready to be used for hanging.



Fixing on Flat Surfaces

X-tendia offers different alternatives for fixing on flat surfaces. Holder bracket can be easily fixed on the desired surface with suitable screws through screw holes. Then guide pin on the holder bracket can be easily inserted into the desired housing on X-tendia and it becomes ready for fixing.

X-tendia

SMART DESIGN
SAFE USAGE




More Comfort with Illuminated on/off Push Button

You can switch on or switch off all connected devices without removing the plugs, thanks to the illuminated on-off push-button.



Long-lasting Structure

X-tendia's structure designed for safe usage in office, home, workshop and site.




Holder Bracket

You can use X-tendia either by hanging or fixing on a flat surface wherever you wish thanks to its holder bracket.

Safe and Advanced Internal Structure and Contact Elements

With advanced internal details, X-tendia provides indispensable factors end users and for professionals.



Special Rear Cover for Safe Assembly

Everything is for safe cable assembly. Cable assemblies are performed safely only by opening the special rear cover on the backside of X-tendia.



Safety Shutter Feature in all Products

For increased protection Safety Shutter feature is offered as a standard feature in X-tendia.

Safe and Reliable Usage

X-tendia features a special contact design for safe and reliable operation.



Safety Shutter Earthed Socket

Safety Shutter Earthed Socket (with Switch)

			
2x Socket w/o Cord	3x Socket w/o Cord	4x Socket w/o Cord	5x Socket w/o Cord
WLTB04202 □□	WLTB04302 □□	WLTB04402 □□	WLTB04502 □□

			
2x Socket w/o Cord	3x Socket w/o Cord	4x Socket w/o Cord	5x Socket w/o Cord
WLTA04202 □□	WLTA04302 □□	WLTA04402 □□	WLTA04502 □□

			
6x Socket w/o Cord	2x Socket	3x Socket	4x Socket
WLTB04602 □□	WLTB04212 □□ (1,5 m Cord) WLTB04222 □□ (2 m Cord) WLTB04232 □□ (3 m Cord) WLTB04252 □□ (5 m Cord)	WLTB04312 □□ (1,5 m Cord) WLTB04322 □□ (2 m Cord) WLTB04332 □□ (3 m Cord) WLTB04352 □□ (5 m Cord)	WLTB04412 □□ (1,5 m Cord) WLTB04422 □□ (2 m Cord) WLTB04432 □□ (3 m Cord) WLTB04452 □□ (5 m Cord)

			
6x Socket w/o Cord	2x Socket	3x Socket	4x Socket
WLTA04602 □□	WLTA04212 □□ (1,5 m Cord) WLTA04222 □□ (2 m Cord) WLTA04232 □□ (3 m Cord) WLTA04252 □□ (5 m Cord)	WLTA04312 □□ (1,5 m Cord) WLTA04322 □□ (2 m Cord) WLTA04332 □□ (3 m Cord) WLTA04352 □□ (5 m Cord)	WLTA04412 □□ (1,5 m Cord) WLTA04422 □□ (2 m Cord) WLTA04432 □□ (3 m Cord) WLTA04452 □□ (5 m Cord)

	
5x Socket	6x Socket
WLTB04512 □□ (1,5 m Cord) WLTB04522 □□ (2 m Cord) WLTB04532 □□ (3 m Cord) WLTB04552 □□ (5 m Cord)	WLTB04612 □□ (1,5 m Cord) WLTB04622 □□ (2 m Cord) WLTB04632 □□ (3 m Cord) WLTB04652 □□ (5 m Cord)

	
5x Socket	6x Socket
WLTA04512 □□ (1,5 m Cord) WLTA04522 □□ (2 m Cord) WLTA04532 □□ (3 m Cord) WLTA04552 □□ (5 m Cord)	WLTA04612 □□ (1,5 m Cord) WLTA04622 □□ (2 m Cord) WLTA04632 □□ (3 m Cord) WLTA04652 □□ (5 m Cord)

The last 2 characters in □□ of products numbers show the item color.



The last 2 characters in □□ of products numbers show the item color.



Safety shutter feature in all products.

Safety Shutter Earthed Socket (French Standard)

			
3x Socket w/o Cord WLTB06302 □□	4x Socket w/o Cord WLTB06402 □□	5x Socket w/o Cord WLTB06502 □□	6x Socket w/o Cord WLTB06602 □□

Safety Shutter Earthed Socket (French Standard) (with Switch)

			
3x Socket WLTA06312 □□ (1,5 m Cord) WLTA06322 □□ (2 m Cord) WLTA06332 □□ (3 m Cord) WLTA06352 □□ (5 m Cord)	4x Socket WLTA06412 □□ (1,5 m Cord) WLTA06422 □□ (2 m Cord) WLTA06432 □□ (3 m Cord) WLTA06452 □□ (5 m Cord)	5x Socket WLTA06512 □□ (1,5 m Cord) WLTA06522 □□ (2 m Cord) WLTA06532 □□ (3 m Cord) WLTA06552 □□ (5 m Cord)	6x Socket WLTA06612 □□ (1,5 m Cord) WLTA06622 □□ (2 m Cord) WLTA06632 □□ (3 m Cord) WLTA06652 □□ (5 m Cord)
 White - WH  Black - BL			

			
3x Socket WLTB06312 □□ (1,5 m Cord) WLTB06322 □□ (2 m Cord) WLTB06332 □□ (3 m Cord) WLTB06352 □□ (5 m Cord)	4x Socket WLTB06412 □□ (1,5 m Cord) WLTB06422 □□ (2 m Cord) WLTB06432 □□ (3 m Cord) WLTB06452 □□ (5 m Cord)	5x Socket WLTB06512 □□ (1,5 m Cord) WLTB06522 □□ (2 m Cord) WLTB06532 □□ (3 m Cord) WLTB06552 □□ (5 m Cord)	6x Socket WLTB06612 □□ (1,5 m Cord) WLTB06622 □□ (2 m Cord) WLTB06632 □□ (3 m Cord) WLTB06652 □□ (5 m Cord)

Safety Shutter Socket

			
2x Socket w/o Cord WLTB02202 □□	3x Socket w/o Cord WLTB02302 □□	4x Socket w/o Cord WLTB02402 □□	3x Socket (with Switch) w/o Cord WLTA02302 □□

Safety Shutter Earthed Socket (French Standard) (with Switch)

			
3x Socket w/o Cord WLTA06302 □□	4x Socket w/o Cord WLTA06402 □□	5x Socket w/o Cord WLTA06502 □□	6x Socket w/o Cord WLTA06602 □□

The last 2 characters in □□ of products numbers show the item color.



The last 2 characters in □□ of products numbers show the item color.



* Black and white only.



Safety shutter feature in all products.

Safety Shutter Socket



2x Socket

WLTB02222 □□ [2 m Cord]
 WLTB02232 □□ [3 m Cord]
 WLTB02252 □□ [5 m Cord]



3x Socket

WLTB02322 □□ [2 m Cord]
 WLTB02332 □□ [3 m Cord]
 WLTB02352 □□ [5 m Cord]



4x Socket

WLTB02422 □□ [2 m Cord]
 WLTB02432 □□ [3 m Cord]
 WLTB02452 □□ [5 m Cord]



3x Socket (with Switch)

WLTA02322 □□ [2 m Cord]
 WLTA02332 □□ [3 m Cord]
 WLTA02352 □□ [5 m Cord]



Earthed Socket (Surge Protection - 1050J)



4x Socket
 1,5 m Cord

WLTA12415GR



6x Socket
 1,5 m Cord

WLTA12615GR



The last 2 characters in □□ of products numbers show the item color.



Safety shutter feature in all products.



Panasonic Electric Works Elektrik San. ve Tic. A.Ş.

Abdurrahmangazi Mah. Ebubekir Cad. No: 44 34887 Sancaktepe İstanbul / Türkiye
T: +90 (216) 564 55 55 F: +90 (216) 564 55 44 ewtr.panasonic.com info@tr.panasonic.com